



UNIVERSITI
TEKNOLOGI
PETRONAS

FINAL EXAMINATION MAY 2024 SEMESTER

**COURSE : CFB1043 - PRINCIPLES OF CHEMICAL
ENGINEERING**

DATE : 5 AUGUST 2024 (MONDAY)

TIME : 9.00 AM - 12.00 NOON (3 HOURS)

INSTRUCTIONS TO CANDIDATES

1. Answer **ALL** questions in the Answer Booklet.
2. Begin **EACH** answer on a new page in the Answer Booklet.
3. Indicate clearly answers that are cancelled, if any.
4. Where applicable, show clearly steps taken in arriving at the solutions and indicate **ALL** assumptions, if any.
5. **DO NOT** open this Question Booklet until instructed.

Note :

- i. There are **SIXTEEN (16)** pages in this Question Booklet including the cover page and appendices.
- ii. **DOUBLE-SIDED** Question Booklet.

1. In a chemical processing plant, sulfur dioxide (SO_2) is to be removed using **TWO (2)** absorption towers in series. The total flow rate of the inlet gas stream entering the first absorption tower is 300 kmol/hour, with a composition of 20 mol% SO_2 , 30 mol% CO_2 and the remaining are N_2 . The outlet gas stream from the first tower is then directed to the second absorption tower. Pure water is used as the solvent in both absorption towers, with a flow rate of 600 kmol/hour for each tower. It is assumed that the water only absorbs SO_2 and the absorption efficiency for the first and second tower is 60% and 85%, respectively.
 - a. Draw the process flow diagram of inlet and outlet streams for the two absorption towers with proper label of all the provided flow rates and component fractions.
[8 marks]
 - b. Calculate the mass composition of all the inlet and outlet streams for the second absorption tower.
[12 marks]
 - c. If the water is not pure due to repeatedly use, discuss the consequences to the outlet gas stream in the second tower.
[4 marks]

2. a. In a combustion process of heptane (C_7H_{16}), 180% of excess air is used to ensure the combustion is complete.
- i. Write the chemical reaction for the combustion process.
[4 marks]
- ii. Calculate the composition of products in dry and wet basis if the feed of C_7H_{16} is 100 kg/hour.
[12 marks]
- b. Moist air at a dry bulb temperature of 323 K and 40% relative humidity enters the cooling coil of a dehumidifying wood dryer and is cooled to 291 K under saturated conditions. If the drying rate of the wood is 3 kg/hour, determine the flow rate of dry air in the system.
[10 marks]

3. A liquid mixture with a composition of 40 mol% acetone (C_3H_6O) and 60 mol% methanol (CH_3OH) is fed into an evaporator at a total flow rate of 100 kmol/hr at 303 K and 5 atm. When the evaporator is operated at 450 K and 1 atm, a substantial amount of the feed is vaporized. The liquid stream discharged from the evaporator contains 78 mol% CH_3OH , while the vapor stream contains 55 mol% C_3H_6O .
- a. Determine the heat rate to the evaporator.
[18 marks]
- b. If the feed to the evaporator consists of more C_3H_6O than CH_3OH , predict the changes in the heat rate to the evaporator. Justify your answer.
[6 marks]

4. In a new process for the recovery of tin from low-grade ores, it is desired to oxidize stannous oxide (SnO) to stannic oxide (SnO_2), which is then soluble in a caustic solution. Both of the SnO and O_2 enter the reactor at 25°C with 85 % conversion efficiency of SnO according to the chemical reaction below. Additional data for the heat of formation and heat capacity for different compounds are given in **Table Q4**.




Table Q4: Respective heat of formation and heat capacity for SnO , SnO_2 and O_2

Compound	ΔH_f (kJ/mol)	C_p (kJ/mol.K), T in kelvin
SnO	-283.3	$39.33 + 15.15 \times 10^{-3} T$
SnO_2	-577.8	$73.89 + 10.04 \times 10^{-3} T - \frac{2.16 \times 10^4}{T^2}$
O_2	0	$29.10 + 1.158 \times 10^{-5} T - 0.6076 \times 10^{-8} T^2 + 1.311 \times 10^{-12} T^3$

- a. Calculate the heat of reaction at 90°C and 1 atm.

[20 marks]

- b. If a catalyst is developed to enhance the reaction conversion efficiency, predict its impact on the mass and energy balance in the reactor. Provide justification for your answer.

[6 marks]

APPENDIX I: Physical Properties Table

Table B.1 Selected Physical Property Data^a

Compound	Formula	Mol. Wt.	SG (20°/4°)	T_m (°C) ^b	$\Delta\hat{H}_m(T_m)^{c,j}$ kJ/mol	T_b (°C) ^d	$\Delta\hat{H}_v(T_b)^{e,j}$ kJ/mol	T_c (K) ^f	P_c (atm) ^g	$(\Delta\hat{H}_f^o)^{h,j}$ kJ/mol	$(\Delta\hat{H}_v^o)^{i,j}$ kJ/mol
Acetaldehyde	CH ₃ CHO	44.05	0.783 ^{18*}	-123.7	—	20.2	25.1	461.0	—	-166.2(g)	-1192.4(g)
Acetic acid	CH ₃ COOH	60.05	1.049	16.6	12.09	118.2	24.39	594.8	57.1	-486.18(l)	-871.69(l)
Acetone	C ₃ H ₆ O	58.08	0.791	-95.0	5.69	56.0	30.2	508.0	47.0	-438.15(g)	-919.73(g)
Acetylene	C ₂ H ₂	26.04	—	—	—	-81.5	17.6	309.5	61.6	-248.2(l)	-1785.7(l)
Ammonia	NH ₃	17.03	—	-77.8	5.633	-33.43	23.351	405.5	111.3	-216.7(g)	-1821.4(g)
Ammonium hydroxide	NH ₄ OH	35.03	—	—	—	—	—	—	—	+226.75(g)	-1299.6(g)
Ammonium nitrate	NH ₄ NO ₃	80.05	1.725 ^{25*}	169.6	5.4	Decomposes at 210°C	—	—	—	-67.20(l)	-382.58(g)
Ammonium sulfate	(NH ₄) ₂ SO ₄	132.14	1.769	513	—	Decomposes at 513°C after melting	—	—	—	-46.19(g)	-366.48(aq)
Aniline	C ₆ H ₇ N	93.12	1.022	-6.3	—	184.2	—	—	—	-365.14(c)	—
Benzaldehyde	C ₆ H ₅ CHO	106.12	1.046	-26.0	—	179.0	38.40	—	—	-399.36(aq)	-1179.3(c)
Benzene	C ₆ H ₆	78.11	0.879	5.53	9.837	80.10	30.765	562.6	52.4	-1173.1(aq)	-1173.1(aq)
Benzoic acid	C ₇ H ₆ O ₂	122.12	1.266 ^{15*}	122.2	—	249.8	—	—	—	-88.83(l)	-3520.0(l)
Benzyl alcohol	C ₇ H ₈ O	108.13	1.045	-15.4	—	205.2	—	—	—	-40.04(g)	—
Bromine	Br ₂	159.83	3.119	-7.4	10.8	58.6	31.0	584	102	+48.66(l)	-3247.6(l)
1,2-Butadiene	C ₄ H ₆	54.09	—	-136.5	—	10.1	—	446	—	+82.93(g)	-3301.5(g)
1,3-Butadiene	C ₄ H ₆	54.09	—	-109.1	—	-4.6	—	425	42.7	—	-3226.7(g)
n-Butane	C ₄ H ₁₀	58.12	—	-138.3	4.661	-0.6	22.305	425.17	37.47	-147.0(l)	-3741.8(l)
Isobutane	C ₄ H ₁₀	58.12	—	-159.6	4.540	-11.73	21.292	408.1	36.0	-124.7(g)	-2855.6(l)
1-Butene	C ₄ H ₈	56.10	—	-185.3	3.8480	-6.25	21.916	419.6	39.7	-158.4(l)	-2878.5(g)
Calcium carbide	CaC ₂	64.10	2.2218*	2300	—	—	—	—	—	-134.5(g)	-2849.0(l)
Calcium carbonate	CaCO ₃	100.09	2.93	—	—	—	—	—	—	+1.17(g)	-2868.8(g)
Calcium chloride	CaCl ₂	110.99	2.15218*	782	28.37	>1600	—	—	—	-62.76(c)	-2718.6(g)
										-1206.9(c)	—
										-794.96(c)	—

APPENDIX I: Physical Properties Table (continued)

Calcium hydroxide	$\text{Ca}(\text{OH})_2$	74.10	2.24		($-\text{H}_2\text{O}$ at 58°C)		-936.59(c)	-
Calcium oxide	CaO	56.08	3.32	2570	50	2850	-	-635.6(c)
Calcium phosphate	$\text{Ca}_3(\text{PO}_4)_2$	310.19	3.14	1671	-	-	-	-4138(c)
Calcium silicate	CaSiO_3	116.17	2.915	1530	48.62	-	-	-1584(c)
Calcium sulfate	CaSO_4	136.15	2.96	-	-	-	-	-1432.7(c) -1450.4(aq)
Calcium sulfate (gypsum)	$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	172.18	2.32		(-1.5 H_2O at 128°C)	-	-	-2021(c)
Carbon (graphite)	C	12.010	2.26	3600	46.0	4200	-	-
Carbon dioxide	CO_2	44.01	-	-56.6 at 5.2 atm	8.33 (Sublimes at -78°C)	304.2	72.9	-412.9(l) -393.5(g)
Carbon disulfide	CS_2	76.14	1.261 ^{22°/20°}	-112.1	4.39	46.25	26.8	+87.9(l) +115.3(g) 1102.6(g)
Carbon monoxide	CO	28.01	-	-205.1	0.837	-191.5	6.042	-10.52(g) -282.99(g)
Carbon tetrachloride	CCl_4	153.84	1.595	-22.9	2.51	76.7	30.0	556.4 45.0 -139.5(l) -106.7(g) -385.0(g)
Chlorine	Cl_2	70.91	-	-101.00	6.406	-34.06	20.4	
Chlorobenzene	$\text{C}_6\text{H}_5\text{Cl}$	112.56	1.107	-45	-	132.10	36.5	632.4 44.6 0(g)
Chloroethane	$\text{C}_2\text{H}_5\text{Cl}$				See ethyl chloride			-

^aAdapted in part from D. M. Himmelblau, *Basic Principles and Calculations in Chemical Engineering*, 3rd Edition, ©1974, Tables D.1 and F.1. Adapted by permission of Prentice-Hall, Inc., Englewood Cliffs, NJ.

^bMelting point at 1 atm.

^cHeat of fusion at T_m and 1 atm.

^dBoiling point at 1 atm.

^eHeat of vaporization at T_b and 1 atm.

^fCritical temperature.

^gCritical pressure.

^hHeat of formation at 25°C and 1 atm.

ⁱHeat of combustion at 25°C and 1 atm. Standard states of products are $\text{CO}_2(\text{g})$, $\text{H}_2\text{O}(\text{l})$, $\text{SO}_2(\text{g})$, $\text{HCl}(\text{aq})$, and $\text{N}_2(\text{g})$. To calculate ΔH°_c with $\text{H}_2\text{O}(\text{g})$ as a product, add 44.0 kJ/mol to the tabulated value, where n_w = moles H_2O formed/mole fuel burned.

^jTo convert ΔH to kcal/mol, divide given value by 4.184; to convert to Btu/lb-mole, multiply by 430.28.

(continued)

APPENDIX I: Physical Properties Table (continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20/4°)	T_m (°C) ^b	$\Delta H_m(T_m)^{c,j}$ kJ/mol	T_b (°C) ^d	$\Delta H_b(T_b)^{e,i}$ kJ/mol	T_c (K) ^f	P_c (atm) ^g	$(\Delta H_f^{\circ})^{h,j}$ kJ/mol	$(\Delta H_c^{\circ})^{h,j}$ kJ/mol
Chloroform	CHCl_3	119.39	1.489	-63.7	—	61.0	536.0	54.0	-131.8(l)	-373(l)	
Copper	Cu	63.54	8.92	1083	13.01	2595	304.6	—	0(c)	—	
Cupric sulfate	CuSO_4	159.61	3.606 ^s		Decomposes > 600°C				-769.9(c)		
Cyclohexane	C_6H_{12}	84.16	0.779	6.7	2.677	80.7	30.1	553.7	40.4	-156.2(l)	-3919.9(l)
Cyclopentane	C_5H_{10}	70.13	0.745	-93.4	0.609	49.3	27.30	511.8	44.55	-105.9(l)	-3953.0(g)
n-Decane	$\text{C}_{10}\text{H}_{22}$	142.28	0.730	-29.9	—	173.8	—	619.0	20.8	-77.2(g)	-329.9(l)
Diethyl ether	$(\text{C}_2\text{H}_5)_2\text{O}$	74.12	0.708 ^{23*}	-116.3	7.30	34.6	26.05	467	35.6	-249.7(l)	-3319.5(g)
Ethane	C_2H_6	30.07	—	-183.3	2.839	-88.6	14.72	305.4	48.2	-84.67(g)	-6778.3(l)
Ethyl acetate	$\text{C}_4\text{H}_8\text{O}_2$	88.10	0.901	-83.8	—	77.0	—	523.1	37.8	-463.2(l)	-6829.7(g)
Ethyl alcohol (Ethanol)	$\text{C}_2\text{H}_5\text{OH}$	46.07	0.789	-114.6	5.021	78.5	38.58	516.3	63.0	-272.8(l)	-2726.7(l)
Ethyl benzene	C_8H_{10}	106.16	0.867	-94.67	9.163	136.2	35.98	619.7	37.0	-12.46(l)	-15559.9(g)
Ethyl bromide	$\text{C}_2\text{H}_5\text{Br}$	108.98	1.460	-119.1	—	38.2	—	504	61.5	+29.79(g)	-2246.4(l)
Ethyl chloride	$\text{C}_2\text{H}_5\text{Cl}$	64.52	0.903 ^{15*}	-138.3	4.452	13.1	24.7	460.4	52.0	-54.4(g)	-1366.91(l)
3-Ethyl hexane	C_8H_{18}	114.22	0.717	—	—	118.5	34.27	567.0	26.4	-105.0(g)	-1409.25(g)
Ethylene	C_2H_4	28.05	—	-169.2	3.350	-103.7	13.54	283.1	50.5	-250.5(l)	-4564.9(l)
Ethylene glycol	$\text{C}_2\text{H}_6\text{O}_2$	62.07	1.113 ^{19*}	-13	11.23	197.2	56.9	—	—	-210.9(g)	-5407.1(l)
Ferric oxide	Fe_2O_3	159.70	5.12	—	—	—	—	—	—	-387.1(g)	-5509.8(g)
Ferrous oxide	FeO	71.85	5.7	—	—	—	—	—	—	-52.28(g)	-1410.99(g)
Ferrous sulfide	FeS	87.92	4.84	1193	—	—	—	—	—	-451.5(l)	-1179.5(l)
Formaldehyde	H_2CO	30.03	0.815 ^{20*}	-92	—	-19.3	24.48	—	—	-822.2(c)	
Formic acid	CH_2O_2	46.03	1.220	8.30	12.68	100.5	22.25	—	—	-266.5(c)	
Glycerol	$\text{C}_3\text{H}_8\text{O}_3$	92.09	1.260 ^{50*}	18.20	18.30	290.0	—	—	—	-362.6(g)	
Helium	He	4.00	—	-269.7	0.02	-268.9	0.084	5.26	2.26	0(g)	-1661.1(l)

APPENDIX I: Physical Properties Table (continued)

<i>n</i> -Heptane	C ₇ H ₁₆	100.20	0.684	-90.59	14.03	98.43	31.69	540.2	27.0	-224.4(l) -187.8(g)	-4816.9(l) -4853.5(g)
<i>n</i> -Hexane	C ₆ H ₁₄	86.17	0.659	-95.32	13.03	68.74	28.85	507.9	29.9	-198.8(l) -167.2(g) 0(g)	-4163.1(l) -4194.8(g) -285.84(g)
Hydrogen bromide	H ₂ HBr	2.016 80.92	— —	-259.19 -86	0.12 —	-252.76 -67	0.904 —	33.3 —	12.8 —	— -36.23(g)	—
Hydrogen chloride	HCl	36.47	—	-114.2	1.99	-85.0	16.1	324.6	81.5	-92.31(g)	—
Hydrogen cyanide	HCN	27.03	—	-14	—	26	—	—	—	+130.54(g)	—
Hydrogen fluoride	HF	20.0	—	-83	—	20	—	503.2	—	-268.6(g) -316.9(aq, 200)	—
Hydrogen sulfide	H ₂ S	34.08	—	-85.5	2.38	-60.3	18.67	373.6	88.9	-19.96(g)	-562.59(g)
Iodine	I ₂	253.8	4.93	113.3	—	184.2	—	826.0	—	0(c)	—
Iron	Fe	55.85	7.7	1535	15.1	2800	354.0	—	—	0(c)	—
Lead	Pb	207.21	11.337 ^{w/w}	327.4	5.10	1750	179.9	—	—	0(c)	—
Lead oxide	PbO	223.21	9.5	886	11.7	1472	213	—	—	-219.2(c)	—
Magnesium	Mg	24.32	1.74	650	9.2	1120	131.8	—	—	0(c)	—
Magnesium chloride	MgCl ₂	95.23	2.325 ^s	714	43.1	1418	136.8	—	—	-641.8(c)	—
Magnesium hydroxide	Mg(OH) ₂	58.34	2.4	Decomposes at 350°C						—	—
Magnesium oxide	MgO	40.32	3.65	2900	77.4	3600	—	—	—	-601.8(c)	—
Mercury	Hg	200.61	13.546	-38.87	—	-356.9	—	—	—	0(c)	—
Methane	CH ₄	16.04	—	-182.5	0.94	-161.5	8.179	190.70	45.8	-74.85(g)	-890.36(g)
Methyl acetate	C ₃ H ₆ O ₂	74.08	0.933	-98.9	—	57.1	—	506.7	46.30	-409.4(l)	-1595(l)
Methyl alcohol (Methanol)	CH ₃ OH	32.04	0.792	-97.9	3.167	64.7	35.27	513.20	78.50	-238.6(l) -201.2(g)	726.6(l) -764.0(g)
Methyl amine	CH ₃ N	31.06	0.699	11 ^w	-92.7	—	-6.9	—	429.9	73.60	-28.0(g)
Methyl chloride	CH ₃ Cl	50.49	—	-97.9	—	-24	—	416.1	65.80	-81.92(g)	—

(continued)

APPENDIX I: Physical Properties Table (continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20°/4°)	T_m (°C) ^b	$\Delta\hat{H}_m(T_m)^{e,j}$ kJ/mol	T_b (°C) ^d	$\Delta\hat{H}_v(T_b)^{e,j}$ kJ/mol	T_c (K) ^f	P_c (atm) ^g	$(\Delta\hat{H}_f^{\circ})^{h,j}$ kJ/mol	$(\Delta\hat{H}_c^{\circ})^{h,j}$ kJ/mol
Methyl ethyl ketone	C ₄ H ₈ O	72.10	0.805	-87.1	-	78.2	32.0	-	-	-	-2436(l)
Naphthalene	C ₁₀ H ₈	128.16	1.145	80.0	-	217.8	-	-	-	0(c)	-5157(g)
Nickel	Ni	58.69	8.90	1452	-	2900	-	-	-	-173.23(l)	-
Nitric acid	HNO ₃	63.02	1.502	-41.6	10.47	86	30.30	-	-	-206.57(aq)	-
Nitrobenzene	C ₆ H ₅ O ₂ N	123.11	1.203	5.5	-	210.7	-	-	-	-	-3092.8(l)
Nitrogen	N ₂	28.02	-	-210.0	0.720	-195.8	5.577	126.20	33.5	0(g)	-
Nitrogen dioxide	NO ₂	46.01	-	-9.3	7.335	21.3	14.73	431.0	100.0	+33.8(g)	-
Nitric oxide	NO	30.01	-	-163.6	2.301	-151.8	13.78	179.20	65.0	+90.37(g)	-
Nitrogen pentoxide	N ₂ O ₅	108.02	1.63 ^{18*}	30	-	47	-	-	-	-	-
Nitrogen tetraoxide	N ₂ O ₄	92.0	1.448	-9.5	-	21.1	-	431.0	99.0	+9.3(g)	-
Nitrous oxide	N ₂ O	44.02	1.226 ^{-48*}	-91.1	-	-88.8	-	309.5	71.70	+81.5(g)	-
n-Nonane	C ₉ H ₂₀	128.25	0.718	-53.8	-	150.6	-	595	23.0	-229.0(l)	-6124.5(l)
n-Octane	C ₈ H ₁₈	114.22	0.703	-57.0	-	125.5	-	568.8	24.5	-249.9(l)	-6171.0(g)
Oxalic acid	C ₂ H ₂ O ₄	90.04	1.90	-	-218.75	Decomposes at 186°C	-	-	-	-	-
Oxygen	O ₂	32.00	-	-	0.444	-182.97	6.82	154.4	49.7	0(g)	-5470.7(l)
n-Pentane	C ₅ H ₁₂	72.15	0.63 ^{18*}	-129.6	8.393	36.07	25.77	469.80	33.3	-173.0(l)	-5512.2(g)
Isopentane	C ₃ H ₁₂	72.15	0.62 ^{18*}	-160.1	-	27.7	-	461.00	32.9	-146.4(g)	-251.9(s)
1-Pentene	C ₅ H ₁₀	70.13	0.641	-165.2	4.94	29.97	-	474	39.9	-152.0(g)	-3529.2(g)
Phenol	C ₆ H ₅ OH	94.11	1.071 ^{25*}	42.5	11.43	181.4	-	692.1	60.5	-20.9(g)	-3375.8(g)
Phosphoric acid	H ₃ PO ₄	98.00	1.834 ^{18*}	42.3	10.54	(-½ H ₂ O at 213°C)	-	-	-	-158.1(l)	-3063.5(s)
Phosphorus (red)	P ₄	123.90	2.20	590 ^{43 atm}	81.17	Ignites in air, 723°C	-	-	-	-90.8(g)	-
								-	-	-1281.1(c)	-
								-	-	-1278.6(aq, H ₂ O)	-
								-	-	-17.6(c)	0(c)

APPENDIX I: Physical Properties Table (continued)

Phosphorus (white)	P ₄	123.90	1.82	44.2	2.51	280	49.7(l)	—	—	—
Phosphorus pentoxide	P ₂ O ₅	141.95	2.387	Sublimes at 250°C		—	—	—	—	—
Propane	C ₃ H ₈	44.09	—	—	—187.69	3.52	—42.07	18.77	369.9	42.0
Propylene	C ₃ H ₆	42.08	—	—	—185.2	3.00	—47.70	18.42	365.1	45.4
<i>n</i> -Propyl alcohol	C ₃ H ₇ OH	60.09	0.804	—	—127	—	97.04	—	536.7	49.95
Isopropyl alcohol	C ₃ H ₇ OH	60.09	0.785	—	—89.7	—	82.24	—	508.8	53.0
<i>n</i> -Propyl benzene	C ₉ H ₁₂	120.19	0.862	—	—99.50	8.54	159.2	38.24	638.7	31.3
Silicon	SiO ₂	60.09	2.25	1710	14.2	2230	—	—	—	—
Sodium bicarbonate	NaHCO ₃	84.01	2.20	Decomposes at 270°C		—	—	—	—	—
Sodium bisulfate	NaHSO ₄	120.07	2.742	—	—	—	—	—	—	—
Sodium carbonate	Na ₂ CO ₃	105.99	2.533	Decomposes at 854°C		—	—	—	—	—
Sodium chloride	NaCl	58.45	2.163	808	28.5	1465	170.7	—	—	—
Sodium cyanide	NaCN	49.01	—	562	16.7	1497	155	—	—	—
Sodium hydroxide	NaOH	40.00	2.130	319	8.34	1390	—	—	—	—
Sodium nitrate	NaNO ₃	85.00	2.257	310	15.9	Decomposes at 380°C		—	—	—
Sodium nitrite	NaNO ₂	69.00	2.168 ¹⁰	271	—	Decomposes at 320°C		—	—	—
Sodium sulfate	Na ₂ SO ₄	142.05	2.698	890	24.3	—	—	—	—	—
Sodium sulfide	Na ₂ S	78.05	1.856	950	6.7	—	—	—	—	—
Sodium sulfite	Na ₂ SO ₃	126.05	2.633 ¹⁵	Decomposes		—	—	—	—	—

(continued)

APPENDIX I: Physical Properties Table (continued)

Table B.1 (Continued)

Compound	Formula	Mol. Wt.	SG (20°/4°)	T_m (°C) ^b	$\Delta\hat{H}_{m,n}(T_m)^{c,i}$ kJ/mol	T_b (°C) ^d	$\Delta\hat{H}_v(T_b)^{e,j}$ kJ/mol	T_c (K) ^f	P_c (atm) ^g	$(\Delta\hat{H}_f^o)^{h,j}$ kJ/mol	$(\Delta\hat{H}_c^o)^{i,j}$ kJ/mol
Sodium thiosulfate	Na ₂ S ₂ O ₃	158.11	1.667	—	—	—	—	—	—	-1117.1(c)	—
Sulfur (rhombic)	S ₈	256.53	2.07	113	10.04	444.6	83.7	—	—	0(c)	—
Sulfur (monochinic)	S ₈	256.53	1.96	119	14.17	444.6	83.7	—	—	+0.30(c)	—
Sulfur dioxide	SO ₂	64.07	—	-75.48	7.402	-10.02	24.91	430.7	77.8	-296.90(g)	—
Sulfur trioxide	SO ₃	80.07	—	16.84	25.48	43.3	41.80	491.4	83.8	-395.18(g)	—
Sulfuric acid	H ₂ SO ₄	98.08	1.834 ^{18*}	10.35	9.87	Decomposes at 340°C	—	—	—	-811.32(l)	—
Toluene	C ₇ H ₈	92.13	0.866	-94.99	6.619	10.62	33.47	593.9	40.3	-907.51(aq)	—
Water	H ₂ O	18.016	1.00 ⁴	0.00	6.0095	100.00	40.656	647.4	218.3	+12.00(l)	-3909.9(l)
<i>m</i> -Xylene	C ₈ H ₁₀	106.16	0.864	-47.87	11.569	139.10	36.40	619	34.6	-285.84(l)	-3947.9(g)
<i>o</i> -Xylene	C ₈ H ₁₀	106.16	0.880	-25.18	13.598	144.42	36.82	631.5	35.7	-241.83(B)	-4551.9(l)
<i>p</i> -Xylene	C ₈ H ₁₀	106.16	0.861	13.26	17.11	138.35	36.07	618	33.9	-25.42(l)	-4594.5(g)
Zinc	Zn	65.38	7.140	419.5	6.674	907	114.77	—	—	17.95(g)	-4595.2(g)
								0(c)	—	—	—

APPENDIX II: Heat Capacities

Table B.2 Heat Capacities^a

Compound	Formula	Mol.	Wt.	State	Form	Temp. °C	$a \times 10^3$	$b \times 10^3$	$c \times 10^6$	$d \times 10^{12}$	Range (Units of T)
Acetone	CH ₃ COCH ₃	58.08	1	1	°C	123.0	18.6	-12.78	34.76	-30-60	
Acetylene	C ₂ H ₂	26.04	g	1	°C	71.96	20.10	-5.033	18.20	0-1200	
Air		29.0	g	1	°C	42.43	6.053			0-1200	
Ammonia	NH ₃	17.03	g	1	K	28.94	0.4147	0.3191	-1.965	0-1500	
Ammonium sulfate	(NH ₄) ₂ SO ₄	132.15	c	1	°C	35.15	2.954	0.4799	-1.965	273-1800	
Benzene	C ₆ H ₆	78.11	1	1	°C	215.9	0.4421		-6.686	0-1200	
Isobutane	C ₄ H ₁₀	58.12	g	1	°C	74.06	32.95	-25.20	77.57	6-67	
n-Butane	C ₄ H ₁₀	58.12	g	1	°C	89.46	30.13	-18.91	49.87	0-1200	
Isobutene	C ₄ H ₈	56.10	g	1	°C	92.30	27.88	-15.47	34.98	0-1200	
Calcium carbide	CaC ₂	64.10	c	2	K	82.88	25.64	-17.27	50.50	0-1200	
Calcium carbonate	CaCO ₃	100.09	c	2	K	68.62	1.19	-8.66 × 10 ¹⁰	—	298-720	
Calcium hydroxide	Ca(OH) ₂	74.10	c	1	K	82.34	4.975	-12.87 × 10 ¹⁰	—	273-1033	
Calcium oxide	CaO	56.08	c	2	K	89.5				276-373	
Carbon	C	12.01	c	2	K	41.84	2.03	-4.52 × 10 ¹⁰	273-1173		
Carbon dioxide	CO ₂	44.01	g	1	°C	11.18	1.095	-4.891 × 10 ¹⁰	273-1373		
Carbon monoxide	CO	28.01	g	1	°C	36.11	4.233	-2.887	7.464	0-1500	
Carbon tetrachloride	CCl ₄	153.84	l	1	K	28.95	0.4110	0.3548	-2.220	0-1500	
Chlorine	Cl ₂	70.91	g	1	°C	93.39	12.98	-1.607	6.473	273-343	
Copper	Cu	63.54	c	1	K	33.60	1.367			273-1357	

^aAdapted in part from D. M. Himmelblau, *Basic Principles and Calculations in Chemical Engineering*, 3rd Edition, © 1974, Table E.1. Adapted by permission of Prentice-Hall, Inc., Englewood Cliffs, NJ.

(continued)

APPENDIX II: Heat Capacities (continued)

Table B.2 (Continued)

Compound	Formula	Mol. Wt.	State	Form	Temp. Unit	$a \times 10^3$	$b \times 10^5$	$c \times 10^8$	$d \times 10^{12}$	Range (Units of T)
Cumene (Isopropyl benzene)	C ₉ H ₁₂	120.19	g	1	°C	139.2	53.76	-39.79	120.5	0-1200
Cyclohexane	C ₆ H ₁₂	84.16	g	1	°C	94.140	49.62	-31.90	80.63	0-1200
Cyclopentane	C ₅ H ₁₀	70.13	g	1	°C	73.39	39.28	-25.54	68.66	0-1200
Ethane	C ₂ H ₆	30.07	g	1	°C	49.37	13.92	-5.816	7.280	0-1200
Ethyl alcohol (Ethanol)	C ₂ H ₅ OH	46.07	l	1	°C	103.1			0	
					°C	158.8			100	
Ethylene	C ₂ H ₄	28.05	g	1	°C	61.34	15.72	-8.749	19.83	0-1200
Ferric oxide	Fe ₂ O ₃	159.70	c	2	K	+40.75	11.47	-6.891	17.66	0-1200
Formaldehyde	CH ₂ O	30.03	g	1	°C	103.4	6.711	-17.72 × 10 ¹⁰	—	273-1097
Helium	He	4.00	g	1	°C	34.28	4.268	0.0000	-8.694	0-1200
n-Hexane	C ₆ H ₁₄	86.17	l	1	°C	216.3			20-100	
					°C	137.44	40.85	-23.92	57.66	0-1200
Hydrogen	H ₂	2.016	g	1	°C	28.84	0.00765	0.3288	-0.8698	0-1900
Hydrogen bromide	HBr	80.92	g	1	°C	29.10	-0.0227	0.9887	-4.858	0-1200
Hydrogen chloride	HCl	36.47	g	1	°C	29.13	-0.1341	0.9715	-4.335	0-1200
Hydrogen cyanide	HCN	27.03	g	1	°C	35.3	2.908	1.092	0-1200	
Hydrogen sulfide	H ₂ S	34.08	g	1	°C	33.51	1.547	0.3012	-3.292	0-1500
Magnesium chloride	MgCl ₂	95.23	c	1	K	72.4	1.58		273-991	
Magnesium oxide	MgO	40.32	c	2	K	45.44	0.5008	-8.732 × 10 ¹⁰	273-2073	
Methane	CH ₄	16.04	g	1	°C	34.31	5.469	0.3661	-11.00	0-1200
					°C	19.87	5.021	1.268	-11.00	273-1500
Methyl alcohol (Methanol)	CH ₃ OH	32.04	l	1	°C	75.86	16.83		0-65	
Methyl cyclohexane	C ₇ H ₁₄	98.18	g	1	°C	42.93	8.301	-1.87	-8.03	0-700
Methyl cyclopentane	C ₆ H ₁₂	84.16	g	1	°C	121.3	56.53	-37.72	100.8	0-1200
Nitric acid	HNO ₃	63.02	l	1	°C	110.0	45.857	-30.44	83.81	0-1200
Nitric oxide	NO	30.01	g	1	°C	29.50	0.8188	-0.2925	25	
					°C				0.3652	0-3500

APPENDIX II: Heat Capacities (continued)

Nitrogen	N ₂	28.02	g	1	°C	29.00	0.2199	0.5723	-2.871	0-1500
Nitrogen dioxide	NO ₂	46.01	g	1	°C	36.07	3.97	-2.88	7.87	0-1200
Nitrogen tetraoxide	N ₂ O ₄	92.02	g	1	°C	75.7	12.5	-11.3	0-300	
Nitrous oxide	N ₂ O	44.02	g	1	°C	37.66	4.151	-2.694	10.57	0-1200
Oxygen	O ₂	32.00	g	1	°C	29.10	1.158	-0.6076	1.311	0-1500
n-Pentane	C ₅ H ₁₂	72.15	l	1	°C	155.4	43.68		0-36	
Propane	C ₃ H ₈	44.09	g	1	°C	114.8	34.09	-18.99	42.26	0-1200
Propylene	C ₃ H ₆	42.08	g	1	°C	68.032	22.59	-13.11	31.71	0-1200
Sodium carbonate	Na ₂ CO ₃	105.99	c	1	K	59.580	17.71	-10.17	24.60	0-1200
Sodium carbonate decahydrate	Na ₂ CO ₃ ·10H ₂ O	286.15	c	1	K	121				288-371
Sulfur	S	32.07	c	1	K	15.2	2.68			298
			(Rhombic)							
			c	1	K	18.3	1.84			273-368
			(Monoclinic)							
Sulfuric acid	H ₂ SO ₄	98.08	l	1	°C	139.1	15.59			368-392
Sulfur dioxide	SO ₂	64.07	g	1	°C	38.91	3.904	-3.104	8.606	0-1500
Sulfur trioxide	SO ₃	80.07	g	1	°C	48.50	9.188	-8.540	32.40	0-1000
Toluene	C ₇ H ₈	92.13	l	1	°C	148.8	32.4			0-110
Water	H ₂ O	18.016	g	1	°C	94.18	38.00	-27.86	80.33	0-1200
			b	1	°C	75.4			0-100	
						33.46	0.6880	0.7604	-3.593	0-1500

APPENDIX III: Psychrometric Chart

