

## REFERENCES

- [1] D. Hardjito, and B. V. Rangan, "Development and properties of low-calcium fly ash-based geopolymer concrete," *Research Report GC-1*, Faculty of Engineering, Curtin University of Technology, Perth, Australia, 2005.
- [2] V. M. Malhotra, "Role of supplementary cementing materials and superplasticizers in reducing greenhouse gas emissions," in *International Conference on Fiber Composites, High-Performance Concrete, and Smart Materials*, Chennai, India, Jan. 2004, pp. 489-499.
- [3] T. R. Naik, "Sustainability of cement and concrete industries," in *International Conference on Global Construction: Ultimate Concrete Opportunities*, Dundee, Scotland, July 2005, pp. 141-150.
- [4] V. M. Malhotra, "Introduction: Sustainable development and concrete technology," *ACI Concrete International*, vol. 24, no. 7, pp. 22, 2002.
- [5] B. V. Rangan, "Fly ash-based geopolymer concrete," *Research Report GC-4*, Faculty of Engineering, Curtin University of Technology, Perth, Australia, 2008.
- [6] J. Davidovits, "Geopolymer Chemistry and Applications," 2<sup>nd</sup> edition, Institut Geopolymer, Saint-Quentin, France, 2008.
- [7] F. Dehn, K. Holschemacher, D. Weiße, "Self-compacting concrete - Time development of the material properties and the bond behaviour," *The Leipzig Annual Civil Engineering Report (LACER)*, vol. 5, 2000, pp. 115-124.
- [8] H. Okamura, "Self-compacting high performance concrete," *Concrete International*, vol. 19, no. 7, pp. 50-54, 1997.
- [9] O. Boukendakdji, S. Kenai, E. H. Kadri, and F. Rouis, "Effect of slag on the rheology of fresh self-compacted concrete," *Construction and Building Materials*, vol. 23, no. 7, pp. 2593- , 2009.
- [10] C. Druta, "Tensile strength and bonding characteristics of Self-compacting concrete," M.S. thesis, Dept. Eng. Sci., Polytechnic Univ. Bucharest, 2003.
- [11] EFNARC, "The European Guidelines for Self-compacting Concrete Specification, Production and Use," May 2005.
- [12] M. Liu, "Self-compacting concrete with different levels of pulverized fuel ash," *Construction and Building Materials*, vol. 24, no. 7, pp. 1245-1252, 2010.

- [13] S. E. Wallah, and B. V. Rangan, “Low-calcium fly ash-based geopolymer concrete: Long-term properties,” *Research Report GC-2*, Faculty of Engineering, Curtin University of Technology, Perth, Australia, 2006.
- [14] J. Davidovits, “Geopolymers: Inorganic polymeric new materials,” *Journal of Thermal Analysis*, vol. 37, no. 8, pp. 1633-1656, 1991.
- [15] J. Davidovits, “Chemistry of geopolymeric systems, Terminology,” *Proceedings of Geopolymer '99 International Conference*, Saint-Quentin, France, 30 June - 2 July 1999.
- [16] J. Davidovits, “Geopolymers: Man-made rock geosynthesis and the resulting development of very early high strength cement,” *Journal of Materials and Education*, vol. 16, no. 2&3, pp. 91–137, 1994.
- [17] J. G. S. van Jaarsveld, J. S. J. van Deventer, and G. C. Lukey, “The Effect of composition and temperature on the properties of fly ash and Kaolinite-based geopolymers,” *Chemical Engineering Journal*, vol. 89, no. 1-3, pp. 63-73, 2002.
- [18] P. Duxson, A. Fernández-Jiménez, J. L. Provis, G. C. Lukey, A. Palomo, J. S. J. van Deventer, “Geopolymer Technology: the current state of the art,” *Journal of Materials Science*, vol. 42, no. 9, pp. 2917–2933, 2007.
- [19] A. Palomo, M. W. Grutzeck, M. T. Blanco, “Alkali-activated fly ashes – A cement for the future,” *Cement and Concrete Research*, vol. 29, no. 8, pp. 1323–1329, 1999.
- [20] J. Temuujin, R. P. Williams, A. van Riessen, “Effect of mechanical activation of fly ash on the properties of geopolymer cured at ambient temperature,” *Journal of Materials Processing Technology*, vol. 209, pp. 5276–5280, 2009.
- [21] H. Xu, and J. S. J. van Deventer, “The geopolymerisation of aluminosilicate minerals,” *International Journal of Mineral Processing*, vol. 59, no. 3, pp. 247–266, 2000.
- [22] P. Duxson, “Effect of alkali cations on Aluminum incorporation in geopolymeric gels,” *Industrial & Engineering Chemistry Research*, vol. 44, no. 4, pp. 832-839, 2005.
- [23] J. G. S. van Jaarsveld, J. S. J. van Deventer, G. C. Lukey, “The characterisation of source materials in fly ash-based geopolymers,” *Materials Letters*, vol. 57, no. 7, pp. 1272-1280, 2003.
- [24] C. Villa, E. T. Pecina, R. Torres, L. Gómez, “Geopolymer synthesis using alkaline activation of natural zeolite,” *Construction and Building Materials*, vol. 24, pp. 2084-2090, 2010.

- [25] H. Xu, J. S. J. van Deventer, "Geopolymerisation of multiple minerals," *Minerals Engineering*, vol. 15, no. 12, pp. 1131-1139, 2002.
- [26] R. C. Joshi, R. P. Lohtia, "Fly ash in concrete: Production, Properties and Uses," Gordon and Breach Science Publishers, Taylor & Francis, Amsterdam, 1997.
- [27] V. S. RamaChandran, "Concrete admixture Hand book: Properties, Science, and Technology," IInd Edition, 1996, pp. 657-680.
- [28] ASTM C 618-05, "Standard Specification for Coal Fly ash and Raw or Calcined Natural Pozzolan for use as Mineral Admixture in Portland Cement Concrete," American Society for Testing and Materials, Annual Book of ASTM Standards, vol. 04, no. 02, 2005.
- [29] C. H. Benson and S. Bradshaw, "User Guideline for Coal Fly Ash in Green Infrastructure Construction," Recycled Materials Resource Centre, University of Wisconsin, Madison, WI 53706 USA, December 2011.
- [30] D. W. Samuel, "Microstruture properties and compressive strength of Self-compacting geopolymer concrete," M.S. thesis, Universiti Teknologi PETRONAS, Malaysia, June 2012.
- [31] D. L. Y. Kong, J. G. Sanjayan, and K. Sagoe-Crentsil, "Comparative performance of geopolymers made with metakaolin and fly ash after exposure to elevated temperatures," *Cement and Concrete Research*, vol. 37, pp. 1583-1589, 2007.
- [32] A. Fernández-Jiménez, and A. Palomo, "Characterisation of fly ashes: Potentail reactivity as alkaline cements," *Fuel*, vol. 82, no. 18, pp. 2259-2265, 2003.
- [33] J. T. Gourley, "Geopolymers; Opportunities for environmentally friendly construction materials," in *Conference on Adaptive Materials for a Modern Society*, Sydney, Australia, 2003.
- [34] J. G. S. van Jaarsveld, J. S. J. van Deventer, L. Lorenzen, "Factors affecting the immobilisation of metals in geopolymerised fly ash," *Metallurgical and Materials Transactions B*, vol. 29B, 1998, pp. 283-291.
- [35] M. Komljenovic, Z. Bascarevic, V. Bradic, "Mechanical and microstructural properties of alkali-activated fly ash geopolymers," *Journal of Hazardous Materials*, vol. 181, pp. 35-42, 2010.
- [36] F. Winnefeld, A. Leemann, M. Lucuk, P. Svoboda, M. Neuroth, "Assessment of phase formation in alkali activated low and high calcium fly ashes in building materials," *Construction and Building Materials*, vol. 24, pp. 1086-1093, 2010.

- [37] A. M. Neville, *Properties of Concrete*, 4th Ed. Wiley Publishers, New York, 1996.
- [38] J. Newman and B. S. Choo, “Advanced Concrete Technology,” Butterworth-Heinemann, Linacre House, Jordan Hill, Burlington, 2003.
- [39] ACI Committee 234, “Guide for the Use of Silica Fume in Concrete,” ACI 234R-96, *Manual of Concrete Practice*, American Concrete Institute, Farmington Hills, Michigan, 1996.
- [40] R. Siddique, M. I. Khan, “Supplementary Cementing Materials,” Springer Heidelberg Dordrecht London New York, 2011 DOI 10.1007/978-3-642-17866-5
- [41] H. M. Khater, “Effect of silica fume on the characterization of the geopolymer materials,” *International Journal of Advanced Structural Engineering*, vol. 5, no. 12, pp. 1-10, 2013.
- [42] P. Chakraborti, “Performance of geopolymer mortar prepared by blending silica fume with fly ash,” M.S. thesis, Department of Civil Engineering, Faculty of Engineering and Technology, Jadavpur University, Kolkata, India, May 2010.
- [43] D. Dutta, S. Thokchom, P. Ghosh, and S. Ghosh, “Effect of silica fume additions on porosity of fly ash geopolymers,” *Journal of Engineering Applied Sciences*, vol. 5, no.10, pp. 74-79, 2010.
- [44] W. M. Kriven, and J. L. Bell, “Effect of alkali choice on geopolymer properties,” in *Ceramic Engineering and Science Proceedings*, 2004, pp. 99-104.
- [45] P. Duxson, S. W. Mallicoat, G. C. Lukey, W. M. Kriven, and J. S. J. van Deventer, “The effect of alkali and Si/Al ratio on the development of mechanical properties of metakaolin-based geopolymers,” *Colloids and Surfaces A: Physicochemical Engineering Aspects*, vol. 292, no. 1, pp. 8-20, 2006.
- [46] D. Hardjito, S. E. Wallah, D. M. J. Sumajouw, B. V. Rangan, “On the development of fly ash based geopolymer concrete,” *ACI Materials Journal*, vol. 101, no. 6, pp. 467–472, 2004.
- [47] D. Khale, R. Chaudhary, “Mechanism of geopolymerization and factors influencing its development: A review,” *Journal of Material Science*, vol. 42, no. 3, pp. 729–746, 2007.
- [48] M. Olivia and H. Nikraz, “Properties of fly ash geopolymer concrete designed by Taguchi method,” *Materials and Design*, vol. 36, pp. 191-198, 2012.

- [49] P. Chindaprasirt, T. Chareerat, V. Sirivivatnanon, “Workability and strength of coarse high calcium fly ash geopolymer,” *Cement & Concrete Composites*, vol. 29, no. 3, pp. 224–229, 2007.
- [50] H. A. Gasteiger, W. J. Frederick, and R. C. Streisel, “Solubility of aluminosilicates in alkaline solutions and a thermodynamic equilibrium model,” *Industrial & Engineering Chemistry Research*, vol. 31, no. 4, pp. 1183-1190, 1992.
- [51] D. Hardjito, C. C. Cheak and C. H. I. Lee, “Strength and setting times of low calcium fly ash-based geopolymer mortar,” *Modern Applied Science*, vol. 2, no. 4, pp. 3-11, 2008.
- [52] H. Wang, H. Li, F. Yan, “Synthesis and mechanical properties of metakaolinite-based geopolymer,” *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 268, pp. 1–6, 2005.
- [53] A. Gruskovnjak, B. Lothenbach, L. Holzer, R. Figi, F. Winnefeld, “Hydration of alkaliactivated slag: comparison with ordinary Portland cement,” *Advance Cement Research*, vol. 18, no. 3, pp. 119–128, 2006.
- [54] F. Puertas, S. Martinez-Ramirez, S. Alonso, T. Vazquez, “Alkali-activated fly ash/slag cement Strength behaviour and hydration products,” *Cement and Concrete Research*, vol. 30, no. 10, pp. 1625-1632, 2000.
- [55] Sindhunata, “A conceptual model of geopolymerisation,” Ph.D. dissertation, Dept. Chem. and Biomolecular Eng., The Univ. of Melbourne, Australia, October 2006.
- [56] A. Kirschner and H. Harmuth, “Investigation of geopolymer binders with respect to their application for building materials,” *Ceramic Silikaty*, vol. 48, no. 3, pp. 117–120, 2004.
- [57] D. M. J. Sumajouw, D. Hardjito, S. E. Wallah, and B. V. Rangan, “Fly ash-based geopolymer concrete: Study of slender reinforced columns”, *Journal of Materials Science*, vol. 42, pp. 3124-3130, 2007.
- [58] P. Rovnanik, “Effect of curing temperature on the development of hard structure of metakaolin-based geopolymer,” *Construction and Building Materials*, vol. 24, pp. 1176–1183, 2010.
- [59] X. Guo, H. Shi, W. A. Dick, “Compressive strength and microstructural characteristics of class C fly ash geopolymer,” *Cement & Concrete Composites*, vol. 32, pp. 142–147, 2010.
- [60] K. Daniel, J. Sanjayan, and K. Sagoe-Crentsil, “The behaviour of geopolymer paste and concrete at elevated temperatures,” *International Conference on*

- Pozzolan, Concrete and Geopolymer*, Khon Kaen, Thailand, 2006, pp. 105-118.
- [61] M. Sofi, J. S. J. van Deventer, P. A. Mendis, G. C. Lukey, “Engineering properties of inorganic polymer concretes (IPCs),” *Cement and Concrete Research*, vol. 37, pp. 251–257, 2007.
- [62] B. V. Rangan, D. Hardjito, S. E. Wallah, D. M. J. Sumajouw, “Studies on fly ash-based geopolymer concrete,” in *Proceedings of the World Congress Geopolymer*, Saint Quentin, France, 28 June-1 July, pp. 133–137, 2005.
- [63] D. Hardjito, S. E. Wallah, D. M. J. Sumajouw, and B. V. Rangan, “Factors influencing the compressive strength of fly ash-based geopolymer concrete,” *Civil Engineering Dimension*, vol. 6, no. 2, pp. 88–93, 2004.
- [64] J. C. Petermann, A. Saeed, M. I. Hammons, “Alkal-activated geopolymers: A literature review,” AFRL-RX-TY-TR-2010-0097, Contract No. FA4819-07-D-0001, July 2010 88ABW-2012-2030, 6 February 2012.
- [65] B. Sukumar, K. Nagamani and R. S. Raghavan, “Evaluation of strength at early ages of self-compacting concrete with high volume fly ash,” *Construction and Building Materials*, vol. 22, no. 7, pp 1-8, 2008.
- [66] K. H. Yang, J. K. Song, A. F. Ashour, E. T. Lee, “Properties of cementless mortars activated by sodium silicate,” *Construction and Building Materials*, vol. 22, pp. 1981–1989, 2008.
- [67] D. K. Panesar, B. Shindman, “Elastic properties of self consolidating concrete,” *Construction and Building Materials*, vol. 25, pp. 3334–3344, 2011.
- [68] F. Puertas, T. Amat, A. Ferná'ndez-Jime'nez, T. Va'zquez, “Mechanical and durable behaviour of alkaline cement mortars reinforced with polypropylene fibres”, *Cement and Concrete Research*, vol. 33, pp.2031–2036, 2003.
- [69] A. Fernandez-Jimenez, A. Palomo, C. L. Hombrados, “Engineering properties of alkali activated fly ash concrete,” *ACI Materials Journals*, vol. 103, no. 2, pp. 106-112, 2006.
- [70] D. Bondar, C. J. Lynsdale, N. B. Milestone, N. Hassani, and A. A. Ramezani-pour, “Engineering properties of alkali-activated natural pozzolan concrete,” in *Proceedings of Second International Conference on Sustainable Construction Materials and Technologies*, Ancona, Italy, 28-30 June, 2010.
- [71] K. Sagoe-Crentsil , T. Brown and A. Taylor, “Drying shrinkage and creep performance of geopolymer concrete,” *Journal of Sustainable Cement-Based Materials*, vol. 2, no.1, pp. 35-42, 2013.

- [72] S. Mindess, F. J. Young, and D. Darwin, "Concrete," 2nd ed., Upper Saddle River: Prentice Hall, New Jersey, 2003.
- [73] A. Palomo, A. Fernandez-Jimenez, C. L. Hombrados, J. L. Lleyda, "Precast elements made of Alkali-activated fly ash concrete," in *Eighth CANMET/ACI International Conference on Fly ash, Silica Fume, Slag and Natural Pozzolans in concrete*, Los Vegas, USA, 2004.
- [74] S. D. Wang, X. C. Pu, K. L. Scrivener, P. L. Pratt, "Alkali-activated slag cement and concrete: a review of properties and problems," *Advance Cement Research*, vol. 7, no. 27, pp. 93–102, 1995.
- [75] D. Bonen, and S. P. Shah, "Fresh and hardened properties of self-consolidating concrete," *Progress in Structural Engineering and Materials*, vol. 7, no. 1, pp. 14-26, 2005.
- [76] C. Parra, M. Valcuende, F. Gómez, "Splitting tensile strength and modulus of elasticity of self-compacting concrete," *Construction and Building Materials*, vol. 25, pp. 201-207, 2011.
- [77] Y. Li, "Standardized physical property testing of self-compacting concrete (SCC)," M.S. thesis, Dept. of Civ. and Arch. Eng., The Graduate School of The University of Wyoming, Laramie, Wyoming, August 2008.
- [78] M. Ouchi, "Self-compacting concrete: Development, Applications, and Investigations," *Nordic Concrete Research*, Publication 23, 1999.
- [79] M. Collepardi, "A very close precursor of self-compacting concrete (SCC)," *Symposium on Sustainable Development and Concrete Technology*, S. Francisco, USA, 2001, pp. 431-450.
- [80] A. H. Mohammed, "A study of mix design and durability of self compacting concrete," M.S. thesis, King Fahad University of Petroleum and Minerals, Dhahran Saudi Arabia, December 2005.
- [81] E. P. Koehler, "Aggregates in self-consolidating concrete," Ph.D. thesis, Faculty of the Graduate School, The University of Texas at Austin, August 2007.
- [82] M. Ouchi, S. Nakamura, T. Osterson, S. Hallberg, and M. Lwin, "Applications of self-compacting concrete in Japan, Europe and the United States," *ISHPC*, 2003, pp.1-20.
- [83] K. Holschemacher, Y. Klug, "A database for the evaluation of hardened properties of SCC," *LACER No 7*, 2002, pp 123-134.
- [84] K. Khayat and T. Somnuk, "Fresh concrete properties," in *State-of-the-Art Report of RILEM Technical Committee 174-SCC*: RILEM Publications, 2000.

- [85] J. D. Bailey, A. K. Schindler, D. A. Brown, "An evaluation of the use of self-consolidating concrete (SCC) for drilled shaft applications," *Highway Research Center Project 4-20793*, Highway Research Center and Department of Civil Engineering at Auburn University, October 2005
- [86] D. Bonen, and S. Shah, "The effects of formulation on the properties of self-consolidating concrete," in *Proceedings of the International RILEM Symposium*, Evanston, USA 24 March 2004.
- [87] K. H. Khayat, Z. Guizani Z, "Use of viscosity-modifying admixture to enhance stability of fluid concrete," *ACI Materials Journal*, vol. 94, no. 4, pp.332-340, 1997.
- [88] RILEM TC 174 SCC, "Self-compacting Concrete," State-of-the-art report of RILEM Technical 174-SCC, *RILEM Publications*, France, 2000.
- [89] M. Sonebi, P. J. M. Bartos, "Filling ability and plastic settlement of self-compacting concrete," *Materials and Structures*, vol. 35, pp. 462-469, 2002.
- [90] K. H. Khayat, "Workability, testing and performance of self-consolidating concrete," *ACI Materials Journal*, vol. 96, no. 3, pp. 346-354, 1999.
- [91] ACI Committee 237, "Self-consolidating concrete," ACI 237 R-04, *American Concrete Institute*, Farmington Hills, Michigan, 2007.
- [92] EFNARC, Specification and Guidelines for Self-Compacting Concrete, Norfolk, UK: European Federation for Specialist Construction Chemicals and Concrete Systems, February 2002.
- [93] A. Bhattacharya, "Effects of aggregate grading and admixtures/fillers on fresh and hardened properties of self-consolidating concrete," M.S. thesis, Department of Civil and Environmental Engineering, West Virginia University, Morgantown, West Virginia, 2008.
- [94] K. H. Khayat, J. Assad, and J. Daczko, "Comparison of field oriented test methods to assess dynamic stability of self-consolidating concrete," *ACI materials Journal*, vol. 101, no. 2, pp. 168-176, March-April 2004.
- [95] J. A. Daczko, "A comparison of passing ability test methods for self-consolidating concrete," *3rd International Symposium on Self-Compacting Concrete*, Reykjavik, Iceland, 2003, pp. 335-344.
- [96] J. A. Daczko, *Self-consolidating concrete: Applying what we know*, A Hand Book, Spon Press, Milton Park, Abingdon, OX14 4RN, 2012.
- [97] M. S. Ashtiani, A. N. Scott, R. P. Dhakal, "Mechanical and fresh properties of high-strength self-compacting concrete containing class C fly ash," *Construction and Building Materials*, vol. 47, pp. 1217–1224, 2013.



- [98] V. B. Bosiljkov, "SCC mixes with poorly graded aggregate and high volume of limestone filler," *Cement and Concrete Research*, vol. 33, pp. 1279-1286, 2003.
- [99] G. Heirman, L. Vandewalle, "The influence of fillers on the properties of self-compacting concrete in fresh and hardened state," in *3<sup>rd</sup> International Symposium on Self-Consolidating Concrete*, Reykjavik, Iceland, 2003, pp. 606-608.
- [100] K. Turk, P. Turgut, M. Karatas, A. Benli, "Mechanical properties of self-compacting concrete with silica fume/fly ash," in *9th International Congress on Advances in Civil Engineering*, 27-30 September 2010, Karadeniz Technical University, Trabzon, Turkey.
- [101] M. Sahmaran, H. A. Christianto and I. O. Yaman, "The effect of chemical admixtures and mineral additives on the properties of self-compacting mortars," *Cement & Concrete Composites*, vol. 28, pp. 432-440, 2006.
- [102] J. R. Al-Feel and N. S. Al-Saffar, "Properties of self-compacting concrete at different curing condition and their comparison with properties of normal concrete," *Al-Rafidain Engineering*, vol.17 , pp. 30-38, 2009.
- [103] K. Holschemacher, "Hardened material properties of self-compacting concrete," *Journal of Civil Engineering and Management*, vol. X, no. 4, pp. 261-266, 2004.
- [104] P. K. Mehta and P. J. M. Monteiro, *Concrete: Structure, Properties and Materials*, 2<sup>nd</sup> Edition, Englewood Cliffs, NJ, Prentice Hall, 1993.
- [105] Y. Klug, and K. Holschemacher, "Comparison of the hardened properties of self-compacting and normal vibrated concrete," in *Proceedings of 3rd International RILEM Symposium on Self-Compacting Concrete*, Reykjavik, Iceland, 2003, pp. 596-605.
- [106] M. Sonebi, P. J. M Bartos, W. Zhu, J. Gibbs, A. Tamini, "Task 4- Properties of hardened concrete," *Advanced Concrete Masonry Center*, University of Paisley, Scotland, May 2000, pp. 1-72.
- [107] B. Felekoglu, S. Turkel, and B. Baradan, "Effect of water/cement ratio on the fresh and hardened properties of self-compacting concrete," *Building and Environmental*, vol. 42, no. 4, pp.1795-1802, 2007.
- [108] J. C. Gibbs, W. Zhu, "Strength of hardened self-compacting concrete," *Proceedings of 1<sup>st</sup> RILEM International Symposium on SCC*, Stockholm, Sweden, 1999, pp. 199-209.

- [109] P. Turcry, A. Loukili, and K. Haidar, "Mechanical properties, plastic shrinkage, and free deformations of self-consolidating concrete," in *First North American Conference on the Design and Use of Self-Consolidating Concrete*, Chicago, IL: ACBM, 2002, pp. 335-340.
- [110] P. L. Domone, "A review of mechanical properties of hardened self-compacting concrete," *Cement & Concrete Composites*, vol. 29, no. 1, pp. 1-12, 2007.
- [111] A. Leemann, and C. Hoffmann, "Properties of self compacting and conventional concrete-differences and similarities," *Magazine of Concrete Research*, vol. 57, no. 6, pp. 315-319, 2005.
- [112] E. Roziere, S. Granger, P. Turcry, A. Loukili, "Influence of paste volume on shrinkage cracking and fracture properties of self-compacting concrete," *Cement & Concrete Composites*, vol. 29, pp. 626-636, 2007.
- [113] A. K. Schindler, R. W. Barnes, J. B. Roberts, S. Rodriguez. "Properties of self consolidating concrete for prestressed members," *ACI Materials Journal*, vol. 104, no 1, pp. 53-61, Jan-Feb 2007.
- [114] B. Persson, "A comparison between mechanical properties of self-compacting concrete and the corresponding properties of normal concrete," *Cement and Concrete Research*, vol. 31, pp. 193-198, 2001.
- [115] E. Mortsell, E. Rodum, "Mechanical and Durability Aspects of SCC for Road Structures" in *Proceedings of the Second International Symposium on SCC*, Tokyo, Japan, 2001, pp. 459-468.
- [116] W. Brameshuber, and S. Uebachs, "Self-compacting concrete – Application in Germany," in *6th International Symposium on High Strength/High Performance Concrete*, Leipzig, June 2002, pp. 1503-1514.
- [117] E. K. Attiogbe, H. T. See, and J. A. Daczko, "Engineering properties of self-consolidating concrete," in *First North American Conference on the Design and Use of Self-Consolidating Concrete*, Chicago, IL: ACBM, 2002, pp. 371-376.
- [118] V. Seng, and H. Shima, "Creep and shrinkage of self-compacting concrete with different limestone powder contents," in *Second North American Conference on the Design and Use of Self-Consolidating Concrete*, Addison, Illinois: Hanley-Wood, 2005, pp. 981-987.
- [119] M. Collepardi, A. Borsoi, S. Collepardi, and R. Troli, "Strength, shrinkage and creep of SCC and flowing concrete," in *Second North American Conference on the Design and Use of Self-Consolidating Concrete*, Addison, Illinois: Hanley-Wood, 2005, pp. 911-920.

- [120] K. P. Raghavan, B. S. Sarma, D. Chattopadhyay, “Creep, shrinkage and chloride permeability properties of self-consolidating concrete,” in *First North American Conference on the Design and Use of Self-Consolidating Concrete* 12-13 November 2002, Addison, Illinois: Hanley-Wood, 2003.
- [121] A. M. Poppe, and G. D. Schutter, “Creep and shrinkage of self-compacting concrete,” in *First International Symposium on Design, Performance and Use of Self-Consolidating Concrete SCC’2005*, China, May 2005, pp. 329-336.
- [122] J. K. Kim, S. H. Han, Y. D. Park and J. H. Noh, Material properties of self-flowing concrete,” *Journal of Materials in Civil Engineering*, vol. 10, no. 4, pp. 244-249, 1998.
- [123] S. Rols, J. Ambroise and J. Pera, “Effects of different viscosity agents on the properties of self-leveling concrete,” *Cement and Concrete Research*, vol. 29, pp. 261-266, 1999.
- [124] V. K. Bui and D. Montgomery, “Drying shrinkage of self-compacting concrete containing milled limestone,” in *Proceedings of the First International RILEM Symposium on Self-compacting Concrete*, Stockholm, Sweden, 1999, pp. 227-238.
- [125] A. M. M. Sheinn, C. T. Tam, F. L. Rodrigo, “Comparative study on hardened properties of self-compacting concrete (SCC) with normal slump concrete (NSC),” in *Proceeding of 29th Conference on Our World in Concrete & Structures*, Singapore, 25 - 26 August 2004.
- [126] N. Bouzoubaa and M. Lachemi, “Self-compacting concrete incorporating high volumes of class F fly ash Preliminary results,” *Cement and Concrete Research*, vol. 31, pp. 413-420, 2001.
- [127] BS EN 450-1:2005, “Fly ash for concrete - Part 1: Definition, specifications and conformity criteria,” *British-Adopted European Standard*, 2005.
- [128] BS EN 13263-1:2005+A1:2009, “Silica fume for concrete – Part 1: Definitions, requirements and conformity criteria,” *British-Adopted European Standard*, 2009.
- [129] BS EN 197-1:2000, “Cement – Part 1: Composition, specifications and conformity criteria for common cements,” *British-Adopted European Standard*, 2000.
- [130] ASTM C 136-01, “Standard test method for sieve analysis of fine aggregates: Concrete and aggregates,” *Annual book of ASTM standards*, Vol. 4.02. American Society for Testing and Materials, 2004, pp. 84–88.
- [131] BS 882:1992, “Specification for Aggregates from Natural Sources for Concrete,” *British Standards Institute*, London, 1992.

- [132] BS EN 12390-3, “Testing Hardened Concrete – Part 3: Compressive Strength of Test Specimens,” *British-Adopted European Standard*, 2002.
- [133] BS1881-125:1986, “Testing concrete – Part 125: Methods for mixing and sampling fresh concrete in the laboratory,” *British Standards Institute*, London, 1986.
- [134] BS EN 12350-2:2000, “Testing Fresh Concrete – Part 2: Slump test,” *British-Adopted European Standard*, 2000.
- [135] BS EN 12390-7:2009, “Testing Hardened Concrete – Part 7: Density of hardened concrete,” *British-Adopted European Standard*, 2009.
- [136] ASTM C 642-96, “Standard test method for specific gravity, absorption, and voids in hardened concrete”, *Annual Book of ASTM Standards*, Vol. 4.02, American Society for Testing and Materials, Philadelphia, 1996.
- [137] BS EN 12390-6, “Testing Hardened Concrete – Part 6: Tensile Splitting Strength of Test Specimens,” *British-Adopted European Standard*, 2004.
- [138] BS EN 12390-5, “Testing Hardened Concrete – Part 5: Flexural Strength of Test Specimens,” *British-Adopted European Standard*, 2009.
- [139] ASTM C 469-02, “Standard Test Method for Static Modulus of Elasticity and Poisson’s Ratio of Concrete in Compression,” *Annual Book of ASTM Standards*, Vol. 4.02, American Society for Testing and Materials, Philadelphia, 2002.
- [140] ASTM C 512-92, “Standard Test Method for Creep of Concrete in Compression,” *Annual Book of ASTM Standards*, Vol. 4.02, American Society for Testing and Materials, Philadelphia, 1992.
- [141] ASTM C 157-08, “Standard Test Method for Length Change of Hardened Hydraulic-Cement Mortar and Concrete,” *Annual Book of ASTM Standards*, 04.02 Concrete and Concrete Aggregates, American Society for Testing and Material, 2008.
- [142] J. L. Provis, “Introduction to geopolymers,” in *Geopolymers, structure, processing, properties and industrial applications*, Woodhead Publishing Limited, Oxford, U.K, 2009.
- [143] J. W. Phair, J. S. J. van Deventer, “Effect of the silicate activator pH on the microstructural characteristics of waste-based geopolymers,” *Internaitonal Journal of Mineral Processing*, vol. 66, pp. 121–143, 2002.
- [144] D. Bondar, “The use of Neural Network to predict Strength and Optimum compositions of Natural Alumina-silica based Geopolymers,” *Journal of Materials in Civil Engineering*, doi:10.1061/(ASCE)MT.1943-5533.0000829

- [145] J. M. Khatib, P. S. Mangat, "Influence of superplasticizer and curing on porosity and pore structure of cement paste," *Cement & Concrete Composites*, vol. 21, pp. 431-437, 1999.
- [146] D. Parias, I. P. Giannopoulou, T. Perraki, "Effect of synthesis parameters on the mechanical properties of fly ash-based geopolymers," *Colloids and Surfaces A: Physicochemical Engineering Aspects*, vol. 301, pp. 246-254, 2007.
- [147] K. R. B. Siva, J. Varaprasad, K. R. K. Naveen, "Strength and workability of low lime fly-ash based geopolymer concrete," *Indian Journal of Science and Technology*, vol. 3, no. 12, pp. 1188-1189, 2010.
- [148] S. Alonso, A. Palomo, "Alkaline activation of metakaolin and calcium hydroxide mixtures: Influence of temperature, activator concentration and solid ratio," *Material Letters*, vol. 47, no. 1-2, pp. 55-62, 2001.
- [149] A. M. Mustafa Al Bakri, H. Kamarudin, M. Bnhussain, I. K. Nizar, A. R. Rafiza and Y. Zarina, "Microstructure of different NaOH molarity of fly ash based green polymeric cement," *Journal of Engineering and Technology Research*, vol. 3, no. 2, pp. 44-49, 2011.
- [150] M. Steveson, K. Sagoe-Crentsil, "Relationships between composition, structure and strength of inorganic polymers: Part 2- Fly ash-derived inorganic polymers," *Journal of Materials Science*, vol. 40, no. 16, pp. 4247-4259, 2005.
- [151] W.K.W. Lee, J.S.J. van Deventer, "Structural reorganisation of class F fly ash in alkaline silicate solutions," *Colloids and Surfaces A: Physicochemical and Engineering Aspects*, vol. 211, no. 1, pp. 49-66, 2002.
- [152] S. A. Bernal, R. M. Gutiérrez, A. L. Pedraza, J. L. Provis, E. D. Rodriguez, S. Delvasto, "Effect of binder content on the performance of alkali-activated slag concretes," *Cement and Concrete Research*, vol. 41, pp. 1-8, 2011.
- [153] M. Olivia, P. Sarker, H. Nikraz, "Water penetrability of low-calcium fly ash geopolymer concrete," ICCBT 2008 - A - (46) – pp. 517-530.
- [154] CEB – FIP:1989, "Diagnosis and assessment of concrete structures – State of Art Report," *CEB 360 Bulletin*, vol. 192, 1989, pp. 83-85.
- [155] ACI Committee 318, "Building Code Requirements for Structural Concrete," ACI 318R-08, *American Concrete Institute*, Farmington Hills, Michigan, 2008.
- [156] ACI Committee 363, "State of the art report on high-strength concrete," ACI363R-92, *American Concrete Institute*, Farmington Hills, Michigan, 1992.

- [157] Euro code 2, "Design of Concrete Structures part 1-1," (BS EN 1992-1-1:2004), 2004, pp. 27-36.
- [158] K. Andri, "Alkali-activation of Fly ash/MIRHA blend in geopolymer concrete for in-situ application," Ph.D. dissertation, Universiti Teknologi PETRONAS, Malaysia, 2012.
- [159] Z. X. Yang, N. R. Ha, M. S. Jang, K. H. Hwang, and J. K. Lee, "The effect of SiO<sub>2</sub> on the performance of inorganic sludge-based structural concretes," *Journal of Ceramic Processing Research*, vol. 10, no.3, pp. 266-268, 2009.
- [160] D. L. Y. Kong, J. G. Sanjayan, and K. Sagoe-Crentsil, "Factors affecting the performance of metakaolin geopolymers exposed to elevated temperatures," *Journal of Material Science*, vol. 43, pp. 824-831, 2008.
- [161] E. I. Diaz-Loya, E. N. Allouche, S. Vaidya, "Mechanical properties of fly ash-based geopolymer concrete," *ACI Materials Journal*, vol. 108, no. 3, pp. 300-306, May-June 2011.
- [162] P. Dinakar, K. G. Babu, M. Santhanam, "Mechanical properties of high-volume fly ash self-compacting concrete mixtures," *Structural Concrete*, vol. 9, no. 2, pp. 109-116, 2008.