

FINAL EXAMINATION MAY 2024 SEMESTER

COURSE : PEB1012/PFB1012 - INTRODUCTION TO OIL & GAS

INDUSTRY AND SUSTAINABLE DEVELOPMENT

DATE: 30 JULY 2024 (TUESDAY)

TIME : 9:00 AM - 11:00 AM (2 HOURS)

INSTRUCTIONS TO CANDIDATES

- 1. Answer **ALL** questions in the **OMR** sheet.
- 2. Indicate clearly answers that are cancelled, if any.
- 3. Do not leave the examination hall during the exam without permission.
- DO NOT open this Question Booklet until instructed.
- 5. **DO NOT** take the question paper out of the examination hall.

Note

- There are FOURTEEN (14) pages in this Question Booklet including the cover page .
- ii. DOUBLE-SIDED Question Booklet.

Universiti Teknologi PETRONAS

- 1. Which of the following is an example of unconventional reservoir?
 - A. Sandstone reservoir
 - B. Carbonate reservoir
 - C. Tight shale reservoir
 - D. Porous clastic reservoir
- The following rocks are sedimentary rocks **EXCEPT**
 - A. Shale
 - B. Limestone
 - C. Mudstone
 - D. Marble
- 3. Which of the following is **NOT** an example of exploration method?
 - A. Electrical survey
 - B. Quantity survey
 - C. Seismic survey
 - D. Magnetic survey
- Choose the WRONG statement.
 - A. The seismic refraction method involves measuring the shortest time required for an induced seismic pulse to travel from the source location to a series of receivers.
 - B. From the travel time data, seismic velocities can be calculated but not the layer depths.
- C. Seismic refraction remains the preferred method for accordately mapping the
 depth to competent bedrock under most conditions.
 - D. Seismic reflection is ideal for mapping geology at depths exceeding 50 m.

- 5. Select the **WRONG** statement regarding magnetic surveying.
 - A. The magnetic method is the study of the distribution of magnetic minerals in the upper 200-300 km of the earth's crust.
 - B. The magnetic method may also be used to estimate the thickness of the crust or to constrain temperatures in the crust using the Curie isotherm, whichever is shallower.
 - C. Magnetic measurements in geophysical exploration record variations in the magnetic field due to lateral variability in the magnetization of the crust.
 - D. The lateral variation may produce anomalous regions which are indicative of structural or lithological contrasts in the subsurface.

6.	The Multi-channel Analysis of Surface Waves (MASW) is a seismic method used							
	to e	evaluate the	wave	velocities	of s	ubsurface	mater	rials
	thro	ough the analysis of the disp	ersion prope	rties of Ray	/leigh	surface v	vaves.	
	A.	longitudinal		9 -6				
-MI	B.	shear					4	
	C.	compressional					3641	
	D.	sound						

- 7. Select the **FALSE** statement regarding source rock.
 - A. Under the right conditions, source rocks may also be reservoir rocks, as in the case of shale gas reservoirs.
 - B. Rocks of marine origin tend to be oil prone.
 - C. Rocks of marine origin tend to be gas prone.
 - D. Typical source rocks are shale and limestone.
- 8. Which element is **NOT** part of the Rock Cycle.
 - A. Weathering and erosion
 - B. Collision
 - C. Compaction and cementation
 - D. Melting

9.	Which device is used in magnetic surveying?
	A. Magnetometer
	B. Accelerometer
	C. Gravitometer
	D. Barometer
10.	Select the BEST statement to describe the reason why appraisal wells are drilled.
hi e	A. To confirm hydrocarbons discoveries from exploration stage are economical enough to be developed.
= 00 A A	B. To determine the existence of hydrocarbons.
	C. To confirm the type of fluids and fluid contacts for enhanced oil recovery.
	D. To comply with the country's oil and gas exploitation regulations.
11.	What is the significance of porosity in reservoir rocks?
	A. Determines fluid storage and flow capacity
	B. Measures the density of the rock
	C. Indicates the temperature of the reservoir
	D. Reflects the chemical composition of the rock
12.	Which unit is used to measure permeability in reservoir rocks?
	A. Pascal (Pa)
	B. Darcy (D)
	C. Newton (N)
	D. Joule (J)
13.	What does the term 'saturation' refer to in reservoir rock properties?
	A. The density of the rock
	B. The fraction of pore spaces filled by fluid
	C. The weight of the rock
	D. The temperature of the fluid

			PFB1012/ PE	B101
14.	What is overburden pressure?	ent in		
	A. Pressure exerted by the rock and sediment layers a	above	a point	
	B. Pressure of the fluid within the reservoir			
	C. Atmospheric pressure at the surface			
15.	D. Pressure of the drilling fluid What is the function of wettability in reservoir rocks?			
	A. Determines the viscosity of the fluid			
	B. Influences the distribution of oil, water, and gas			
	C. Measures the temperature of the reservoir			
	D. Indicates the chemical composition of the rock			
16.	Which property quantifies how different phases flow thunder various conditions?	hrough	n re s ervoir	roc
	A. Porosity	(*)		
	B. Permeability C. Relative Permeability	,##V		
	D. Saturation			
17	Which unit is commonly used to every a surface tone in	in roc		

- Pascal (Pa)
- B. Dyne/centimeter (Dyn/cm)
- C. Joule (J)
- Newton (N) D.
- 18. Which property describes the mass per unit volume of hydrocarbon fluid?
 - A. Viscosity
 - B. Density
 - C. Saturation
 - Permeability D.

- 19. What does API gravity measure?
 - A. The temperature of the crude oil
 - B. The relative density of crude oil
 - C. The chemical composition of the crude oil
 - D. The viscosity of the crude oil
- 20. What does the coefficient of isothermal compressibility indicate?
 - A. Change in volume in response to temperature
 - B. Change in volume in response to pressure
 - C. Change in density in response to temperature
 - D. Change in density in response to pressure
- 21. Which of the following is **NOT** a primary objective of well completion in oil and gas drilling?
 - A. Ensuring wellbore stability
 - B. Maximizing production efficiency
 - C. Minimizing environmental impact
 - D. Enhancing drilling fluid properties
- 22. What is the purpose of drilling fluid (mud) in oil and gas drilling?
 - A. Cooling down the drill bit
 - B. Lubricating the drill string
 - C. Providing well control
 - D. ALL of the above
- 23. What is the main function of a blowout preventer (BOP) system on a drilling rig?
 - A. Regulating the flow of drilling fluid
 - B. Isolating the wellbore in case of a blowout
 - C. Maintaining drilling fluid viscosity
 - D. Providing power for drilling operations

24.	Which component of a drilling rig is responsible for rota	ating the	drill s	tring?	
	A. Derrick				
	B. Drawworks				
	C. Drill pipe				
	D. Top drive				
25.	Which type of drill bit is most commonly used for drilling	throug	h hard	forma	ations
	in oil and gas drilling?			4	
m.	A. PDC (Polycrystalline Diamond Compact) bit	224		9.	
	B. Roller cone bit		8	مظه	
	C. Diamond bit				
	D. Tricone bit				
26.	What is the purpose of using drilling mud additives?				
	A. Increasing the weight of the drilling mud				
	B. Enhancing drilling fluid lubrication				
	C. Improving wellbore stability				
	D. ALL of the above				
::					
27.	Which drilling fluid property is crucial for hole cleaning ar	nd lifting	the di	ill cutti	ngs?
	A. Viscosity				
	B. Density				
	C. Filtration control				
	D. Rheology				
28.	What is the primary function of stabilizers in a drill string	a?			
	A. Providing support and centralization		.86 -6		
	B. Maintaining drill string tension				
	C. Enhancing drill bit durability				
	D. Controlling wellbore pressure				

JEF EXAM MAY

	drilling?
**	A. Production casing
	B. Surface casing
	C. Conductor casing
	D. Packer casing
30.	Which casing design feature helps prevent fluid migration between formations in
	a wellbore?
	A. Casing centralizers
	B. Casing hangers
	C. Casing shoes
	D. Casing collars
JTP	necessary to installto allow the production of the wells into the common production line or the well test line. A. Manifold B. Wellhead C. X-tree D. Separator
32.	Which statement is INCORRECT about Wellhead.
	A. Wellhead includes at least one choke used to control well production.
	B. It has shut-down valve to quickly interrupt production in case of an event.
	C. The aethering evotem begins at the wellhood
	C. The gathering system begins at the wellhead.

33.	Design of equipment depends on	
	A. physical properties and phase behavior	
	B. phase behavior and hydrocarbon fluid chemical properties	
	C. phase Behavior, flow of hydrocarbon fluids and physical properties	
	D. only fluid chemical and physical properties	
34.	Equipment design can be affected by physical properties, which are	
	A. vapor pressure and density	
	B. molecular weight, viscosity and surface tension	
	C. composition and gas/liquid volumes	
	D. ALL of the above	
35.	Reynold's number (Re) is used to:	
	A. identify flow regime.	
	B. indicates fluids resistance to flow.	
	C. obtain fluid viscosity behaviour.	
	D. find transport properties of oil and gas.	
36.	Which statement is CORRECT about the advantage of vertical separator.	
	A. Liquid level and fluids control NOT critical.	
	B. Easier and costly to design for surge capacity.	
	C. Can handle solids with certain design.	
	D. Easy to clean.	
37.	The water, separated from the oil and gas in the platform separation trains, is	
	known as	
	A. waste product	
	B. produced water	
	C. injected water	
	D. water knockout	
	THE RESERVE THE THE PARTY OF THE PARTY.	
	LAAM. MAX ZUZ4 (

J'I'E' EXAM MAY

	Which factor is NOT governing selection of storage mode?
	A. Economic considerations
	B. Pollution control
	C. Safety considerations
	D. Quality degradation
39.	Which storage tank type is NON-conventional storage?
	A. Fixed roof tank
*	B. Shuttle tanker
	C. Floating roof tank
	D. Floating production offloading storage (FPOS) facility
40.	Which statement is WRONG about pigging applications?
	A. To clean and increase line efficiency.
	B. To locate obstructions and inspections of the line.
	C. To separate products. D. To remove air and gas.
41.	Which of the following is NOT the main value chain in oil and gas industry?
	A. Midstream
	B. Retail
	C. Downstream
	D. Flowstream
42.	Which of the following is part of crude oil composition?
	A. Asphaltics
	B. Aromatics and the second se
	B. Aromatics C. Paraffins

43.	What of the following is NOT part of non-hydrocarbons in crude oil composition?
	A. Nitrogen B. Helium
	C. Oxygen
	D. Sulphur
44.	In terms of sulphur content, sweet crude oil means
	A. the sulphur content is high
	B. the crude oil contains more carbon dioxide
	C. the crude oil contains sugar
	D. the sulphur content is low
45.	Downstream process is defined as process that involves breaking down crude oil into various valuable components. Which of the following CANNOT be defined
	as a downstream process?
	A. Mixing B. Separation
	C. Treating
	D. Reforming
46.	Which of the following process lowers the viscosity of heavy crude oil molecules
	by turning it into smaller molecules?
	A. Cracking
	B. Separation
	C. Treating
	D. Reforming
47.	What is the primary function of thermal conversion and catalytic conversion?
	A. To upgrade lower-value materials
	B. To improve the characteristics of a fuel
	C. To reduce harmful impurities in petroleum fractions and residues
	D All of the above

48.	Which of the following is NOT referring to petrochemicals?
	A. Chemical products derived from petroleum
	3. Olefin
	C. Benzene
	D. Nitrogen
49.	Which of the following process can be done under atmospheric condition or
	under vacuum condition?
	A. Mixing
	3. Separation
	C. Treating
	D. Reforming
50.	Which of the following is NOT the factors affecting the choice of feedstock in
	petrochemical plant?
	A. Availability
	3. Cost
	C. Temperature
	D. Product to be produced
51.	Sustainable development requires that energy resource
	A. cannot be exhausted completely
	3. can be complete exhausted
	can destroy the environment
	D. cannot meet the growing demand
52.	Sustainability can be achieved by replacing existing resources with other
	esources of equal value.
	A. The statement above is correct
	The statement above is incorrect

- 53. Which of the following ensures sustainable growth?
 - A. Positive economic growth, deterioration of environment with economic expansion and energy resource meeting energy demands.
 - B. Negative economic growth, deterioration of environment with economic expansion and energy resource meeting energy demands.
 - C. Positive economic growth, non-deterioration of environment with economic expansion and growth of energy resource not meeting energy demands.
 - D. Positive economic growth, deterioration of environment with economic expansion and growth of energy resource meeting energy demands.
- 54. What are the **THREE (3)** pillars of sustainable development?
 - A. Energy, economy and environment
 - B. Reduce, reuse and recycle
 - C. Energy, economy and envision
 - D. Ergonomics, evolution and economy
- 55. What is the goal of sustainability in any processes?
 - A. To maintain the process finitely
 - B. To eventually eliminate the process
 - C. To maintain the process indefinitely
 - D. To support damaging the environment
- 56. Which of the following **BEST** describes the aim of sustainable consumption and production?
 - A. To reduce resource consumption, waste generation and emissions across the full life cycle of processes and products
 - B. To increase resource consumption, waste generation and emissions across the full life cycle of processes and products
 - C. To reduce resource consumption, increase waste generation and emissions across the full life cycle of processes and products
 - D. To increase resource consumption, reduce waste generation and emissions across the full life cycle of processes and products

- 57. Which of the following energy resources seems inexhaustible?
 - A. Natural gas
 - B. Coal
 - C. Solar
 - D. Crude
- 58. Which of the following **BEST** describes Wave Energy?
 - A. It is the process by which energy is transferred by waves on the ocean's surface and then captured to perform useful tasks.
 - B. It depends on waves and can be implemented at any location.
 - C. It does not affect marine ecosystem.
 - D. No waste or harmful products but it is expensive to operate.
- 59. Which of the following statements is CORRECT about Solar Energy?
 - A. It is a clean, renewable energy source that is created by microwave radiation.
 - B. It is employed by solar collection methods such as solar cells.
 - C. It is converted into useable energy such as electricity that can be applied to solar pumping systems or separation treatment.
 - D. Solar thermal energy has mirrored surface that absorb sunlight to heat up liquid to steam to generate electricity.
- 60. Which of the following statements about the Geothermal Energy is **ACCURATE**?
 - A. Power produced using steam produced by heat emanating from the molten core of the earth.
 - B. A popular way of generating electricity around the world.
 - C. The material most often used in geothermal power station is the element uranium.
 - D. It is extremely expensive to build and must be built to a very high standard.

- END OF PAPER -