

TABLE OF CONTENTS

ACKNOWLEDGEMENT		i
ABSTRACT		ii
CHAPTER 1: INTRODUCTION		1
1.1	Problem Statement	1
1.2	Objective	2
1.3	Scope of study	2
CHAPTER 2: LITERATURE REVIEW AND/OR THEORY		
2.1	Hybrid Electric Vehicle (HEV)	3
2.2	In-Wheel Motor (IWM)	4
2.3	Existing Hybrid Electric Vehicle in the Market	5
2.4	Torque Vectoring	5
CHAPTER 3: METHODOLOGY/PROJECT WORK		
3.1	Research Methodology	6
3.2	Tools and Equipment	7
3.3	Project milestone and Gantt chart	8
CHAPTER 4: HEV MODELING		
4.1	Matlab SimMechanic	11
4.2	ADAMS/Car	15
4.2.1	Hard Point Gathering Data	16
4.2.2	Front Macpherson Suspension	17
4.2.3	Rear Twist Beam Suspension	18
4.2.4	Body Chassis	19
4.2.5	Internal Combustion Engine	20
4.2.6	Steering Rack	21
4.2.7	Additional Torque	22
4.3	Modification of Rear Suspension	23
4.3.1	Design Analysis Boundary Condition	24

CHAPTER 5:	RESULT AND DISCUSSION	25
CHAPTER 6:	CONCLUSION AND RECOMMENDATION FOR FUTURE WORK	
6.1	Conclusion	27
6.2	Future Work	28
	REFERENCES	29
	APPANDICES	
Appendix A:	Von Misses Stress Case 1, Pot Hole Impact and Von Misses Stress Case 2, Cornering	i
Appendix B:	Von Misses Stress Case 3, Acceleration and Von Misses Stress Case 4, Frontal Impact	ii
Appendix C:	Von Misses Stress Case 5, Side Impact and Von Misses Stress Case 6, Torque Impact	iii

LIST OF FIGURES

Figure 1.1:	Torque Vectoring	1
Figure 2.1:	Split-parallel hybrid electric vehicle configuration	3
Figure 2.2:	In-Wheel Motor Technology	4
Figure 2.3:	Torque Vectoring Flow Diagram	5
Figure 3.1:	Research Methodology Flowchart	6
Figure 4.1:	Vehicle Modelling in Matlab Simulink	11
Figure 4.2:	Cornering of Bicycle Model	12
Figure 4.3:	Steer Angle & Ackerman Angle	12
Figure 4.4:	Tire Cornering Force Properties	13
Figure 4.5:	Cornering Equation	13
Figure 4.6:	Cornering Stiffness	13
Figure 4.7:	Steer Angle	14
Figure 4.8:	Steer Characteristic	14
Figure 4.9:	Front Suspension Macpherson Strut	17
Figure 4.10:	Front Suspension Hard Point	17
Figure 4.11:	Rear Twist Beam Suspension	18
Figure 4.12:	Rear Suspension Hard Point	18
Figure 4.13:	Body Chassis Subsystem	19
Figure 4.14:	Body Chassis Mass and Location	19
Figure 4.15:	Engine Subsystem	20
Figure 4.16:	Engine Hard Point	20
Figure 4.17:	Steering Rack and Pinion	21
Figure 4.18:	Steering Hard Point	21
Figure 4.19:	Additional Torque at Rear Wheel	22
Figure 4.20:	Full Vehicle Assembly	22
Figure 4.21:	Existing Rear Suspension with Axle	23
Figure 4.22:	In-Wheel Motor and Assembly Design Rear Axle with IW	23
Figure 5.1:	Constant Radius Cornering in Adams/Car	25
Figure 5.2:	Constant Radius Cornering in Matlab Simulink	26

LIST OF TABLES

Table 3.1:	Project Gantt Chart	8
Table 3.2:	Key Milestone	9
Table 4.1:	Daihatsu K3-VE Engine Specification	15
Table 4.2:	Boundary Condition Parameter	24