

BIBLIOGRAPHY

Adey, B., Bernard, O. and Gerard, B. (n.d.). *Risk-based replacement strategies for deteriorating reinforced concrete pipes*. Retrieved June 28, 2008, from http://infoscience.epfl.ch/record/125107/files/2003_RBRSDRCP_Paris.pdf

Agresti, A. (1990). *Categorical data analysis*. . New York: John Wiley.

Ahammed, M. & Melchers, R.E. (1995). Probabilistic analysis of pipelines subjected to pitting corrosion leaks. *Engineering Structural* , 17 (2), 74-80.

Ahammed, M. and Melcher, R.E. (1996). Reliability estimation of pressurized pipelines subject to localized corrosion defects. *International Journal of Pressure Vessels and Piping* , 69, 267-272.

Ahammed, M. (1997). Prediction of remaining strength of corroded pipelines. *International Journal Pressure Vessels and Piping* , 71, 213-217.

Ahammed, M. (1998). Probabilistic estimation of remaining life of a pipeline in the presence of active corrosion defects. *International Journal of Pressure Vessels and Piping* , 75, 321-329.

American Petroleum Institute. (2000). *Base Resource Document on Risk-Based Inspection*. Washington, DC, USA: API Publication 581.

American Petroleum Institute. (2003). *Damage Mechanisms Affecting Fixed Equipment in the Refining Industry*. Washington, DC, USA: API Publication 571.

American Petroleum Institute. (2001). *Piping Inspection Code: Inspection, Repair, Alteration, and Rerating*. Washington, DC, USA: API Publication 570.

Amirat, A., Benmoussat, A. and Chaoui, K. (n.d.). Reliability assessment of underground pipelines under active corrosion defects. *Damage and Fracture Mechanics: Failure Analysis of Engineering Materials and Structures* , 83-92.

Amirat, A., Mohamed-Chateauneuf, A. and Chaoui, K. (2006). Reliability assessment of underground pipelines under the combined effect of active corrosion and residual stress. *International Journal of Pressure Vessels and Piping* , 83, 107-117.

Ang, H.S. & Tang, W.H. (1984). *Probability concepts in engineering planning and design, v2: decision, risk and reliability*. New York: John Wiley.

Ariaratnam, S.T., El-Assaly, A. and Yang, Y. (2001). Assessment of infrastructure inspection needs using logistic models. *Journal of Infrastructure Systems* , 7 (4), 160-165.

Arunraj, N.S. and Maiti, J. (2007). Risk-based maintenance: Techniques and applications. *Journal of Hazardous Materials* , 142, 653–661.

Austin, P.C., Tu, J.V. and Lee, D.S. (2010). Logistic regression had superior performance compared with regression trees for predicting in-hospital mortality in patients hospitalized with heart failure. *Journal of Clinical Epidemiology* , doi: 10.1016/j.jclinepi.2009.12.004.

Backlund, F. and Hannu, J. (2002). Can we make maintenance decisions on risk analysis results? *Journal of Quality in Maintenance Engineering* , 8 (1), 77-91.

Bae, S.J., Kuo, W. and Kvam, P.H. (2007). Degradation models and implied lifetime distributions. *Reliability Engineering and Systems Safety* , 92, 601-608.

Bahrami-Ghasrchami, K., Price, J.W.H. and Mathew, J. (1998). Optimum inspection frequency for manufacturing systems. *International Journal of Quality & Reliability Management* , 15 (3), 250-258.

Baik, H., Jeong, H. S. and Abraham, D. M. (2006). Estimating transition probabilities in Markov chain-based deterioration models for management of wastewater systems. *Journal of Water Resources Planning and Management* , 132 (1), 15-24.

- Bailey, M. A., Connel, L. D. and Nathan, R. J. (n.d.). Using reliability methods to estimate the prediction uncertainty of a catchment hydrological model. 1641-1646.
- Bardal, E. and Drugli, J.M. (2004). *Corrosion detection and diagnosis*. Retrieved from Materials Science and Engineering, [Ed. Rees D. Rawlings], in Encyclopedia of Life Support Systems (EOLSS), Developed under the Auspices of the UNESCO, Eolss Publishers, Oxford ,UK: <http://www.eolss.net>
- Barringer, H.P. (1997). *Pipe Wall Thickness Decisions Using Weibull Analysis*. Retrieved from http://www.barringer1.com/pdf/pipe_wall_analysis.pdf
- Bellinger, N.C., Komorowski, J.P. and Benak, T.J. (2001). Residual life predictions of corroded fuselage lap joint. *International Journal of Fatigue* , 23, S349-S356.
- Berg, H. P., Gersinska, R. & Sievers, J. (2010). Procedure for probabilistic safety assessment of leaks and breaks of piping systems. *International Journal of Pressure Vessels and Pipings* , 87, 94-99.
- Berg, H.P. and Sievers, J. (n.d.). *Improved approach for estimating leak and break frequencies of piping systems in probabilistic safety assessment*. Retrieved July 20, 2010, from http://www.gnedenko-forum.org/Journal/2009/042009/RATA_4_2009-07.pdf
- Bogdanoff, J.L. and Kozin, F. (1985). *Probabilistic models for cumulative damage*. New York: Wiley.
- Butt, A.A., Feighan, K.J. and Shahin, M.Y. (1987). Pavement performance prediction model using Markov process. In *Transportation Research Record 1123* (pp. 12-19). Washington, D.C.: Transportation Research Board.
- Cagno, E., Caron, F., Mancini, M. and Ruggeri, F. (2000). Using AHP in determining the prior distributions on gas pipeline failures in a robust Bayesian approach. *Reliability Engineering and System Safety* , 67, 275–284.
- Caleyo, F., Velazquez, J.C., Valor, A. and Hallen, J.M. (2009). Markov chain modeling of pitting corrosion in underground pipelines. *Corrosion Science* , doi: 10.1016/j.corsci.2009.06.014.

Caleyo, F., Gonzalez, J.L. and Hallen, J.M. (2002). A study on the reliability assessment methodology for pipelines with active corrosion defects. *International Journal of Pressure Vessels and Piping*, 79, 77-86.

Camdeviren, H.A., Yazici, A.C., Akkus, Z., Bugdayci, R. and Sungur, M.A. (2007). Comparison of logistic regression model and classification tree: An application to postpartum depression data. *Expert Systems with Applications*, 32, 987-994.

Can, T., Nefeslioglu, H.A., Gokceoglu, C., Sonmez, H. and Duman, T.Y. (2005). Susceptibility assessments of shallow earthflows triggered by heavy rainfall at three catchments by logistic regression analyses. *Geomorphology*, 72, 250-271.

Cardoso, J. B., de Almeida, J. R., Dias, J. M. and Coelho, P. G. (2008). Structural reliability analysis using Monte Carlo simulation and neural networks. *Advances in Engineering Software*, 39, 505-513.

Cerpa, N., Bardeen, M., Kitchenham, B. and Verner, J. (2010). Evaluating logistic regression models to estimate software project outcomes. *Information and Software Technology*, 52, 934-944.

Cesare, M.A., Santamarina, C.J., Turkstra, C. and Vanmarke, E.H. (1992). Modeling bridge deterioration with Markov Chains. *Journal of Transportation Engineering, ASCE*, 118 (6), 820-833.

Chang, M., Chang, R., Shua, C. & Lin, K. (2005). Application of risk based inspection in refinery and processing piping. *Journal of Loss Prevention in the Process Industries*, 18, 397-402.

Chernick, M. (2008). *Bootstrap methods: A guide for practitioners and researchers, 2nd edition*. New Jersey: John Wiley & Sons, Inc.

Cioclov, I. (2007). Probabilistic fracture mechanics and quantitative non-destructive testing approach to aircraft structure. *5th International Conference Structural Integrity of Welded Structures*, (pp. 1-23). Timisoara, Romania.

Cizelj, L., Mavko, B. and Riesch-Oppermann, H. (1994). Application of first and second order reliability methods in the safety assessment of cracked steam generator tubing. *Nuclear Engineering and Design*, 147, 1-10.

Collett, D. (2003). *Modelling binary data: 2nd edition*. Boca Raton, Florida: Chapman & Hall/CRC.

Corrosion. (n.d.). Retrieved from <http://ntlinsulation.com/images/corrosion.pdf>

Corrosion under insulation. (n.d.). *Corrosion under insulation (CUI): A nanotechnology solution*. Retrieved from http://www.nansulate.com/pdf/CUI_nanotechnology_solution.pdf

Cronvall, O. and Männistö, I. (2009). Combining discrete-time Markov processes and probabilistic fracture mechanics in RI-ISI risk estimates. *International Journal of Pressure Vessels and Piping* , 86, 732–737.

Cronvall, O., Männistö, I. and Simola, K. (n.d.). *Development and testing of VTT approach to risk-informed in-service inspection methodology*. Retrieved September 19, 2007, from <http://www.vtt.fi/inf/pdf/tiedotteet/2007/T2382.pdf>

Desjardins, G. (2002, December). Improved data quality opens way for predicting corrosion growth and severity. *Pipeline & Gas Journal* , 28–32.

Dey, P. (2001). A risk-based model for inspection and maintenance of cross-country petroleum pipeline. *Journal of Quality in Maintenance Engineering* , 7 (1), 25-41.

Dey, P. (2004). Decision support system for inspection and maintenance: A case study of oil pipelines. *IEEE Transactions on Engineering Management* , 51 (1), 47-56.

Dey, P.K., Ogunlana, S.O. and Naksuksakul, S. (2004). Risk-based maintenance model for offshore oil and gas pipelines: a case study. *Journal of Quality in Maintenance Engineering* , 10 (3), 169-183.

DiCiccio, T.J. & Epron, B. (1996). Bootstrap confidence intervals. *Stat Sci* , 11, 189-211.

Dillstrom, P. (2000). ProSINTAP: A probabilistic program implementing the SINTAP assessment procedure. *Engineering Fracture Mechanics* , 67, 647-668.

Ditlevsen, O. (1981). *Uncertainty modeling: With applications to multidimensional civil engineering systems*. New York: McGraw-Hill.

Ditlevsen, O. (1981). *Uncertainty modeling: with applications to multidimensional civil engineering systems*. New York: McGraw-Hill.

Dowdy, S., Wearden, S. & Chilko, D. (2004). *Statistics for research: 3rd edition*. Hoboken, New Jersey: John Wiley & Sons, Inc.

Elishakoff, I and Hasofer, A. M. (1987). Exact versus approximate determination of structural reliability. *Applied Scientific Research* , 44, 303-312.

Escoe, A. (2006). *Piping and Pipelines Assessment Guide*. Burlington, MA: Elsevier Inc.

European Federation of Corrosion. (2008). *Corrosion under insulation (CUI) guidelines*. Cambridge, England: Woodhead Publishing Limited.

Fleming, K. (2004). Markov models for evaluating risk-informed in-service inspection strategies for nuclear power plant piping systems. *Reliability Engineering and System Safety* , 83, 27-45.

Fleming, K.N. and Lydell, B.O.Y. (2004). Database development and uncertainty treatment for estimating pipe failure rates and rupture frequencies. *Reliability Engineering and System Safety* , 86, 227-246.

Fontana, M.G. (1986). *Corrosion Engineering: 3rd Edition*. McGraw-Hill.

Fujita, M., Schall, G. and Rackwitz, R. (1989). Adaptive reliability-based inspection strategies for structures subject to fatigue. *In: Proceedings of the 5th ICOSSAR, vol. 2*, (pp. 1619-1626). San Francisco.

Fujiyama, K., Nagai, S., Akikuni, Y., Fujiwara, T. et al. (2004). Risk-based inspection and maintenance systems for steam turbines. *International Journal of Pressure Vessels and Piping* , 81, 825-835.

Fuks, M. and Salazar, E. (2008). Applying models for ordinal logistic regression to the analysis of household electricity consumption classes in Rio de Janeiro, Brazil. *Energy Economics* 30 , 30, 1672–1692.

Gartland, P.O. and Johnsen, R. (n.d.). Application of internal corrosion modeling in the risk assessment of pipelines.

- Geary, W. (2002). Risk based inspection: a case study evaluation of offshore process plant. *Report HSL/2000/20* , Health and Safety Laboratory, Scheffield.
- Gedam, S. G. and Beaudet, S. T. (2000). Monte Carlo simulation using Excel spreadsheet for predicting reliability of a complex system. *Proceedings Annual Reliability and Maintainability Symposium*, (pp. 188-193).
- Giribone, R. and Valette, B. (2004). Principles of failure probability assessment (PoF). *International Journal of Pressure Vessels and Piping* , 81, 797-806.
- Gosselin, S. R. & Fleming, K.N. . (May 26-30, 1997). Evaluation of Pipe Failure Potential via Degradation Mechanism Assessment. *Proceedings of ICONE 5, 5th International Conference on Nuclear Engineering*,. Nice, France.
- Goyet, J., Straub, D. and Faber, M.H. (2002). Risk based inspection planning for offshore installations. *Structural Engineering International* , 12 (3), 200-208.
- Guimaraes, A. (2003). A new methodology for the study of FAC phenomenon based on a fuzzy rule system. *Annals of Nuclear Energy* , 30, 853-864.
- Guohua, C. and Shuho, D. (1996). Study on the reliability assessment methodology for pressure vessels containing defects. *International Journal of Pressure Vessels and Piping* , 69, 273-277.
- Haldar, A. & Mahadevan, S. (1999). *Probability, reliability and statistical methods in engineering design*. New York: John Wiley.
- Hales. (n.d.). Boiler feedwater pipe failure by flow-assisted chelant corrosion.
- Hills, O. (2005, October). Corrosion: The hidden danger. *World Pipelines* .
- Hong, H. (1999). Application of the stochastic process to pitting corrosion. *Corrosion*, 10-16.
- Hong, H. P. (1999). Inspection and maintenance planning of pipeline under external corrosion considering generation of new defects. *Structural Safety* , 21, 203-222.
- Hong, H.P. (1997). Reliability based optimal inspection and maintenance for pipeline under corrosion. *Civil Engineering and Environmental Systems* , 14 (4), 313-334.

Hosmer, D. W. & Lemeshow, S. (1989). *Applied Logistic Regression*. New York: John Wiley & Sons.

HSE UK. (2002). *Guidelines for use of statistics for analysis of sample inspection of corrosion, Research Report 016*. Prepared by TWI for Health and Safety Executive: Her Majesty's Stationary Office, 2–16 Colegate, Notwich .

Jaske, C.E. and Shannon, B.E. (2002). Inspection and remaining life evaluation of process plant equipment. *Proceedings of the Process & Power Plant Reliability Conference* (pp. 1-26). Houston, Texas: Clarion Technical Conferences.

Javaherdashti, R. (2000). A fuzzy approach to model RISK of MIC in a cathodically-protected pipe. *Anti-Corrosion Methods and Materials* , 47 (3), 142-146.

Jeong, H.S., Baik, H. and Abraham, D.M. (2005). An ordered probit model approach for developing Markov chain based deterioration model for wastewater infrastructure systems. *Pipelines* , 649-661.

Joji, O., Fumio, I., Ryo, M., Noboru, K. and Kimitoshi, Y. (2005). Wall thinning of piping in power plants. *Energy* , 55 (264), 1-14.

Jones, D.A. (1996). *Principles and prevention of corrosion*. Prentice Hall.

Juang, C. H., Fang, S. Y and Khor, E. H. (2006). First-order reliability method for probabilistic liquefaction triggering analysis using CPT. *Journal of Geotechnical and Geoenvironmental Engineering* , 132 (3), 337-350.

Jung. W., Yoon, Y. and Sohn, Y. (2003). Predicting the remaining service life of land concrete by steel corrosion. *Cement and Concrete Research* , 33, 663-677.

Kallen, M. (2002). *Risk based inspection in the process and refining industry*. Master's thesis, Faculty of Information Technology and Science : Technical University of Delft, Delft, The Netherlands.

Kallen, M.J. and van Noortwijk, J.M. (2006). Optimal periodic inspection of a deterioration process with sequential condition states. *International Journal of Pressure Vessels and Piping* , 83, 249-255.

- Khaleel, M.A. and Simonen, F.A. (2000). Effects of alternative inspection strategies on piping reliability. *Nuclear Engineering and Design* , 197 (1-2), 115-140.
- Khan, F. I., & Haddara, M. (2004). Risk-based maintenance of ethylene oxide production facilities. *Journal of Hazardous Materials* , A108, 147–159.
- Khan, F.I. and Haddara, M.M. (2003). Risk-based maintenance (RBM): a quantitative approach for maintenance /inspection scheduling and planning. *Journal of Loss Prevention in the Process Industries* , 16, 561-573.
- Khan, F.I., Haddara, M.M. and Bhattacharya, S.K. (2006). Risk-based integrity and inspection modelling (RBIMM) of process components/system. *Risk Analysis* , 26 (1), 203-221.
- Khan, F.I., Sadiq, R. and Haddara, M. (2004). Risk-based inspection and maintenance (RBIM): Multi-attribute decision-making with aggregative risk analysis. *Transaction of IChemE Process Safety and Environmental Protection* , 86 (B2), 398–411.
- Kirkpatrick, T.J., Weyers, R. E., Anderson-Cook, C.M., and Sprinkel, M.M. (2002). Probabilistic model for the chloride-induced corrosion service life of bridge decks. *Cement and Concrete Research* , 32 (12), 1943-1960 (Abstract).
- Kirkpatrick, T.J., Weyers, R.E., Sprinkel, M.M. and Anderson-Cook, C. M. (2002). Impact of specification changes on chloride-induced corrosion service life bridge decks. *Cement and Concrete Research* , 32, 1189-1197.
- Kleinbaum, D.G., Kupper, L.L. and Morgenstern, H. (1982). *Epidemiologic Research: Principles and Quantitative Methods*. New York: Van Nostrand Reinhold.
- Kleiner, Y. (2001). Scheduling inspection and renewal of large infrastructure assets. *Journal Infrastructure Systems* , 7 (4), 136-143.
- Kletz, T.A. (1995). Equipment maintenance. In S. S. Grossel, & D. A. Crowl, *Handbook of Highly Materials Handling and Management* (pp. 439-498). New York: Marcel Dekker Inc.

Krishnasamy, L., Khan, F. and Haddarra, M. (2005). Development of risk-based maintenance (RBM) strategy for a power-generating plant. *Journal of Loss Prevention in the Process Industries* , 18, 69-81.

Krynicky, J.W., Bagnoli, K.E and McLaughlin, J.E. (2006). Probabilistic risk based approach for performing an onstream high temperature hydrogen attack inspection. *Corrosion NACE Expo 2006: 61st Annual Conference & Exposition*, (pp. 1-10).

Landolfo, R., Cascini, L. and Portioli, F. (2010). Modeling of metal structure corrosion damage: A state of the art report. *Sustainability* , 2, 2163-2175.

Larivière, B. and den Poel, D.V. (2007). Banking behaviour after the lifecycle event of “moving in together”: An exploratory study of the role of marketing investments. *European Journal of Operational Research* , 183, 345–369.

Lee, C. G. & Teo, Y. S., Det Norske Veritas. (2001). *RBI Study for the Ammonia Storage Plant*. Taiwan Fertilizer Kaohsiung Ammonia Terminal, Taiwan, ROC.

Lee, S.M., Chang, Y.S., Choi, J.B. and Kim, Y.J. (2006). Application of an enhanced RBI method for petrochemical equipments. *Journal of Pressure Vessel Technology* , 128, 445-453.

Lee, S., Chang, Y., Choi, J. and Kim, Y. (2006). Failure probability assessment of wall-thinned nuclear pipes using probabilistic fracture mechanics. *Nuclear Engineering and Design* (236), 350-358.

Li, C.Q. (2004). Reliability based service life prediction of corrosion affected concrete structures. *Journal of Structural Engineering* , 130 (10), 1570-1577.

Li, P.N., Lei, Y., Zhong, Q.P. and Li, X.R. (2000). A Chinese structural integrity assessment procedure for pressure vessels containing defects. *International Journal of Pressure Vessels and Piping* , 77, 945-952.

Lin, Y.C., Xie, Y.J., Wang, X.H. and Luo, H. (2004). Risk analysis of in-service pressure piping containing defects. *International Journal of Pressure Vessels and Piping* , 81, 13-20.

- Lotsberg, I., Sigurdsson, G. and Wold, P.J. (1999). Probabilistic inspection planning of the Asgard A FPSO hull structure with respect to fatigue. *In: Proceedings of 18th Offshore Mechanics and Arctic Engineering*, (pp. 259-266). Newfoundland.
- Low, B. K. and Tang, W. H. (2007). Efficient spreadsheet algorithm for first-order reliability method. *Journal of Engineering Mechanics*, 133 (12), 1378-1387.
- Low, B. K. and Tang, W. H. (2004). Reliability analysis using object-oriented constrained optimization. *Structural Safety*, 26, 69-89.
- Low, B. K. (2005). Reliability-based design applied to retaining walls. *Geotechnique*, 55 (1), 63-75.
- Lu, J-L, Park, J. and Yang, Q. (1997). Statistical inference of a time-to-failure distribution derived from linear degradation data. *Technometrics*, 39, 391-400.
- Lyon, B.F., Holmes, J.A., Kosiewicz, S.T., Wilbert, K.A. and Travis, C.C. (1996). Estimation of corrosion on carbon steel TRU waste drums using the Poisson distribution. *Journal of Hazardous Materials*, 51, 165-179.
- Maaddawy, T. a. (2007). A model for prediction of time from corrosion initiation to corrosion cracking. *Cement & Concrete Composites*, 29, 168-175.
- Macdonald, D.D. and Engelhardt, G. (n.d.). Prediction of long-term corrosion damage in high level nuclear waste disposal systems. Retrieved July 21, 2007, from <http://www.virginia.edu/cese/doe/Prediction%20of%20Long%20Term%20Corrosion%20Damage.pdf>
- Madanat, S. and Wan Ibrahim, W. H. (1995). Poisson regression models of infrastructure transition probabilities. *Journal of Transportation Engineering*, 121 (3), 267-272.
- Madanat, S., Mishalani, R. and Wan Ibrahim, W. H. (1995). Estimation of Infrastructure Transition Probabilities From Condition Rating Data. *Journal of Infrastructure Systems*, 1 (2), 120-125.
- Madsen, H.O., Krenk, S. & Lind, N.C. (1985). *Methods of structural safety*. New Jersey: Prentice-Hall: Englewood Cliffs.

- Mao, H. and Mahadevan, S. (2000). Reliability analysis of creep-fatigue failure. *International Journal of Fatigue* , 22, 789-797.
- Masataka, Y., Jun, T., Hidenari, B., Toshiharu, K. and Akio, F. (2004). Application of risk-based maintenance on materials handling systems. *IHI Engineering Review* , 37 (2), 52-58.
- McKinney, K.E., Busch, F.J.M., Blaauw, A. and Etheridge, A. (2005). Development of risk assessment and inspection strategies for external corrosion management. *Corrosion* , 1-13.
- Md Noor, N. and Yahaya, N. (2006). Statistical analysis of seawater ballast tank corrosion data. *Proceedings of the 6th Asia-Pacific Structural Engineering and Construction Conference*, (pp. 25-33). Kuala Lumpur, Malaysia.
- Meeker and Escobar. (1998). *Statistical methods for reliability data*.
- Melchers, R. E. (1999). *Structural Reliability Analysis and Prediction: 2nd Edition*. West Sussex, England: John Wiley & Sons.
- Melchers, R. (2005). Representation of uncertainty in maximum depth of marine corrosion pits. *Structural Safety* , 27, 322-334.
- Melchers, R.E. (1999). *Structural reliability: analysis and prediction*. Chichester, UK: Ellis Horwood.
- Menard, S. (2001). *Applied Logistic Regression Analysis: 2nd Edition*. Thousand Oaks, California: Sage Publications.
- Micevski, T., Kuczera, G. and Coombes, P. (2002). Markov model for storm water pipe deterioration. *Journal of Infrastructure Systems* , 8 (2), 49-56.
- Mokhtar, A.A and Che Ismail, M. (2008). Mokhtar, A.A. & Che Ismail, M. (2008, May). A fuzzy-based model to determine corrosion rate for carbon steel subject to corrosion under insulation. *Paper presented at NACE East Asia Pacific Regional Conference 2008*. Kuala Lumpur, Malaysia.

- Mokhtar, A.A. and Che Ismail, M. (2009). Estimation of insulated system transition probabilities from inspection data. *NACE East Asian & Pacific Regional Conference (23-25 November)*. Kuala Lumpur.
- Montgomery, R.L. and Serratella, C. (2002). Risk based maintenance: a new vision for asset integrity management. *Pressure Vessel Piping* , 444, 151-165.
- Morcous, G., Rivard, H. and Hanna, A.M. (2002). Modeling bridge deterioration using case-based reasoning. *Journal Infrastructure Systems* , 8 (3), 86-95.
- Muhlbauer, W. K. (1992). *Pipeline Risk Management Manual*. Houston, TX: Gulf Publishing Company.
- Nesic, S., Nordsveen, M., Maxwell, N. and Vrhovac, M. (2001). Probabilistic modeling of CO₂ corrosion laboratory data using neural networks. *Corrosion Science* , 43, 1373-1392.
- Nicolis, O. and Tondini, G. (2006). Logit models for analysing and forecasting the performance of industrial enterprises in the Treviso area. *Managerial Finance* , 32 (8), 654-672.
- Nilsson, F., Brickstad, B. and Skanberg, L. (1990). Failure probability of nuclear piping due to IGSCC. *International Journal of Pressure Vessels and Piping* , 43, 205-217 (Abstract).
- Noor, N.M. and Yahaya, N. (2006). Statistical analysis of seawater ballast tank corrosion data. *Proceedings of the 6th Asia-Pacific Structural Engineering and Construction Conference*, (pp. 25-33). Kuala Lumpur.
- Noor, N.M., Smith, G.H. and Yahaya, N. (2007). The Weibull time-dependent growth model of marine corrosion in seawater ballast tank. *Malaysian Journal of Civil Engineering* , 19 (2), 142-155.
- Noori, S.A. and Price, J.W.H. (2006). A risk approach to the management of boiler tube thinning. *Nuclear Engineering and Design* , 236, 405-414.
- Nowak, A.S. and Collins, K.R. (2000). *Reliability of structures*. McGraw-Hill.

Ottenbacher, K.J., Smith, P.M., Illig, S.B., Linn, R.T., Fiedler, R.C. and Granger, C.V. . (2001). Comparison of logistic regression and neural networks to predict rehospitalization in patients with stroke. *Journal of Clinical Epidemiology* , 54, 1159–1165.

Paik, J.K., Wang, G., Thayamballi, A.K., Lee, J.M. and Park, Y. (2003). Time dependent risk assessment of aging ships accounting for general/pitting corrosion, fatigue cracking and local denting damage. *In: SNAME annual meeting*. San Francisco, USA.

Paul, P. (2009). Predictors of work injury in underground mines: An application of a logistic regression model. *Mining Science and Technology* , 19, 282–289.

Pecinka, L. and Krupa, V. (1999). Methodology for evaluation of failure frequency of ASME class 2/3 piping. *Transactions of the 15th International Conference on Structural Mechanics in Reactor Technology*, (pp. 363-370). Seoul, Korea.

Podofillini, L., Zio, E. and Vatn, J. (2006). Risk-informed optimization of railway tracks inspection and maintenance procedures. *Reliability Engineering and System Safety* , 91, 20-35.

Popescu, C. and Popescu, D.E. (2005). Monte Carlo simulation for predicting the reliability of a control system for geothermal plant. *Proceedings World Geothermal Congress*, (pp. 1-5). Antalya, Turkey.

Priya, C., Rao, K.B., Anoop, M.B., Lakshmanan, N., Gopika, V., Kushwaha, H.S. and Saraf, R.K. (2005). Probabilistic failure analysis of austenitic nuclear pipelines against stress corrosion cracking. *Journal Mechanical Engineering Science* , 219.

Qie, L.W., Choi, B.H. and Xie, S.L. (2009). Calculation of failure probability of Caisson breakwater considering correlation between variables. *KSCE Journal of Civil Engineering* , 13 (1), 1-5.

Rackwitz, R. and Flessler, B. (1978). Structural reliability under combined random load sequences. *Computers & Structures* , 9, 484-494.

- Rahman, N., Ghadiali, N., Wilkowski, G.M. and Paul, D. (1997). A computer model for probabilistic leak-rate analysis of nuclear piping and piping welds. *International Journal of Pressure Vessels & Piping* , 70, 209-221.
- Rahman, S. and Kim, J.S. (2001). Probabilistic fracture mechanics for nonlinear structure. *International Journal of Pressure Vessels and Piping* , 78, 261-269.
- Rao, K. (2002). *Companion guide to the ASME boiler & pressure vessel code: Volume 2*. New York: The American Society of Mechanical Engineers.
- Rausand, M. and Hoyland, A. *System Reliability Theory: Models, Statistical Methods and Applications*. Wiley.
- Riesch-Oppermann, H. & Walter, M. (2001). *Status report on experiments and modelling of the cleavage fracture behaviour of F82Hmod using local fracture criteria*, FZKA-6388. Retrieved December 20, 2009, from <http://bibliothek.fzk.de/zb/berichte/FZKA6388.pdf>
- Riesch-Oppermann, H., Scherrer-Rudiy, S., Erbacher, T. & Kraft, O. (2007). Uncertainty analysis of reliability predictions of brittle fracture. *Engineering Fracture Mechanics* , 74, 2933-2942.
- Roelfstra, G., Hajdin, R., Adey, B. and Bruhwiler, E. (2004). Condition evolution in bridge management systems and corrosion-induced deterioration. *Journal of Bridge Engineering* , 9 (3), 268-277.
- Ross, S.M. (2000). *Introduction to probability models: 7th edition*. San Diego: Academic Press.
- Santosh, Vinod, G., Shrivastava, O.P., Saraf, R.K., Ghosh, A.K. and Kushwaha, H.S. (2006). Reliability analysis of pipelines carrying H₂S for risk based inspection of heavy water plants. *Reliability Engineering and System Safety* , 91, 163-170.
- Schweitzer, P.A. (1989). *Corrosion protection handbook*. New York: Marcel Dekker, Inc.
- Shinozuka, M. (1983). Basic analysis of structural safety. *Journal of Structural Engineering* , 109 (3), 721-740.

Shooman, M.L. (1968). *Probabilistic Reliability: An Engineering Approach*. McGraw-Hill.

Simbolan, S. (n.d.). Comparison between classic and fuzzy logic method on corrosion rate of zinc metal in diluted sulphuric acid after nitridation process.

Simola, K., Pulkkinen, U., Talja, H., Karjalainen, P. & Saarenheimo, A. (2004). Comparison of approaches for estimating pipe rupture frequencies for risk-informed in-service inspections. *Reliability Engineering and System Safety* , 84, 64-74.

Sin, S. J. and Kim, K. (2008). Use and non-use of public libraries in the information age: A logistic regression analysis of household characteristics and library services variables. *Library & Information Science Research* , 30, 207–215.

Singh, M. and Markeset, T. (2009). A methodology for risk-based inspection planning of oil and gas pipes based on fuzzy logic framework. *Engineering Failure Analysis* , 16, 2098-2113.

Skjong, R. (1985). Reliability based optimization of inspection strategies. *Proceedings of the ICOSSAR 85, Vol. III*, (pp. 614-618). Kobe, Japan.

Soares, C.G. and Garbatov, Y. (1996). Reliability of maintained ship hulls subjected to corrosion. *Journal of Ship Research* , 40 (3), 235-243.

Sohn, S.Y. and Kim, H.S. (2007). Random effects logistic regression model for default prediction of technology credit guarantee fund. *European Journal of Operational Research* , 183, 472–478.

Spezzaferro, K. (1996). Applying logistic regression to maintenance data to establish inspection intervals. *Proceedings Annual Reliability and Maintainability Symposium* (pp. 296-300). IEEE.

Sullivan, K. & Pezzullo, J.C. (2007). *Logistic Regression version 05.07.02*. Retrieved April 12, 2010, from <http://statpages.org/logistic.html>

Takeda, K., Tsuge, Y., Matsuyama, H. and Oshima, E. (2005). Decision support system for atmospheric corrosion of carbon steel pipes. *LNAI* , 3681, 149-154.

- Teixeira, A. P., Soares, C. G., Netto, T. A. and Estefen, S. F. (2008). Reliability of pipelines with corrosion defects. *International Journal of Pressure Vessels and Piping* , 85, 228-237.
- Tichy, M. (1993). *Applied methods of structural reliability*. Dordrecht, Boston: Kluwer Academic.
- Todd, S., Woodward, M. and Bolton-Smith, C. (1995). An investigation of the relationship between antioxidant vitamin intake and coronary heart disease in men and women using logistic regression analysis. *Journal Clinical Epidemiology* , 48 (2), 307-316.
- Tong, Y. (2001). *Literature review on aircraft structural risk and reliability analysis*. Retrieved March 26, 2009, from Australian Government: Department of Defense Web site: www.dsto.defence.gov.au/publications/2329/DSTO-TR-1110.pdf
- Valor, A., Caleyó, F., Alfonso, L., Rivas, D. and Hallen, J.M. (2007). Stochastic modeling of pitting corrosion: A new model for initiation and growth of multiple corrosion pits. *Corrosion Science* , 49, 559-579.
- van Noortwijk, J. (2000). Optimal maintenance decisions on the basis of uncertain failure probabilities. *Journal Quality in Maintenance Engineering* , 6 (2), 113-122.
- van Noortwijk, J.M. and Frangopol, D.M. (2004). Deterioration and maintenance models for insuring safety of civil infrastructures at lowest life-cycle cost. *Life-Cycle Performance of Deteriorating Structures: Assessment, Design and Management* (pp. 384-391). Reston, Virginia: American Society of Civil Engineers (ASCE).
- Vinod, G., Bidhar, S.K., Kushwaha, H.S., Verma, A.K. and Srividya, A. (2003). A comprehensive framework for evaluation of piping reliability due to erosion-corrosion for risk-informed inservice inspection. *Reliability Engineering and System Safety* , 82, 187-193.
- Willcocks, J. and Bai, Y. (2000). Risk based inspection and integrity management of pipeline systems. *International Society of Offshore and Polar Engineers, II* , 285-294.

Wirahadikusumah, R., Abraham, D. and Iseley, T. (2001). Challenging issues in modeling deterioration of combined sewer. *Journal of Infrastructure Systems* , 7 (2), 77-84.

Yagawa, G. and Yoshimura, S. (1997). A study on probabilistic fracture mechanics for nuclear pressure vessels and piping. *International Journal of Pressure Vessels and Piping* , 13, 97-107.

Yahaya, N., Noor, N.M., Mat Din, M. and Moh Nor, S.H. (2009). Prediction of CO₂ corrosion growth in submarine pipelines. *Malaysia Journal of Civil Engineering* , 21 (1), 69-81.

Yang, J., Gunaratne, M., Lu, J.J. and Dietrich, B. (2005). Use of recurrent Markov chains for modeling the crack performance of flexible pavements. *Journal of Transportation Engineering* , 861-872.

You, J. and Wu, W. (2002). Probabilistic failure analysis of nuclear piping with empirical study of Taiwan's BWR plants. *International Journal of Pressure Vessels and Piping* , 79, 483-492.

Yuan, X. X., Pandey, M. D. and Bickel, G. A. (2008). A probabilistic model of wall thinning in CANDU feeders due to flow-accelerated corrosion. *Nuclear Engineering and Design* , 238 (1), 16-24.

Zhao, Y. and Ono, T. (1999). A general procedure for first/second-order reliability method (FORM/SORM). *Structural Safety* , 95-112.