

REFERENCES

- Abraham, S. (2002). *National hydrogen energy roadmap* United States Department of Energy.
- Adams, T. A. (2000). *Physical properties of carbon nanotubes*. Retrieved October 2008, 2008, from <http://www.pa.msu.edu/cmp/csc/nanotube.html>
- Ahmed, W., Ahmed, E., Maryan, C., Jackson, M. J., Ogwu, A. A., Ali, N., et al. (2006). Time-modulated CVD process optimized using the taguchi method. *Journal of Materials Engineering and Performance*, 5(2), 236-241.
- Ahwahnee Technology. (2004). *Carbon nanotube*. Retrieved October, 2008, from http://www.ahwahneetech.com/technology/carbon_nanotube.htm
- Ajayan, P. M. (1997). Structure and morphology of carbon nanotubes. In T. E. Ebbesen (Ed.), *Carbon nanotubes: Preparation and properties* (pp. 111-138) CRC Press.
- Ajayan, P. M., Wei, B., Zhu, H., Xu, C., & Wu, D. (2009). In Rensselaer Polytechnique Institute, Tsinghua University (Ed.), *Direct synthesis of long single-walled carbon nanotube strands*
- Ajayan, P. M., & Zhou, O. Z. (2001). Applications of carbon nanotubes. In M. S. Dresselhaus, G. Dresselhaus & P. Avouris (Eds.), *Carbon nanotubes: Synthesis, structure, properties and applications* (Springer ed., pp. 391-426)
- Ali, N., Neto, V. F., Mei, S., Cabral, G., Kousar, Y., Titus, E., et al. (2004). Optimization of the new time-modulated CVD process using the taguchi method, thin solid films. 469 - 470, 154-160.
- Anandan, S. (2008). Photocatalytic effects of titania supported nanoporous MCM-41 on degradation of methyl orange in the presence of electron acceptors. *Dyes and Pigments*, 76(2), 535-541.
- Ansón, A., Benham, M., Jagiello, J., Callejas, M. A., Benito, A. M., Maser, W. K., et al. (2004). Hydrogen adsorption on a single-walled carbon nanotube material: A comparative study of three different adsorption techniques. *Nanotechnology*, 15, 1503-1508.
- Ansón, A., Lafuente, E., Urriolabeitia, E., Navarro, R., Benito, A. M., Maser, W. K., et al. (2006). Hydrogen capacity of palladium-loaded carbon materials. *Journal of Physical Chemistry B*, 110, 6643-6648.
- Antony, J., & Antony, F. J. (2001). Teaching the taguchi method to industrial engineers. *Work Study*, 50(4), 141-149.
- Arafeh, L. M. (1996). *Neuro fuzzy systems*. Retrieved 30 August 2004, 2004, from <http://ieeexplore.ieee.org>

- Ariff, M. (2007). *Petroleum to play a lesser role in the economy*. Retrieved November 2008, 2008, from http://www.mier.org.my/mierscan/archives/pdf/drariff17_09_2007.pdf
- Async. (2002). *H₂ - fuel of the future*. Retrieved 16 April 2008, 2008, from <http://asyncbrain.baf.cz/sanatorium/1/h2fuel/index.htm#storage>
- Atieh Hussien, M. A. (2005). Synthesis and characterization of carbon nanotubes and carbon nanofibers for nanocomposite application. (Doctor of Philosophy, Universiti Putra Malaysia).
- Babuska, R., & Verbruggen, H. (2003). Neuro-fuzzy methods for nonlinear system identification normal. *Annual Reviews in Control*, 27, 73-85.
- Back, C. K., Sandi', G., Prakash, J., & Hranisavljevic, J. s. (2006). Hydrogen sorption on palladium-doped sepiolite-derived carbon nanofibers. *J. Phys. Chem. B*, 110, 16225-16231.
- Bacsa, R. R., Laurent, C., Peigney, A., Vaugien, T., Flahaut, E., Bacsa, W. S., et al. (2002). (Mg,co)O solid-solution precursor for the large scale synthesis of carbon nanotubes by catalytic chemical vapor deposition, *Journal of American Ceramic Society*, 85(11), 2666-2669.
- Badzian, A., Badzian, T., Breval, E., & Piotrowski, A. (2001). Nanostructured, nitrogen-doped carbon materials for hydrogen storage. *Thin Solid Films*, 398-399, 170-174.
- Baker, R. T. K. (2001). Carbon nanofibers. In K. H. J. Buschow, R. W. Cahn, M. C. Flemings, B. Ilshner, E. J. Kramer & S. Mahajan (Eds.), *Encyclopedia of materials - science and technology* (pp. 932-941) Elsevier.
- Baker, R. T. K. (1998). *Synthesis, properties and applications of graphite nanofibers*. Boston: Northeastern University.
- Bányai, I., & Berka, M. (2007). *Adsorption at the gas-solid interface* No. 2009)
- Barbosa, A. L., Herguido, J., & Santamaria, J. (2001). Methane combustion over unsupported iron oxide catalysts. *Catalysis Today*, 64(1-2), 43-50.
- Barreiro, A., Hampel, S., Rummeli, M. H., Kramberger, C., Gruneis, A., Biedermann, K., et al. (2006). Thermal decomposition of ferrocene as a method for production of single-walled carbon nanotubes without additional carbon sources. *Journal of Physical Chemistry B*, 110, 20973-20977.
- Barrera, E. V., Shofner, M. L., & Corral, E. L. (2005). Applications: Composites. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 253-273). USA: CRC Press.

- Basu, S., Hensha, P. F., Biswas, N., & Kwan, H. K. (2002). Prediction of gas-phase adsorption isotherms using neural nets. *The Canadian Journal of Chemical Engineering*, 80, 1-7.
- Bhushan, B. (Ed.). (2004). *Springer handbook of nanotechnology* Springer - Verlag.
- Blackman, J. M., Patrick, J. W., Arenillas, A., Shi, W., & Snape, C. E. (2006). Activation of carbon nanofibres for hydrogen storage. *Carbon*, 44, 1376-1385.
- Blackman, J. M. (2005). High pressure hydrogen storage on carbon materials for mobile applications. (Doctor of Philosophy, University of Nottingham). , 1-244.
- Boskovic, B. O., Stolojan, V., Zeze, D. A., Forrest, R. D., Silva, S. R. P., & Haq, S. (2004). Branched carbon nanofiber network synthesis at room temperature using radio frequency supported microwave plasmas. *Journal of Applied Physics*, 96(6), 3443-3446.
- Bououdina, M., Grant, D., & Walker, G. (2005). Effect of the processing conditions on unsupported ni-based catalysts for graphitic-nanofibre formation. *Carbon*, 43, 1286-1292.
- Brain, M. (2008). *How the hydrogen economy works.*, 2008, from <http://auto.howstuffworks.com/hydrogen-economy.htm>
- Branca, C., Frusteri, F., Magazu, V., & Mangione, A. (2004). Characterization of carbon nanotubes by TEM and infrared spectroscopy. *J. Phys. Chem. B*, 108, 3469-3473.
- Bruker AXS. (2001). *Introduction to powder X-ray diffraction*. Retrieved April 2009, 2009, from <http://www.smcr.fisica.unam.mx/8temasutiles/articulosutiles/Bas-XRD.pdf>
- Bumajdad, A., Eastoe, J., Zaki, M. I., Heenan, R. K., & Pasupulety, L. (2007). Generation of metal oxide nanoparticles in optimised microemulsions. *Journal of Colloid and Interface Science*, 312(1), 68-75.
- Cai, M., Li, Y., Shen, W., & Rogers, J. D. (2006). *Nickel oxide nanoparticles as catalyst precursor for hydrogen*
- Calvert, P. (1997). Potential applications of nanotubes. In T. E. Ebbesen (Ed.), *Carbon nanotubes: Preparation and properties* (pp. 277-292) CRC Press.
- Cao, G. (Ed.). (2004). *Nanostructures and nanomaterials - synthesis, properties and applications* Imperial College Press.
- Cassell, A. M., Raymakers, J. A., Kong, J., & Dai, H. (1999). Large scale CVD synthesis of single-walled carbon nanotubes. *J. Phys. Chem. B*, 103, 6484-6492.
- Central Facility for Electron Microscopy (CFEM). (2003). *Electron microscopy*. Retrieved March 2009, 2009, from <http://www.unl.edu/CMRACfem/em.htm>

- Cesarone, J. (2001). The power of taguchi: You've heard of design of experiments and taguchi methods. *IIE Solutions*,
- Chambers, A., Park, C., Terry, R., & Baker, K. R., N.M. (1998). Hydrogen storage in graphite nanofibers. *Journal of Physical Chemistry B*, 102(22)
- Che, G., Lakshmi, B. B., Martin, C. R., & Fisher, E. R. (1998). Chemical vapor deposition based synthesis of carbon nanotubes and nanofibers using a template method. *Chemistry Material*, 10, 260-267.
- Cheap Tube Inc. (2007). *Properties of CNT*. Retrieved 22 December 2008, 2008, from <http://www.cheaptubesinc.com>
- Chen, D., Christensen, K. O., Ochoa-Fernández, E., Yu, Z., Tøtdal, B., Latorre, N., et al. (2005). Synthesis of carbon nanofibers: Effects of ni crystal size during methane decomposition. *Journal of Catalysis*, 229(1), 82-96.
- Cheng, H., Liu, C., Li, F., Fang, H., & Yang, Q. (2004). Synthesis and characterization of carbon. In G. Q. Lu, & X. S. Zhao (Eds.), *Nanoporous materials - science and engineering* (pp. 263-293) Imperial College Press.
- Cherevko, S., Kulyk, N., Fu, J., & Chung, C. (2009). Hydrogen sensing performance of electrodeposited conoidal palladium nanowire and nanotube arrays. *Sensors and Actuators B: Chemical*, 136(2), 388-391.
- Cleveland, C. J. (Ed.). (2004). *Encyclopedia of energy* Elsevier.
- Coupry, C. (2000). Application of raman microspectrometry. *Analisis*, 28(1), 39-45.
- Daenen, M., de Fouw, R. D., Hamers, B., Janssen, P. G. A., Schouteden, K., & Veld, M. A. J. (2003). *The wondrous world of carbon nanotubes*
- Dallal, J. (2009). *How to read the output from one way analysis of variance*. Retrieved 19 June 2009, 2009, from <http://www.jerrydallal.com/LHSP/aov1out.htm>
- Davis, M. (2003). *The study of microbial structure: Microscopy and specimen preparation*. Retrieved March 2009, 2009, from http://faculty.evansville.edu/md7/bact02/microscope%20copy/microscope_files/microscop_e.ppt
- de Lucas, A., Garrido, A., Sa' nchez, P., Romero, A., & Valverde, J. L. (2005). Growth of carbon nanofibers from Ni/Y zeolite based catalysts: Effects of ni introduction method, reaction temperature, and reaction gas composition. *Ind. Eng. Chem. Res.*, 44, 8225-8236.

- D'Elia, L. F., González, I., Saavedra, K., & Gottberg, V. (2009). A comparative study of hydrogen uptake features of co, ni and pd modified nanofibres and activated carbon. *International Journal of Hydrogen Energy*, 34(4), 1958-1964.
- Dillon, A. C., & Heben, M. J. (2001). Hydrogen storage using carbon adsorbents: Past, present and future. *Applied Physics A*, 72, 133-142.
- Doong, R., Chang, S., Hung, Y., & Kao, I. (2007). Preparation of highly ordered titanium dioxide porous films: Characterization and photocatalytic activity. *Separation and Purification Technology*, 58(1), 192-199.
- Dresselhaus, M. S. (2006). *Carbon-based nanostructures*. http://www.wtec.org/loyola/nano/US.Review/09_02.htm.
- Dumitrache, F., Morjan, I., Alexandrescu, R., Ciupina, V., Prodan, G., Voicu, I., et al. (2005). Iron-iron oxide core-shell nanoparticles synthesized by laser pyrolysis followed by superficial oxidation. *Applied Surface Science*, 247(1-4), 25-31.
- Ebbesen, T. W. (1997). *Carbon nanotubes preparation and properties*. Florida: CRC Pres Inc.
- Echegoyen, Y., Suelves, I., Lázaro, M. J., & Moliner, R. (2007). Thermo catalytic decomposition of methane over ni-mg and ni-cu-mg catalysts: Effect of catalyst preparation method. *Applied Catalysis A*,
- Economic Plan Unit. (2006). *Ninth malaysian plan 2006-2010*. Putrajaya: The Economic Planning Unit, Prime Minister's Department.
- Edwards, H. K., Evans, E., McCaldin, S., Blood, P., regory, D. H., Poliakoff, M., et al. (2006). Hydrothermally synthesized Fe₂O₃ nanoparticles as catalyst precursors for the CVD production of graphitic nanofibres. *Journal of Physics: Conference Series*, 26, 195-198.
- Eklund, P. C. (2006). Carbon nanotube manufacturing 2006: Introduction and overview. *International R&D of Carbon Nanotube Manufacturing and Applications*, National Science Foundation, Arlington, VA.
- Endo, M., Kim, Y., Hayashi, T., Takeuchi, K., Terrones, M., & Dresselhaus, M. S. (2005). Carbon nanotubes. In S. Lee, & L. Lee (Eds.), *Encyclopedia of chemical processing* (pp. 333-335) CRC Press.
- Ermakova, M. A., Ermakov, D. Y., & Kuvshinov, G. G. (2000). Effective catalysts for direct cracking of methane to produce hydrogen and filamentous carbon: Part I. nickel catalysts. *Applied Catalysis A: General*, 201(1), 61-70.
- Everett. (2001). *Manual on definitions, terminology and symbols in colloid and surface chemistry*. Retrieved March 2009, 2009, from http://old.iupac.org/reports/2001/colloid_2001/manual_of_s_and_t/node8.html

- Figueroa-Torres, M., Robau-Sanchez, A., Torre-Saenz, L. D. I., & Aguilar-Elguezabal, A. (2007). Hydrogen adsorption by nanostructured carbons synthesized by chemical activation. *Microporous and Mesoporous Materials*, 98, 89-93.
- Fischer, J. E. (2006). Carbon nanotubes: Structure and properties. In Y. Gogotsi (Ed.), *Nanotubes and nanofibers* (pp. 1-36) CRC Press.
- Fletcher, A. J. (2008). *Porosity and sorption behaviour.*, 2008, from <http://www.staff.ncl.ac.uk/a.j.fletcher/adsorption.htm>
- Freedom car and fuel partnership. (2005). *Hydrogen storage technologies roadmap.*, 2008, from http://www1.eere.energy.gov/vehiclesandfuels/pdfs/program/hydrogen_storage_roadmap.pdf
- Fuller, R. (1999). Fuzzy logic and neural nets in intelligent systems. In C. Carlsson (Ed.), *Information systems day* (pp. 74-94) TUCS General Publications.
- Gaur, V., Asthana, R., & Verma, N. (2006). Removal of SO₂ by activated carbon fibers in the presence of O₂ and H₂O. *Carbon*, 44(1), 46-60.
- Goddard, W. A., Brenner, D. W., & Lyshevski, S. E. (Eds.). (2003). *Handbook of nanoscience, engineering, and technology* CRC Press.
- Gogotsi, Y., Dash, R. K., Gleb, Y., Yildirim, T., Laudisio, G., & Fischer, J. E. (2005). Tailoring of nanoscale porosity in carbide-derived carbons for hydrogen storage. *Journal of American Chemistry Society*, 127, 16006-16007.
- Goldberg, D., Mitome, M., Müller, C., Tang, C., Leonhardt, A., & Bando, Y. (2006). Atomic structures of iron-based single-crystalline nanowires crystallized inside multi-walled carbon nanotubes as revealed by analytical electron microscopy. *Acta Materialia*, 54(9), 2567-2576.
- Grupo Antolin. (2007). *Grupo antolin carbon nanofibers (GANF) high quality low cost industrial production.* Retrieved June 2008, 2008, from <http://www.aemac.org/pdf/ganf.pdf>
- Haber, J. (1991). Manual on catalyst characterization. *Pure and Applied Chemistry*, 63(9), 1227-1246.
- Han, J. (2005). Structures and properties of carbon nanotubes. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 2-24) CRC Press.
- Harris, P. J. F. (1999). *Carbon nanotubes and related structures: New materials for the 21st century* Cambridge University Press.

- Hartman, A. Z., Jouzi, M., Barnett, R. L., & Xu, J. M. (2004). Theoretical and experimental studies of carbon nanotube electromechanical coupling. *Physical Review Letters*, *92*(23), 236804-1-236804-4.
- Hawkins, S. C., Poole, J. M., & Huynh, C. P. (2009). Catalyst distribution and carbon nanotube morphology in multilayer forests by mixed CVD processes. *Journal of Physical Chemistry C*, *113*, 12976-12982.
- Hayakawa, H., Tanaka, H., & Fujimoto, K. (2006). Studies on precipitated iron catalysts for Fischer–Tropsch synthesis. *Applied Catalysis A: General*, *310*, 24-30.
- He, M., Zhou, S., Zhang, J., Liu, Z., & Robinson, C. (2005). CVD growth of N-doped carbon nanotubes on silicon substrates and its mechanism. *J. Phys. Chem. B*, *109*, 9275-9279.
- He, Q., Cui, Y., Ai, S., Tian, Y., & Li, J. (2009). Self-assembly of composite nanotubes and their applications. *Current Opinion in Colloid & Interface Science*, *14*(2), 115-125.
- Hidden Isochema. (2009). *IGA-001 gas sorption analyser*. Retrieved June 2009, 2009, from <http://www.hiddenisochema.com/products/iga-series/iga-001-gravimetric-gas-sorption-analyser.html>
- Holister, P., Roman, C., & Harper, T. (2003). Nanoporous material. *Technology White Paper Nr. 5*, 1-11.
- Hong, S. E., Kim, D. K., Jo, S. M., Kim, D. Y., Chin, Y. D., & Lee, D. W. (2006). Graphite nanofibers prepared from catalytic graphitization of electrospun poly(vinylidene fluoride) nanofibers and their hydrogen storage capacity. *Catalysis Today*, *120*(3-4), 413-419.
- Hong, S. E., Kim, D., Jo, S. M., Kim, D. Y., Chin, B. D., & Lee, D. W. (2007). Graphite nanofibers prepared from catalytic graphitization of electrospun poly(vinylidene fluoride) nanofibers and their hydrogen storage capacity. *Catalysis Today*, *120*(3-4), 413-419.
- Horiba, J. Y. (2005). *Carbon nanotubes – what information does raman microscopy bring?*
- Hornyak, G. L., Grigorian, L., Dillon, A. C., Parilla, P. A., Jones, K. M., & Heben, M. J. (2002). A temperature window for chemical vapor decomposition growth of single-wall carbon nanotubes. *J. Phys. Chem. B*, *106*, 2821-2825.
- Hou, H., Schaper, A. K., Jun, Z., Weller, F., & Greiner, A. (2003). Large-scale synthesis of aligned carbon nanotubes using FeCl₃ as floating catalyst precursor. *Chem. Mater*, *15*, 580-585.
- Hou, P. X., Xu, S. T., Ying, Z., Yang, Q. H., Liu, C., & Cheng, H. M. (2003). Hydrogen adsorption / desorption behavior of multi-walled carbon nanotubes with different diameters. *Carbon*, *41*(13), 2471-2476.

- Huang, S., & Dai, L. (2002.). Microscopic and macroscopic structures of carbon nanotubes produced by pyrolysis of iron phthalocyanine. *Journal of Nanoparticle Research*, 4, 145-155.
- Huang, S., Cai, X., Du, C., & Liu, J. (2003). Oriented long single walled carbon nanotubes on substrates from floating catalysts. *Journal of Physical Chemistry B*, 107(48)
- Hung, W. H., Hsu, I., Bushmaker, A., Kumar, R., Theiss, J., & Cronin, S. B. (2008). Laser directed growth of carbon-based nanostructures by plasmon resonant chemical vapor deposition. *Nano Letters*, 8, 3278-3282.
- Hung, C. C., & Shih, H. C. (2001). Experimental design method applied to microwave plasma enhanced chemical vapor deposition diamond films. *Journal of Crystal Growth*, 233, 723-729.
- Hydrogen.gov. (2009). *Why hydrogen?* Retrieved October, 2009, from <http://www.hydrogen.gov/whyhydrogen.html>
- Iijima, S., & Ichihashi, T. (1993). Single-shell carbon nanotubes of 1-nm diameter. *Nature*, 363(6430), 603-605.
- Iijima, S. (1991). Helical microtubules of graphitic carbon. *Nature*, 354
- Inagaki, M. (2000). *New carbons - control of structure and functions* Elsevier.
- IUPAC. (1997). *IUPAC compendium of chemical terminology.*, 2009, from <http://www.iupac.org/goldbook/A00156.pdf>.
- Janzen, C., Roth, P., & Rellinghaus, B. (1999). Characteristics of Fe₂O₃ nanoparticles from doped low pressure H₂/O₂/Ar flames. *Journal of Nanoparticle Research*, 1, 163-167.
- Jawhari, T., Roid, A., & Casado, J. (1995). Raman spectroscopic characterization of some commercially available carbon black materials. *Carbon*, 33(11), 1561-1565.
- Jennings, J. R. (1987). In Imperial Chemical Industries PLC (London, GB2) (Ed.), *Iron catalyst and method of producing it* (502/336; 423/362; 502/338 ed.). USA: B01J23/745; B01J23/75; B01J23/78; B01J37/00; C01C1/04; B01J35/00; B01J35/10; B01J37/03; B01J23/76; C01C1/00; B01J23/74; B01J21/04.
- Jin, H., Lee, Y. S., & Hong, I. (2007). Hydrogen adsorption characteristics of activated carbon. *Catalysis Today*, 120, 399-406.
- Jing, L. (2005). Carbon nanotube applications: Chemical and physical sensors. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 213-233). USA: CRC Press.

- Jordá-Beneyto, M., Suárez-García, F., Lozano-Castelló, D., Cazorla-Amorós, D., & Linares-Solano, A. (2007). Hydrogen storage on chemically activated carbons and carbon nanomaterials at high pressures. *Carbon*, 45(2), 293-303.
- Jorio, A., Pimenta, M. A., Souza Filho, A. G., Saito, R., Dresselhaus, G., & M.S., D. (2003). Characterizing carbon nanotube samples with resonance raman scattering. *New Journal of Physics*, , 139.1-139.17.
- Journet, C., & Bernier, P. (1998). Production of carbon nanotubes. *Applied Physics A*, 67, 1-9.
- Journet, C., Maser, W. K., Bernier, P., Loiseau, A., Lamy de la Chapelle, M., Lefrant, S., et al. (1997). Large-scale production of single-walled carbon nanotubes by the electric-arc technique. *Nature*, 388
- Jun, L. (2005). Biosensors. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 237-250). USA: CRC Press.
- Kayiran, S. B., Darkrim, F. L., Gicquel, A., Bernier, P., Gadelle, P., & Levesque, D. (2003). Chemical treatment effect on physisorption properties of nanofibres: An experimental and theoretical study. *1st European Hydrogen Energy Conference 2003*, Grenoble, France.
- Keller, J. U., & Staudt, R. (2005). *Gas adsorption equilibria: Experimental methods and adsorptive isotherms* (Springer ed.)
- Keller, T. M., Laskoski, M., & Qadri, S. B. (2007). Ferrocene catalyzed carbon nanotube formation in carbonaceous solid. *The Journal of Physical Chemistry C*, 111(6), 2514-2519.
- Khedr, M. H., Abdel Halim, K. S., Nasr, M. I., & El-Mansy, A. M. (2006). Effect of temperature on the catalytic oxidation of CO over nano-sized iron oxide. *Materials Science and Engineering A*, 430(1-2), 40-45.
- Kiefer, S., & Robens, E. (2008). Some intriguing items in the history of volumetric and gravimetric adsorption measurements. *Journal of Thermal Analysis and Calorimetry*, 24(3), 613-618.
- Kim, B., Lee, Y., & Park, S. (2008). A study on the hydrogen storage capacity of ni-plated porous carbon nanofibers. *International Journal of Hydrogen Energy*, 33(15), 4112-4115.
- Kim, H. S., Lee, H., Han, K. S., Kim, J. H., Song, M. S., Park, M. S., et al. (2005). Hydrogen storage in ni nanoparticle-dispersed multiwalled carbon nanotubes. *Journal of Physical Chemistry B*, 109, 8983-8986.
- Kim, K. D., Han, D. N., & Kim, H. T. (2004). Optimization of experimental conditions based on the taguchi robust design for the formation of nano-sized silver particles by chemical reduction method. *Chemical Engineering Journal*, 104, 55-61.

- Klesel, J. (2006). *Electron beams and specimen interactions*. Retrieved March 2009, 2009, from <http://mse.iastate.edu/microscopy/beaminteractions.html>
- Koizumi, N., Minorikawa, Y., Yakabe, H., Kimura, H., Kurosu, T., & Ida, M. (2006). Finding growth regions for carbon nanofibers and tubes under different growth conditions using simplified hot-filament chemical vapor deposition. *Japanese Journal of Applied Physics*, 45(8A), 6517-6523.
- Kordatos, K., Vlasopoulos, A. D., Strikos, S., Ntziouni, A., Gavela, S., Trasobares, S., et al. (2009). Synthesis of carbon nanotubes by pyrolysis of solid ni(dmgl)₂. *Electrochimica Acta*, 54(9), 2466-2472.
- Labunov, V. A., Shulitski, B. G., Prudnikava, A. L., & Yanushkevich, K. I. (2008). Structure, composition and magnetic properties of carbon nanotubes doped by fe during the growth process. *Journal of Physics: Conference Series*, 200, 1-5.
- Lachawiec, J. A. J., Qi, G., & Yang, R. T. (2005). Hydrogen storage in nanostructured carbons by spillover: Bridge-building enhancement. *Langmuir*, 21, 11418-11424.
- Lanz, A. (2001). Module 1 hydrogen properties. *Hydrogen fuel cell engines and related technologies* (pp. 1-47) College of Desert.
- Lee, C. J., Park, J., Huh, Y., & Lee, J. Y. (2001). Temperature effect on the growth of carbon nanotubes using thermal chemical vapor deposition. *Chemical Physical Letters*, 343, 33-38.
- Lee, J. B., Lee, S. C., Lee, S. M., & Kim, H. J. (2007). H₂ uptake and synthesis of the fluorinated li-dispersed nickel oxide nanotubes. *Catalysis Today*, 120, 363-367.
- Legodi, M. A., & de Waal, D. (2007). The preparation of magnetite, goethite, hematite and maghemite of pigment quality from mill scale iron waste. *Dyes and Pigments*, 74(1), 161-168.
- Li, F., Zou, X., & Cheng, B. J. (2007). The effects of size of catalysts on the morphology of carbon fibers. *Materials Science Forum*, 561-565(2), 1383-1386.
- Li, P., Zhao, T. J., Zhou, J. H., Sui, Z. J., Dai, Y. C., & Yuan, W. K. (2005). Characterization of carbon nanofiber composites synthesized by shaping process. *Carbon*, 43, 2701-2710.
- Li, Q., Wang, L., Hu, B., Yang, C., Zhou, L., & Zhang, L. (2007). Preparation and characterization of NiO nanoparticles through calcination of malate gel. *Material Letters*, 61(8-9), 1615-1618.
- Lim, S., Hong, S., Qiao, W., Duayne Whitehurst, D., Yoon, S., Mochida, I., et al. (2007). Carbon nanofibers with radially oriented channels. *Carbon*, 45(1), 173-179.

- Lim, S., Shimizu, A., Yoon, S., Korai, Y., & Mochida, I. (2004). High yield preparation of tubular carbon nanofibers over supported Co–Mo catalysts. *Carbon*, 42(7), 1279-1283.
- Los Alamos National Lab. (2003). *Hydrogen*. Retrieved October 2008, 2008, from <http://periodic.lanl.gov/elements/1.html>
- Lowell, S., & Shields, J. E. (1991). *Powder surface area and porosity* Springer.
- Lu, D. (2006). *Empirical nanotube model for biological applications*. Retrieved October, 2008, from <http://www.ks.uiuc.edu/Research/nanotube/>
- Lu, G. Q., & Zhao, X. S. (2004). Nanoporous material - an overview. In G. Q. Lu, & X. S. Zhao (Eds.), *Nanoporous materials - science and engineering* (pp. 1-13) Imperial College Press.
- Lueking, A. D., Pan, L., Narayanan, D. L., & Clifford, C. E. B. (2005). Effect of expanded graphite lattice in exfoliated graphite nanofibers on hydrogen storage. *J. Phys. Chem. B*, 109, 12710-12717.
- Lueking, A. D., Yang, R. T., Rodriguez, N. M., & Baker, R. T. K. (2004). Hydrogen storage in graphite nanofibers: Effect of synthesis catalyst and pretreatment conditions. *Langmuir*, 20, 714-721.
- Luxembourg, D., Flamant, G., Guillot, A., & Laplaze, D. (2003). Hydrogen storage in solar synthesized carbon nanotubes and catalytically grown nanofibers. *1st European Hydrogen Energy Conference 2003*, Grenoble, France.
- Lyu, S. C., Liu, B. C., Lee, S. H., Park, C. Y., Kang, H. K., Yang, C. W., et al. (2004a). Large-scale synthesis of high-quality double-walled carbon nanotubes by catalytic decomposition of n-hexane. *Journal of Physical Chemistry B*, 108, 2192-2194.
- Lyu, S. C., Liu, B. C., Lee, S. H., Park, C. Y., Kang, H. K., Yang, C. W., et al. (2004b). Large-scale synthesis of high-quality single-walled carbon nanotubes by catalytic decomposition of ethylene. *The Journal of Physical Chemistry B*, 108(5), 1613-1616.
- Malhotra, R., & Malhotra, D. K. (2002). Differentiating between good credits and bad credits using neuro-fuzzy systems. *European Journal of Operational Research*, 136(1), 190-211.
- Marella, M., & Tomaselli, M. (2006). Synthesis of carbon nanofibers and measurements of hydrogen storage. *Carbon*, 44(8), 1404-1413.
- Matrade. (2008). *Malaysia external trade statistics*
- Matsuoka, K., Yamagishi, Y., Yamazaki, T., Setoyama, N., Tomita, A., & Kyotani, T. (2005). Extremely high microporosity and sharp pore size distribution of a large surface area carbon prepared in the nanochannels of zeolite Y. *Carbon*, 43(4), 876-879.

- McCaldin, S., Bououdina, M., Grant, D. M., & Walker, G. S. (2006). The effect of the processing conditions on carbon nanostructures formed on an iron-based catalyst. *Carbon*, 44(11), 2273-2280.
- Moeck, P. (2004). *X-ray diffraction (XRD)*, 2007, from www.physics.pdx.edu/~pmoeck/phy381/Topic5a-XRD.pdf
- Monthieux, M., & Kuznetsov, V. L. (2006). Who should be given the credit for the discovery of carbon nanotubes? *Carbon*, 44, 1621.
- Mostafavi, S. T., Mehrnia, M. R., & Rashidi, A. M. (2009). Preparation of nanofilter from carbon nanotubes for application in virus removal from water. *Desalination*, 238(1-3), 271-280.
- Müller, C., Leonhardt, A., Kutz, M. C., Büchner, B., & Reuther, H. (2009). Growth aspects of iron-filled carbon nanotubes obtained by catalytic chemical vapor deposition of ferrocene. *The Journal of Physical Chemistry C*, 113(7), 2736-2740.
- Nackos, A. (2006). *Adsorption, surface area and porosity*. Retrieved March 2009, 2009, from <http://www.et.byu.edu/groups/catlabweb/Presentations/>
- Nanoledge. (2007). *Carbon nanotubes - description and properties*. Retrieved November 2008, 2008, from <http://www.nanoledge.com/index.php?m=6&l=en&x=file.download&h=0&fileid=3019>
- Nanovip.com. (2006). *How do carbon nanotubes work : Carbon nanotube 101*. Retrieved 30 October 2008, 2008, from <http://www.nanovip.com/node/2077>
- National hydrogen association. (2009). *Global hydrogen production*. Retrieved 1 June 2009, 2009, from <http://www.hydrogenassociation.org/general/faqs.asp#howmuchproduced>
- Nguyen, C. V. (2005). Applications in scanning probe microscopy. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 137-159). USA: CRC Press.
- Ni, X., Zhao, Q., Zhou, F., Zheng, H., Cheng, J., & Li, B. (2006). Synthesis and characterization of niO strips from a single source. *Journal of Crystal Growth*, 289(1), 299-302.
- Ning, G. Q., Wei, F., Luo, G. H., Wang, Q. X., Wu, Y. L., & Yu, H. (2004). Hydrogen storage in multi-wall carbon nanotubes using samples up to 85 g. *Applied Physics A*, 78, 955-959.
- Nishimiya, N., Ishigaki, K., Takikawa, H., Ikeda, M., Hibi, Y., Sakakibara, T., et al. (2002). Hydrogen sorption of single-walled carbon nanotubes prepared by a torch arc method. *Journal of Alloys and Compounds*, 339, 275-282.
- Oh, S. J., Cook, D. C., & Townsend, H. E. (2004). Characterization of iron oxides commonly formed as corrosion products on steel. *Hyperfine Interactions*, 112(1-4), 59-66.

- Ono, H., & Oya, A. (2006). Preparation of highly crystalline carbon nanofibers from pitch/polymer blend. *Carbon*, 44(4), 682-686.
- Osipov, V., Pincak, R., Kolesnikov, D. & Katkov, V. (2005). *Carbon nanostructures*. Retrieved January 2009, 2009, from <http://theor.jinr.ru/disorder/carbon.html>
- Panalytical. (2009). *X-ray diffraction*. Retrieved April 2009, 2009, from <http://www.panalytical.com/index.cfm?pid=135>
- Panella, B., Hirscher, M., & Roth, S. (2005). Hydrogen adsorption in different carbon nanostructures. *Carbon*, 42, 2209-2214.
- Park, C., & Keane, M. A. (2004). Catalyst support effects in the growth of structured carbon from the decomposition of ethylene over nickel. *Journal of Catalysis*, 221, 386-399.
- Pérez-Cabero, M., Romeo, E., Royo, C., Monzón, A., Guerrero-Ruiz, A., & Rodríguez-Ramos, I. (2004). Growing mechanism of CNTs: A kinetic approach. *Journal of Catalysis*, 224(1), 197-205.
- Pham-Huu, C., Vieira, R., Louis, B., Carvalho, A., Amadou, J., Dintzer, T., et al. (2006). About the octopus-like growth mechanism of carbon nanofibers over. *Journal of Catalysis*, 240, 194-202.
- Pietrzak, R., & Badosz, T. J. (2007). Activated carbons modified with sewage sludge derived phase and their application in the process of NO₂ removal. *Carbon*, 45(13), 2537-2546.
- Poirier, E., Chahine, R., & Bose, T. K. (2001). Hydrogen adsorption in carbon nanostructures. *International Journal of Hydrogen Energy*, 26, 831-835.
- Porro, S., Musso, S., Giorcelli, M., Chiodoni, A., & Tagliaferro, A. (2006). Optimization of a thermal-CVD system for carbon nanotube growth. *Physica E*, 37(1-2), 16-20.
- Purewal, J. J., Kabbour, H., Vajo, J. J., Ahn, C. C., & Fultz, B. (2009). Pore size distribution and supercritical hydrogen adsorption in activated carbon fibers. *Nanotechnology*, 20, 1-6.
- Raming, T. P., Winnubust, A. J. A., van Kats, C. M., & Philipse, A. P. (2002). The synthesis and magnetic properties of nanosized hematite (α -Fe₂O₃) particles. *Journal of Colloid and Interface Science*, 249(2), 346-350.
- Reich, S., Thomsen, C., & Maultzsch, J. (2004). *Carbon nanotubes: Basic concepts and physical properties* Wiley-VCH Verlag GmbH & Co. KGaA.
- Reshetenko, T. V., Avdeeva, L. B., Ismagilov, Z. R., & Chuvilin, A. L. (2004). Catalytic filamentous carbon as supports for nickel catalysts. *Carbon*, 42(1), 143-148.

- Reshetenko, T. V., Avdeeva, L. B., Ismagilov, Z. R., Pushkarev, V. V., Cherepanova, S. V., Chuvilin, A. L., et al. (2003). Catalytic filamentous carbon: Structural and textural properties. *Carbon*, *41*(8), 1605-1615.
- Rodriguez, N. M., Chambers, A., & Baker, R. T. K. (1995). Catalytic engineering of carbon nanostructures. *Langmuir*, *11*, 3862-3866.
- Roque-Malherbe, R. M. A. (2007). *Adsorption and diffusion in nanoporous material* CRC Press.
- Ross, P. J. (1996). *Taguchi techniques for quality engineering* (2nd Edition ed.) New York: McGraw Hill.
- Rouquerol, F., Rouquerol, J., & Sing, K. (1999). *Adsorption by powders and porous solids-principles, methodology and applications* Academic Press.
- Roy, R. K. (2001). *Design of experiments using the taguchi approach : 16 steps to product and process improvement* John Wiley & sons, inc.
- Rubotherm GmbH. (2005). *Operating procedure - procedure of performing gravimetric adsorption measurement*. Unpublished manuscript.
- Rzepka, M., Bauer, E., Reichenauer, G., Schliermann, T., Bernhardt, B., Bohmhammel, K., et al. (2005). Hydrogen storage capacity of catalytically grown carbon nanofibers. *J. Phys. Chem. B*, *109*, 14979-14989.
- Sadezky, A., Muckenhuber, H., Grothe, H., Niessner, R., & Pöschl, U. (2005). Raman microspectroscopy of soot and related carbonaceous materials: Spectral analysis and structural information. *Carbon*, *43*(8), 1731-1742.
- Sarrazin, P. (2005). Field emission. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 195-211). USA: CRC Press.
- Schlapbach, L., & Zuttel, A. (2001). Hydrogen-storage materials for mobile applications. *Nature*, *414*, 353-358.
- Schur, D. V., Tarasov, B. P., Yu, S., Zaginaichenko, Pishuk, V. K., Veziroglu, T. N., et al. (2002). The prospects for using of carbon nanomaterials as hydrogen storage systems. *International Journal of Hydrogen Energy*, *27*, 1063-1069.
- Sengbusch, P. V. (2003). *Electron microscopy*. Retrieved March 2009, 2009, from <http://www.biologie.uni-hamburg.de/b-online/e03/03e.htm>
- Shah, N., Wang, Y., Panjala, D., & Huffman, G. P. (2004). Production of hydrogen and carbon nanostructures by non-oxidative catalytic dehydrogenation of ethane and propane. *Energy & Fuels*, *18*, 727-735.

- Shaijumon, M. M., Rajalakshmi, N., Ryu, H., & Ramaprabhu, S. (2005). Synthesis of multi-walled carbon nanotubes in high yield using mm based AB₂ alloy hydride catalysts and the effect of purification on their hydrogen adsorption properties. *Nanotechnology*, *16*, 518-524.
- Shaijumon, M. M., & Ramaprabhu, S. (2005). Studies of yield and nature of carbon nanostructures synthesized by pyrolysis of ferrocene and hydrogen adsorption studies of carbon nanotubes. *International Journal of Hydrogen Energy*, *30*, 311-317.
- Sharon, M., Soga, T., Afre, R., Sathiyamoorthy, D., Dasgupta, K., Bhardwaj, S., et al. (2007). Hydrogen storage by carbon materials synthesized from oil seeds and fibrous plant materials. *International Journal of Hydrogen Energy*, *32*(17), 4238-4249.
- Singh, R. (2002). C. V. raman and the discovery of the raman effect. *Physics in Perspective*, *4*(4), 399-420.
- Singh, C., Queded, T., Boothroyd, C. B., Thomas, P., Kinloch, I. A., Abou-Kandil, A. I., et al. (2002). Synthesis and characterization of carbon nanofibers produced by the floating catalyst method. *Journal of Physical Chemistry B*, *106*, 10915-10922.
- Smith, E., & Geoffery, D. (2005). *Modern raman spectroscopy A practical approach* John Wiley and Sons Ltd.
- Son, S., Lee, D. H., Kim, S. D., & Sung, S. W. (2007). Effect of inert particles on the synthesis of carbon nanotubes in a gas-solid fluidized bed reactor. *Journal of Industrial Engineering Chemistry*, *13*(2), 257-264.
- Sookman, C., & Kongkachuichay, P. (2006). Effect of base type properties of NiO synthesized by sol-gel method. *Journal of Materials Online*, *2*
- Souza, E. A., Duque, J. G. S., Kubota, L., & Meneses, C. T. (2007). Synthesis and characterization of NiO and NiFe₂O₄ nanoparticles obtained by a sucrose-based route. *Journal of Physics and Chemistry of Solids*, *68*, 594-599.
- Stamatin, L., Moroza, A., Dumitru, A., Ciupinav, V., Prodan, G., Niewolski, J., et al. (2007). The synthesis of multi-walled carbon nanotubes (MWNTs) by catalytic pyrolysis of the phenol-formaldehyde resins. *E-MRS 2006 Symposium E*, Nice, France. , *37*(1-2) 44-48.
- Stephenson, W. R. (2003). *Analysis of variance (ANOVA)*. Retrieved 18 June 2009, 2009, from <http://www.public.iastate.edu/~wrstephe/stat496/anova.pdf>
- Ströbel, R., Jörissen, L., Schliermann, T., Trapp, V., Schutz, W., Bohmhammel, K., et al. (1999). Hydrogen adsorption on carbon materials. *Journal of Power Sources*, *84*, 221-224.

- Subramoney, S. (2001). Carbon nanotubes. In K. H. J. Buschow, R. W. Cahn, M. C. Flemings, B. Ilschner, E. J. Kramer & S. Mahajan (Eds.), *Encyclopedia of materials - science and technology* (pp. 941-952) Elsevier.
- Suryanarayana, C., & Grant Norton, M. (1998). *X-ray diffraction A practical approach*. New York: Plenum Press.
- Takagi, H., Hatori, H., Soneda, Y., Yoshizawa, N., & Yamada, Y. (2004). Adsorptive hydrogen storage in carbon and porous materials. *Material Science and Engineering B*, 108(1-2), 143-147.
- Takehira, K., Ohi, T., Shishido, T., Kawabata, T., & Takaki, K. (2005). Catalytic growth of carbon fibers from methane and ethylene on carbon-supported ni catalysts. *Applied Catalysis A: General*, 283(1-2), 137-145.
- Takenaka, S., Ishida, M., Serizawa, M., Tanabe, E., & Otsuka, K. (2004). Formation of carbon nanofibers and carbon nanotubes through methane decompositions over supported cobalt catalysts. *Journal of Physical Chemistry B*, 108, 11464-11472.
- Tanaka, A., Yoon, S., & Mochida, I. (2004a). Formation of fine Fe–Ni particles for the non-supported catalytic synthesis of uniform carbon nanofibers. *Carbon*, 42(7), 1291-1298.
- Tanaka, A., Yoon, S., & Mochida, I. (2004b). Preparation of highly crystalline nanofibers on Fe and Fe–Ni catalysts with a variety of graphene plane alignments. *Carbon*, 42(3), 591-597.
- Tarara, R. (2001). *Hydrogen: A key component of energy in the future.*, 2008, from http://www.saintmarys.edu/~rtarara/ENERGY_PROJECT/Hydrogen.htm
- Tarnowski, C. P., & Morris, M. D. (2001). Raman spectroscopy and microscopy. In K. H. J. Buschow, R. W. Cahn, M. C. Flemings, B. Ilschner, E. J. Kramer & S. Mahajan (Eds.), *Encyclopedia of materials - science and technology* (pp. 7976-7983) Elsevier.
- Tennyson, W. (18 May 2007). *X-ray diffraction*. Retrieved April 2009, 2009, from www.nhn.ou.edu/~bumm/NanoLab/ppt/X-ray_Diffraction.ppt
- Teo, K. B. K., Singh, C., Chhowalla, M., & Milne, W. I. (2003). Catalytic synthesis of carbon nanotubes and nanofibres. In H. S. Nalwa (Ed.), *Encyclopedia of nanoscience and nanotechnology* (pp. 1-22) American Scientific Publishers.
- Thomas, K. M. (2007). Hydrogen adsorption and storage on porous materials. *Catalysis Today*, 120(3-4), 389-398.
- Thommes, M. (2004). Physical adsorption characterization of ordered and amorphous mesoporous materials. In G. Q. Lu, & X. S. Zhao (Eds.), *Nanoporous materials - science and engineering* (pp. 317-345) Imperial College Press.

- Ting, J. H., Chang, C. C., Chen, S. L., Lu, D. S., Kung, C. Y., & Huang, F. Y. (2006). Optimization of field emission properties of carbon nanotubes by taguchi method. *Thin Solid Films*, 496, 299-305.
- Tissue, B. M. (1996). *Raman spectroscopy*. Retrieved April 2009, 2009, from <http://elchem.kaist.ac.kr/vt/chem-ed/spec/vib/raman.htm>
- Toebes, M. L., Bitter, J. H., van Dillen, A. J., & de Jong, K. P. (2002). Impact of the structure and reactivity of nickel particles on the catalytic growth of carbon nanofibers. *Catalysis Today*, 76(1), 33-42.
- Toney, M. F. (1992). X-ray diffraction. In C. R. Brundle, C. A. J. Evans & S. Wilson (Eds.), *Encyclopedia of materials characterization - surfaces, interfaces, thin films* (pp. 198-213) Elsevier.
- Tzimas, E., Filiou, C., Peteves, S. D., & Veyret, J. B. (2003). *Hydrogen storage: State-of-the-art and future perspective* Institute for Energy □ JRC IE, PR&Communication.
- Umar, A., Rahman, M. M., Al-Hajry, A., & Hahn, Y. -. (2009). Highly-sensitive cholesterol biosensor based on well-crystallized flower-shaped ZnO nanostructures. *Talanta*, 78(1), 284-289.
- US Department of Energy. (2006). *Hydrogen storage*. Retrieved October, 2008, from <http://www1.eere.energy.gov/hydrogenandfuelcells/storage/index.html>
- US Department of energy. (2009). *History of hydrogen*. Retrieved 1 June 2009, 2009, from http://www.hydrogenassociation.org/general/factSheet_history.pdf
- van der Lee, M. K., van Dillen, A. J., Geus, J. W., de Jong, K. P., & Bitter, J. H. (2006). Catalytic growth of macroscopic carbon nanofiber bodies with high bulk density and high mechanical strength. *Carbon*, 44(4), 629-637.
- van Gulijk, C., de Lathouder, K. M., & Haswell, R. (2006). Characterizing herring bone structures in carbon nanofibers using selected area electron diffraction and dark field transmission electron microscopy. *Carbon*, 44(14), 2950-2956.
- Vieira, R., Ledoux, M., & Pham-Huu, C. (2004). Synthesis and characterisation of carbon nanofibres with macroscopic shaping formed by catalytic decomposition of C₂H₆/H₂ over nickel catalyst. *Applied Catalysis A: General*, 274(1-2), 1-8.
- Viswanathan, B., Sankaran, M., & Aulice Scibioh, M. (2003). Carbon nanomaterials – are they appropriate candidates for hydrogen storage? *Bulletin of the Catalysis Society of India*, 2, 12-32.
- Walker, A. R. H. (2002). *Raman spectroscopy*. Retrieved April 2009, 2009, from <http://physics.nist.gov/Divisions/Div844/facilities/raman/Ramanhome.html>

- Wan Daud, W. R. (2006). Hydrogen economy: Perspective from malaysia.
- Wang, H., Wu, Y., Choong, C. K. S., Zhang, J., Teo, K. L., Ni, Z., et al. (2006). Disorder induced bands in first order raman spectra of carbon nanowalls. *Nanotechnology, 2006. IEEE-NANO 2006. Sixth IEEE Conference on, 1* 219-222.
- Wells, O. C. (2001). Scanning electron microscopy. In K. H. J. Buschow, R. W. Cahn, M. C. Flemings, B. Ilshner, E. J. Kramer & S. Mahajan (Eds.), *Encyclopedia of materials - science and technology* (pp. 8265-8269) Elsevier.
- Willems, & van den Wildenberg. (2005). *Draft roadmap report on nanoporous materials*
- Williams, D. B. (2001). Electron microscopy: Transmission. In K. H. J. Buschow, M. C. Flemings, S. Mahajan, E. J. Kramer, B. Ilshner & R. W. Cahn (Eds.), *Encyclopedia of materials: Science and technology* (pp. 5661-5666) Elsevier.
- Xu, C., Xu, G., & Wang, G. (2003). Preparation and characterization of NiO nanorods by thermal decomposition of NiC₂O₄ precursor. *Journal of Materials Science, 38*(4), 779-782.
- Xu, C., & Teja, A. S. (2008). Continuous hydrothermal synthesis of iron oxide and PVA-protected iron oxide nanoparticles. *The Journal of Supercritical Fluids, 44*(1), 85-91.
- Xu, W. -, Takahashi, K., Matsuo, Y., Hattori, Y., Kumagai, M., Ishiyama, S., et al. (2007). Investigation of hydrogen storage capacity of various carbon materials. *International Journal of Hydrogen Energy, 32*(13), 2504-2512.
- Yamada, T. (2005). Nanoelectronics applications. In M. Meyyappan (Ed.), *Carbon nanotubes: Science and applications* (pp. 163-187). USA: CRC Press.
- Yang, Q., Liu, C., Liu, M., Fan, Y., Cheng, H., & Wang, M. (2002). Pore structure of SWNTs with high hydrogen storage capacity. *Science in China, 45*(6), 561-568.
- Yao, Y., Falk, L. K. L., R.E., M., Nerushev, O. A., & Campbell, E. E. B. (2004). Synthesis of carbon nanotube films by thermal CVD in the presence of supported catalyst particles. part 1: The silicon substrate/nanotube film interface. *Journal of Materials Science: Materials in Electronics, 15*, 533-543.
- Yates, D. J. C. (1992). Physical and chemical adsorption - measurement of solid surface areas. In C. R. Brundle, C. A. J. Evans & S. Wilson (Eds.), *Encyclopedia of materials characterization - surfaces, interfaces, thin films* (pp. 736-744) Elsevier.
- Yisup, N., Cao, Y., Feng, W. L., Dai, W. L., & Fan, K. N. (2005). Catalytic oxidation of methane over novel Ce-Ni-O mixed oxide catalysts prepared by oxalate gel-coprecipitation. *Catalysis Letters, 99*(3), 207-213.

- Yu, Z., Chen, D., Tøtdal, B., & Holmen, A. (2005). Parametric study of carbon nanofiber growth by catalytic ethylene decomposition on hydrotalcite derived catalysts. *Materials Chemistry and Physics*, *92*, 71-81.
- Yürüm, Y., Taralp, A., & Veziroglu, T. N. (2009). Storage of hydrogen in nanostructured carbon materials. *International Journal of Hydrogen Energy*, *34*(9), 3784-3798.
- Zeng, Z., & Natesan, K. (2003). Relationship of carbon crystallization to the metal-dusting mechanism of nickel. *Chemistry of Material*, *15*, 872-878.
- Zeng, X., Sun, X., Cheng, G., Yan, X., & Xu, X. (2002). Production of multi-wall carbon nanotubes on a large scale. *Physica B: Condensed Matter*, *323*(1-4), 330-332.
- Zhang, M., Xu, C. L., Wu, D. H., Cao, L. M., & Wang, W. K. (2000). A new method for synthesizing single-wall carbon nanotubes. *Journal of Materials Science Letters*, *19*, 511-514.
- Zhao, B., Wang, Y., Guo, H., Wang, J., HEE, Y., Jiao, Z., et al. (2007). Iron oxide(III) nanoparticles fabricated by electron beam irradiation method. *Materials Science-Poland*, *25*(4)
- Zheng, Y., Cheng, Y., Wang, Y. S., Bao, F., Zhou, L., Wei, X. F., et al. (2006). Quasicubic α -Fe₂O₃ nanoparticles with excellent catalytic performance. *Journal of Physical Chemistry B*, *110*, 3093-3097.
- Zheng, B., Li, Y., & Liu, J. (2002). CVD synthesis and purification of single-walled carbon nanotubes on aerogel-supported catalyst. *Applied Physics A*, *74*, 345-348.
- Zheng, R., Zhao, Y., Liu, H., Liang, C., & Cheng, G. (2006a). Preparation, characterization and growth mechanism of platelet carbon nanofibers. *Carbon*, *44*(4), 742-746.
- Zheng, R., Zhao, Y., Liu, H., Liang, C., & Cheng, G. (2006b). Preparation, characterization and growth mechanism of platelet carbon nanofibers. *Carbon*, *44*(4), 742-746.
- Zheng, Y., & Zhang, M. (2007). Preparation and electrochemical properties of nickel oxide by molten-salt synthesis. *Materials Letters*, *61*(18), 3967-3969.
- Zhong, Z., Ho, J., & Teo, J. (2007). Synthesis and catalytic application one-dimensional and porous α -Fe₂O₃. *20th North American Catalysis Society Meeting*, Texas, USA.