## REFERENCES

- [1] K. Stern, "The latest developments in Coriolis mass flowmeters for CNG dispensers," *ANGVA 2007 Conference*, Nov 2007.
- [2] G. Thomas. J. Goulding, and C. Munteanu. "Measurement, Approval and Verification of CNG Dispensers", KT11 Report URL: http://www.nwml.gov.uk/legis/refs/kt11.pdf (July 7, 2004)
- [3] D.W. Spitzer, *Flow Measurement-Practical Guides for Measurement and Control*, The Instrumentation, System and Automation Society, 2001.
- [4] Momentum flowmeter
  URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter\_ dp.cfm
   (Dec 28, 2008)
- [5] Turbine flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter\_ tbn.cfm (Dec 28, 2008)
- [6] Ultrasonic flowmeter
  URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter\_ us.cfm
   (Dec 28, 2008)
- [7] N.A. Hisam, "Compressible Natural Gas Flow Study for Vehicle Refueling Equipment," MSc dissertation, Universiti Teknologi Petronas, 2006.
- [8] S.A. Sahari, "Thermodynamic model for relating volumetric to mass flowrate for natural gas," BSc dissertation, Universiti Teknologi Petronas, 2005.
- [9] R. Ramlan, "The use of suitable equation of states for conversion from volumetric to mass flowrate for natural gas dispensing unit," BSc dissertation, Universiti Teknologi Petronas, 2005
- [10] M.N.I.N. Izham, "Study on internal flow of NGV in the vehicle's onboard Storage System using ANSYS," BSc dissertation, Universiti Teknologi Petronas, 2005.

- [11] Jordair CNG Technical Exchange Presentation, p.7 9 URL: http://www.jordair.ca/P\_CNG\_Tech\_2.htm (Jun 7, 2003)
- [12] M. Schuker, "Experiences and Challenges in CNG Measurement The Case for Coriolis Flow Meter," *ANGVA 2005 Conference*, July 2005.
- [13] V.R. Radhakrishnan, N.A. Hisam, M.I.A. Mutalib, M. Dahari, N.B. Mellon, M.A. Abdullah, and J. Mengat, "Calculation of Mass of Gas Using Equation of State for NGV Refueling Equipment," ANGVA 2005 Conference, July 2005.
- [14] Thermal mass flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter\_ thm.cfm (Dec 28, 2008)
- [15] Coriolis mass flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter\_ cor.cfm (Dec 28, 2008)
- [16] ANGVA Homepage URL: http://www.angva.org (Dec 13, 2007)
- [17] ENGVA Homepage URL: http://engva.eu/ (Dec 13, 2007)
- [18] IANGVA Homepage URL: http://www.iangv.org/ (Dec 13, 2007)
- [19] Ideal Gas Law URL: http://en.wikipedia.org/wiki/Ideal\_gas\_law (Jan 27, 2008)
- [20] Micro Motion Homepage URL: http://www.emersonprocess.com/micromotion (Jan 20, 2008)
- [21] Krohne Homepage URL: http://www.krohne.com (Jan 21, 2008)

[22]	Endress-Hauser Homepage URL: www.endress.com (Jan 22, 2008)
[23]	Hydrogen coriolis flowmeter URL: http://www.plantservices.com/whitepapers/2006/028.html (Sept 26, 2008)
[24]	Wet gas coriolis flowmeter URL:www.emersonprocess.com/micromotion/Solutions/PDF/NEL7rev4.pdf (Sept 26, 2008)
[25]	Multiphase coriolis flowmeter URL: www.freepatentsonline.com/7188534.html (Sept 26, 2008)
[26]	L. Ljung, <i>System Identification-theory for the user-2<sup>nd</sup>Edition</i> , New Jersey: Prentice Hall, 1999.
[27]	T. Soderstrom, and P. Stoica, <i>System Identification</i> , New Jersey: Prentice Hall, 1989.
[28]	System Identification notes, Aalborg Universitet Esbjerg, Denmark URL:http://www.cs.aaue.dk/contribution/courses/fall2006/IRS7/SI/lecture1.ar ticle.pdf (Jan 13, 2007)
[29]	System Identification notes, The University of Michigan URL:http://www.eecs.umich.edu/~wenchiao/eecs306labs.pdf (July 28, 2007)
[30]	LabVIEW System Identification Toolkit User Manual, 2004
[31]	LabVIEW System Identification Toolkit Algorithm References, 2004
[32]	M. Dahari, "Switching Time Optimization via Time Optimal Control for Natural Gas Vehicle Refueling," MSc dissertation, Universiti Teknologi Petronas, Bandar Sri Iskandar, Malaysia, 2006.
[33]	Volumetric flowrate URL: http://en.wikipedia.org/wiki/Volumetric_flow_rate (Dec 28, 2008)

[34]	Positive displacement flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter_ pd.cfm (Dec 28, 2008)
[35]	Transit time ultrasonic flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter_ ustt.cfm (Dec 28, 2008)
[36]	Doppler ultrasonic flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter_ usd.cfm (Dec 28, 2008)
[37]	Vortex flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter_ vtx.cfm (Dec 28, 2008)
[38]	Magnetic flowmeter URL:http://www.efunda.com/designstandards/sensors/flowmeters/flowmeter_ mag.cfm (Dec 28, 2008)
[39]	Equation of state URL:http://en.wikipedia.org/wiki/Equation_of_state (Dec 28, 2008)
[40]	Hot wire theory URL:http://www.efunda.com/designstandards/sensors/hot_wires/hot_wires_th eory.cfm (Dec 28, 2008)
[41]	Coriolis effect URL: http://en.wikipedia.org/wiki/Coriolis_effect (July 29, 2008)
[42]	Coriolis principle URL:http://www.flowmeterdirectory.com/flowmeter_artc/flowmeter_artc_02 020102.html

- \_
- \_
- h
- (July 29, 2008)

- [43] H. Ichihashi, K. Honda, A. Notsu, and T. Kurokawa, "Exploratory Approach to fMRI Study with Fuzzy Clustering and General Linear Model," *IEEE International Conference on Fuzzy Systems.*, pp. 1167-1174, 2006.
- [44] M.C.M. Hsieh, and P.J.W. Rayner, "Extension of the general linear model to include prior parameter information," *IEEE International Conference on Acoustics, Speech, and Signal Processing.*, vol. 5, pp. 3569-3572, Apr. 1997.
- [45] M.L. Scott, P.R. Beck, E.L. Bradley, and J.E. Lemons, "Wear of Co-Cr-Mo interfaces for 1-20 year THA retrievals," *Proceedings of the Sixteenth Southern Biomedical Engineering Conference.*, pp. 477-480, Apr. 1997.
- [46] J. Bobet, E.R. Gossen, and R.B. Stein, "A comparison of models of force production during stimulated isometric ankle dorsiflexion in humans," *IEEE Trans. on Rehabilitation Engineering.*, vol. 13, no. 4, pp. 444-451, Dec 2005
- [47] Y. Lu, T. Jiang, and Y. Zang, "Single-trial variable model for event-related fMRI data analysis," *IEEE Transactions on Medical Imaging.*, vol. 24, no. 2, pp. 236-245, Feb. 2005.
- [48] C. Pladdy, S.M Nerayanuru, M. Fimoff, S. Ozen, and M. Zoltowski, "Taylor series approximation for low complexity semi-blind best linear unbiased channel estimates for the general linear model with applications to DTV," *Signals, Conference Record of the Thirty-Eighth Asilomar Conference on Systems and Computers.*, vol. 2, pp. 2208-2212, Nov 2004.
- [49] T. Haifley, "Linear logistic regression: an introduction," *IEEE International* on *Integrated Reliability Workshop Final Report.*, pp. 184-187, 2002.
- [50] H. Luo, and S. Puthusserypady, "fMRI Data Analysis with Nonstationary Noise Models: A Bayesian Approach," *IEEE Transactions on Medical Imaging.*, vol. 54, no. 9, pp. 1621-1630, Sept 2007.
- [51] W. Penny, and K. Friston, "Mixtures of general linear models for functional neuroimaging," *IEEE Transactions on Medical Imaging.*, vol. 22, no. 4, pp. 504-514, Apr. 2003.
- [52] V. Calhoun, and T. Adali, "Semi-blind ICA of FMRI: a method for utilizing hypothesis-derived time courses in a spatial ICA analysis," *Proceedings of the* 14<sup>th</sup> IEEE Signal Processing Society Workshop for Machine Learning., pp. 443-452, Sept. 2004.
- [53] R. Duan, H. Man, W. Jiang, and W.C. Liu, "Activation detection on FMRI time series using hidden Markov model," *2nd International IEEE EMBS Conference on Neural Engineering.*, pp. 510-513, March 2005.

- [54] D.L. Tarnoff, and S.F. Midkiff, "Design decision support for hardware and software allocation during preliminary design using fuzzy logic," *International Symposium and Workshop on Systems Engineering of Computer Based Systems.*, pp. 307-314, 1995.
- [55] T. Jiang, N.S Bao, and Q.X. Chen, "Modeling and identification of wind energy conversion system," *IEEE International on Electric Machines and Drives Conference Record.*, pp. TC3/9.1-TC3/9.3, May 1997.
- [56] C. Li, J. Wang, C. Zhao, L. Liu, and R. Wang, "A research on retrieval winter wheat ground cover by spectral indices in field," *IEEE International on Geoscience and Remote Sensing* Symposium., vol. 6, pp. 3996-3999, 2004.
- [57] M. Milosavljevic, N. Kocev, and J. Marinkovic, "Developing mortality patterns: statistical and neural network approach," *Proceedings of the 5th Seminar on Neural Network Applications in Electrical* Engineering., pp. 58-64, Sept. 2000.
- [58] G.S Berns, A.W. Song, and H. Mao, "Nonlinear spatiotemporal dynamics of functional MRI revealed by independent components analysis," Proceedings of the First Joint BMES/EMBS Conference., vol. 2, pp. 1184, Oct. 1999.
- [59] V.B Manimohan, and W.J Fitzgerald, "Blind frequency offset and delay estimation of linearly modulated signals using second order cyclic statistics," *Proceedings of the 1998 IEEE International Conference on Acoustics, Speech, and Signal Processing.*, vol. 4, pp. 2337-2340, May 1998.
- [60] R. Chen, and E.H. Herskovits, "Graphical-model-based morphometric analysis," *IEEE Transactions on Medical Imaging.*, vol. 24, no. 10, pp. 1237-1248, Oct 2005.
- [61] M.C. Campi, and E. Weyer, "Finite sample properties of system identification methods," *IEEE Transactions on Automatic Control.*, vol. 47, no. 8, pp. 1329-1334, Aug. 2002.
- [62] C.F. Xue, X.P. Zhang, and K.R. Godfrey, "Design of STATCOM damping control with multiple operating points: a multimodel LMI approach," *IEE Proceedings on Generation, Transmission and Distribution.*, vol. 153, no. 4, pp. 375-382, July 2006.

- [63] T.J.M. Penney, B. Goodyear, D. Pittman, P. Federico, and Z.J Koles, "Comparison of Hemodynamic Response Models in a Combined EEG-fMRI Study of an Epileptic Patient," *Joint Meeting of the 6th International Symposium on Noninvasive Functional Source Imaging of the Brain and Heart and the International Conference on Functional Biomedical Imaging.*, pp. 155-158, Oct. 2007.
- [64] Z. Zhang, S. Chan, and L.T Chia, "Discriminative Signatures for Image Classification," *IEEE International Conference on Image Processing.*, vol. 2, pp. II–197 II-200, Sept. 2007 Oct. 2007.
- [65] L. Shen, A.J Saykin, M.K Chung, and H. Huang, "Morphometric Analysis of Hippocampal Shape in Mild Cognitive Impairment: An Imaging Genetics Study," *Proceedings of the 7th IEEE International Conference on Bioinformatics and Bioengineering.*, pp. 211-217, Oct. 2007.
- [66] A. Young, and S.P. Jachim, "A new approach in simulating RF linacs using a general, linear real-time signal processor," *IEEE Particle Accelerator Conference.*, vol. 2, pp. 672-674, May 1991.
- [67] C.D. Perttunen, "Bayesian model parameter estimation of systems subject to random input and output measurement error," *IEEE International Conference on Systems Engineering.*, pp. 227-230, Aug. 1989.
- [68] C.F. Beckmann, and S.M. Smith, "Probabilistic independent component analysis for functional magnetic resonance imaging," *IEEE Transactions on Medical Imaging.*, vol. 23, no. 2, pp. 137-152, Feb. 2004.
- [69] I.R. Keck, F.J. Theis, P. Gruber, E.W. Lang, K. Specht, and C.G. Puntonet, "3D spatial analysis of fMRI data: a comparison of ICA and GLM analysis on a word perception task," *IEEE International Joint Conference on Neural* Networks., vol. 3, pp. 2495-2499, July 2004.
- [70] L. Ljung, "Black-box models from input-output measurements," *Proceedings* of the 18th IEEE Instrumentation and Measurement Technology Conference., vol. 1, pp. 138-146, May 2001.
- [71] A.J. D. Dekker, D.H.J. Poot, R. Bos, and J. Sijbers, "Likelihood Based Hypothesis Tests for Brain Activation Detection From MRI Data Distributed by Colored Noise: a Simulation Study," *IEEE Transactions on Medical Imaging.*, vol. PP, pp. 1, 2003.
- [72] R. Soyer, "Dynamic models for software reliability assessment," *Fourth IEEE Region 10 International Conference.*, pp. 400-403, Nov 1989.

- [73] T. Dodd, and C. Harris, "Recursive Bayesian modelling of time series by neural networks," *Ninth International Conference on Artificial Neural Networks.*, vol. 2, pp. 678-683, Sept. 1999.
- [74] K.S. Gu, "Target Clustering of Genes by Normal Mixture Model in Microarray Analysis," *International Conference on Convergence and Hybrid Information Technology.*, pp. 582-587, Aug. 2008.
- [75] S.I. Gonzalves, F. Bijma, P.J.W. Pouwels, M.A. Jonker, J.P.A. Kuijer, R.M Heethaar, F.H.L.D. Silva, and J.C.D. Munck, "Inter-subject variability of resting state brain activity explored using a data and model-driven approach in combination with EEG-FMRI," *5th IEEE International Symposium on Biomedical Imaging: From Nano to Macro.*, pp. 608-611, May. 2008.
- [76] H. Peng, K. Nakano, and H. Shioya, "Nonlinear Predictive Control Using Neural Nets-Based Local Linearization ARX Model—Stability and Industrial Application," *IEEE Transactions on Control Systems Technology.*, vol. 15, no. 1, pp. 130-143, Jan. 2007.
- [77] I. Garba, P. Hui, and R. Lin, "RBF-ARX Modeling and Predictive Control Strategy Applied to a Liquid Level System," *Chinese Control Conference.*, pp. 342-346, Jun. 2007 July 2007.
- [78] R.L. Kosut, and B.D.O Anderson, "Least-squares parameter set estimation for robust control design," *American Control Conference.*, vol. 3, pp. 3002-3006, July. 1944.
- [79] T. Qi, S.S. Bao, A. Ozguler, S.A. Morris, and W.D. O'Brien, "Parametric modeling in food package defect imaging," *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control.*, vol. 47, no. 3, pp. 635-643, May. 2000.
- [80] A. Ohata, K. Furuta, and H. Nita, "Identification of Nonlinear ARX Model with Input and Output Dependent Coefficients," *IEEE International Conference on Control Applications.*, pp. 2577-2582, Oct. 2006.
- [81] T. Suzuki, S. Sekizawa, S. Inagaki, S. Hayakawa, N. Tsuchida, T. Tsuda, and H. Fujinami, "Modeling and Recognition of Human Driving Behavior based on Stochastic Switched ARX model," *IEEE Conference on Decision and Control, 2005 and 2005 European Control Conference. CDC-ECC '05.*, pp. 5095-5100, Dec. 2005.
- [82] Y. Monden, M. Yamada, and S. Arimoto, "Fast algorithm for identification of an ARX model and its order determination," *IEEE Transactions on Acoustics, Speech and Signal Processing.*, vol. 30, no.3, pp. 390-399, Jun. 1982.

- [83] Y. Hashambhoy, and R. Vidal, "Recursive Identification of Switched ARX Models with Unknown Number of Models and Unknown Orders," *IEEE Conference on Decision and Control, 2005 and 2005 European Control Conference. CDC-ECC '05.*, pp. 6115-6121, Dec. 2005.
- [84] S. Sekizawa, S. Inagaki, T. Suzuki, S. Hayakawa, N. Tsuchida, T. Tsuda, and H. Fujinami, "Modeling and Recognition of Driving Behavior Based on Stochastic Switched ARX Model," *IEEE Transactions on Intelligent Transportation Systems.*, vol. 8, no. 4, pp. 593-606, Dec. 2007.
- [85] L. Frosini, and G. Petrecca, "Neural networks for energy flows prediction in facility systems," *Proceedings of the 1999 IEEE Midnight-Sun Workshop on Soft Computing Methods in Industrial Applications, SMCia/99.*, pp. 86-90, Jun. 1999.
- [86] H. Wu, D.Sun, and Z. Zhou, "Model identification of a micro air vehicle in loitering flight based on attitude performance evaluation," *IEEE Transactions* on *Robotics*, vol. 20, no. 4, pp. 702-712, Aug. 2004.
- [87] R. Wei, J.J Im, S.H. Park, and N.S. Jung, "Estimation of Central Blood Pressure Using Radial Pulse Waveform," *International Symposium on Information Technology Convergence.*, pp. 250-253, Nov. 2007.
- [88] M.N Nounou, "Multiscale ARX Process Modeling," *IEEE Conference on Decision and Control*, pp. 823-828, Dec. 2006.
- [89] P. Gehalot, Z. Rong, A. Mathew, and K. Behbehani, "Efficacy of Using Mean Arterial Blood Pressure Sequence for Linear Modeling of Cerebral Autoregulation," 27th Annual International Conference of the Engineering in Medicine and Biology Society., pp. 3777-3782, Dec. 2005.
- [90] C. Hori, K. Itakura, M. Nogawa, M. Shirakabe, I. Kubota, H. Tomoike, and S. Takatani, "Estimation of aortic BP waveform from noninvasive radial tonometry; validation of FFT and ARX methods," *Proceedings of the 19th Annual International Conference of the IEEE Engineering in Medicine and Biology society*, vol. 3, pp. 1142-1145, Oct. 1997 Nov. 1997.
- [91] Y. Chen, and T.L Lai, "Identification and Adaptive Control of Change-Point ARX Models Via Rao-Blackwellized Particle Filters," *IEEE Transactions on Automatic Control.*, vol. 52, no. 1, pp. 67-72, Jan. 2007.
- [92] E. Mosca, and G. Zappa, "ARX modeling of controlled ARMAX plants and LQ adaptive controllers," *IEEE Transactions on Automatic Control.*, vol. 34, no. 3, pp. 371-375, Mac. 1989.

- [93] A.J. Isaksson, "Identification of ARX-models subject to missing data," *IEEE Transactions on Automatic Control.*, vol. 38, no. 5, pp. 813-819, May 1993.
- [94] T. Soderstrom, H. Fan, B. Carlsson, and S. Bigi, "Least squares parameter estimation of continuous-time ARX models from discrete-time data," *IEEE Transactions on Automatic Control.*, vol. 42, no. 5, pp. 659-673, May. 1997.
- [95] A. Jankumas, "Optimal adaptive control for estimation of parameters of ARX models," *IEEE Transactions on Automatic Control.*, vol. 45, no. 5, pp. 964-98, May. 2000.
- [96] K.K. Ahn, and H.P.H Anh, "System Identification and Self-Tuning Pole Placement Control of the Two-Axes Pneumatic Artificial Muscle Manipulator Optimized by Genetic Algorithm," *International Conference on Mechatronics and Automation.*, pp. 2604-2609, Aug. 2007.
- [97] D.E. Rivera, and K.S. Jun, "An integrated identification and control design methodology for multivariable process system applications," *IEEE Control Systems* Magazine., vol. 20, no. 3, pp. 25-37, Jun. 2000.
- [98] F. Derbel, "Modeling fire detector signals by means of system identification techniques," *IEEE Transactions on Instrumentation and* Measurement., vol. 50, no. 6, pp. 1815-1821, Dec. 2001.
- [99] S. D. Waele, and P.M.T Broersen, "Finite sample effects in vector autoregressive modeling," *IEEE Transactions on Instrumentation and* Measurement., vol 51, no. 5, pp. 917-922, Oct. 2002.
- [100] S. Hadjiloucas, R.K.H. Galvao, V.M. Becerra, J.W. Bowen, R. Martini, M. Brucherseifer, H.P.M Pellemans, P.H. Bolivar, H. Kurz, and J.M. Chamberlain, "Comparison of subspace and ARX models of a waveguide's terahertz transient response after optimal wavelet filtering," *IEEE Transactions on Microwave Theory and Techniques.*, vol. 52, no. 10, pp. 2409-2419, Oct. 2004.
- [101] M. Espinoza, J.A.K Suykens, and B.D. Moor, "Kernel based partially linear models and nonlinear identification," *IEEE Transactions on Automatic* Control., vol. 50, no. 10, pp. 1602-1606, Oct. 2005.
- [102] E.K. Larsson, M. Mossberg, and T. Soderstrom, "Identification of Continuous-Time ARX Models From Irregularly Sampled Data," *IEEE Transactions on Automatic* Control., vol. 52, no. 3, pp. 417-427, Mac. 2007.

- [103] M. Elkfafi, J.S. Shieh, D.A. Linkens, and J.E. Peacock, "Intelligent signal processing of evoked potentials for anaesthesia monitoring and control," *IEE Proceedings - Control Theory and Applications.*, vol. 144, no. 4, pp. 354-360, July. 1997.
- [104] K. Shah, S. Bohacek, and E. Jonckheere, "On the performance limitation of active queue management (AQM)," *IEEE Conference on Decision and* Control., vol. l, pp. 1016-1022, Dec. 2004.
- [105] L. Li, and Z. Wang; "Study on interval variability of arterial pulse," Proceedings of the First Joint [Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 Annual Fall Meeting of the Biomedical Engineering Soc]., vol. 1, pp. 223, Oct. 1999.
- [106] T. Kiryu, T. Abe, T. Gocho, Y. Ushiyama, and M. Okada, "Snapshot evaluation of fatigue during skiing exercise," *Proceedings of the 20th Annual International Conference of the IEEE Engineering in Medicine and Biology Society.*, vol. 5, pp. 2775-2778, Oct. 1998 – Nov. 1998.
- [107] S. Suzuki, and Y. Watanabe, "Experimental analysis of human control characteristics on driving tasks based on gaze measurement data," *International Conference on Control, Automation and Systems.*, pp. 771-776, Oct. 2007.
- [108] M.H.F. Rahiman, M.N. Taib, and Y.M. Salleh, "Performance of multi-stepahead-prediction ARX for steam temperature in a self-refilling distillation essential oil extraction system," *International Conference on Control, Automation and Systems.*, pp. 1696-1699, Oct. 2007.
- [109] M. Song, T. Kang, K.J. Yoon, Y.J. Lee, and S. K. Sung, "Controller design for piezo devices," *International Conference on Control, Automation and Systems.*, pp. 331-334, Oct. 2007.
- [110] L.R Weissenfeld, C. Wiegand, C. Hedayat, W. Mathis, and W. John, "Singular Value Based Model Order Reduction for Interconnect ARX Modelling," *IEEE International Symposium on Electromagnetic* Compatibility., pp. 1-5, July. 2007.
- [111] K. Fukata, T. Washio, H. Motoda, "A Method to Search ARX Model Orders and Its Application to Sales Dynamics Analysis," *Sixth IEEE International Conference on Data Mining Workshops.*, pp. 590-595, Dec. 2006.

- [112] S.W. Su, L. Wang, B.G. Celler, and A.V. Savkin, "Estimation of Oxygen Consumption for Moderate Exercises by Using a Hammerstein Model," 28th Annual International Conference of the IEEE Engineering in Medicine and Biology Society., pp. 3427-3430, Aug. 2006.
- [113] M. Mossberg, "Identification of continuous-time ARX models using sample cross-covariances," *Proceedings of the American Control Conference.*, vol. 7, pp. 4766-4771, Jun. 2005.
- [114] A. Nasiri, J. Poshtan, M.H. Kahaei, and F. Taringoo, "A new scheme in model-based fault detection in three-phase induction motors," *Proceedings of the IEEE International Conference on Mechatronics.*, pp. 19-24, Jun. 2004.
- [115] A. Tanaka, M. Yoshizawa, Y. Aizawa, P. Olegario, K. Abe, T. Yambe, and S. Nitta, "Estimation of pressure head and flow rate in a continuous-flow artificial heart-in vivo evaluation," *Proceedings of the 41st SICE Annual Conference.*, vol. 1, pp. 527-530, Aug. 2002.
- [116] M. Iwase, H. Iikubo, S. Hatakeyama, and K. Furuta, "An identification method for continuous-time transfer functions based on nonlinear optimization," 28th Annual Conference of the Industrial Electronics Society., vol. 3, pp. 1978-1983, Nov. 2002.
- [117] Y. Zhu; "Estimation of nonlinear ARX models," *Proceedings of IEEE Conference on Decision and Control.*, vol. 2, pp. 2214-2219, Dec. 2002.
- [118] G.V. Ditzhuijzen, D. Staalman, and A. Koorn, "Identification and model predictive control of a slab reheating furnace," *Proceedings of International Conference on Control Applications.*, vol. 1, pp. 361-366, Sept. 2002.
- [119] E. Vidal, J. Stoustrup, P. Andersen, T.S. Pedersen, and H.F. Mikkelsen, "Open and closed loop parametric system identification in compact disk players," *Proceedings of American Control Conference.*, vol. 4, pp. 3294-3298, Jun. 2001.
- [120] C. Ozsoy, A. Kural, C. Baykara, "Modelling of the raw mixing process in cement industry," *Proceedings 8th IEEE International Conference on Emerging Technologies and Factory Automation.*, vol. 1, pp. 475-481, Oct. 2001.
- [121] M. Haseyama, T. Hirohku, and K. Kitajima, "A realization method of an ARMAX lattice filters," *IEEE International Symposium on Circuits and Systems.*, vol. 1, pp. 365-368, Apr. 1995 May. 1995.

- [122] J. Hu, and K. Kumamaru, "Identification of nonlinear systems based on adaptive fuzzy systems embedding quasi-ARMAX model," *Proceedings of the 34th SICE Annual Conference.*, pp. 1211-1216, July. 2005.
- [123] I.D. Landau, and A. Karimi, "A recursive algorithm for ARMAX model identification in closed loop," *IEEE Transactions on Automatic Control.*, vol. 44, no. 4, pp. 840-843, Apr. 1999.
- [124] E.H.K. Fung, and S.K.S. Leung, "Roundness error compensation in lathe turning through 2-D ARMAX model based FCC," *IEEE Transactions on Control Systems Technology.*, vol. 10, no. 6, pp. 902-911, Nov. 2002.
- [125] J.S. Sakellariou, and S.D. Fassois, "Identification of dynamical systems under multiple operating conditions via functionally pooled ARMAX models," *Mediterranean Conference on Control & Automation.*, pp. 1-6, Jun. 2007.
- [126] H.T. Yang, C.M Huang, and C.L. Huang, "Identification of ARMAX model for short term load forecasting: an evolutionary programming approach," *IEEE Transactions on Power Systems.*, vol. 11, no. 1, pp. 403-408, Feb. 1996.
- [127] L. Kyungno, and Y.L Doo, "Real-time haptic rendering using multi-rate output-estimation with ARMAX model," *International Conference on Control, Automation and Systems.*, pp. 1821-1826, Oct. 2007.
- [128] H. Wang, "Minimum entropy control of non-Gaussian dynamic stochastic systems," *IEEE Transactions on Automatic Control.*, vol. 47, no. 2, pp. 398-403, Feb. 2002.
- [129] B.K Lee, and B.S. Chen, "Identification of fuzzy T-S ARMAX models," *IEEE International Conference on Fuzzy Systems.*, vol. 2, pp. 1019-1024, July. 2004.
- [130] C.M. Huang, C.J. Huang, and M.L. Wang, "A particle swarm optimization to identifying the ARMAX model for short-term load forecasting," *IEEE Transactions on Power* Systems., vol. 20, no. 2, pp. 1126-1133, May. 2005.
- [131] P.K. Artemiadis, and K.J. Kyriakopoulos, "Teleoperation of a Robot Arm in 2D Catching Movements using EMG Signals and a Bio-inspired Motion Law," *International Conference on Biomedical Robotics and Biomechatronics.*, pp. 41-46, 2006.

- [132] Q. Song, F. Liu, and R.D. Findlay, "Generalized Predictive Control for a Pneumatic System Based on an Optimized ARMAX Model with an Artificial Neural Network," *International Conference on Computational Intelligence for Modelling, Control and Automation, and International Conference on Intelligent Agents, Web Technologies and Internet Commerce*, pp. 223-223, Nov. 2006.
- [133] F. Hamerlain, "LMS adaptation of an ARMAX model using the optimum scalar data nonlinearity algorithm," *Proceedings of the IEEE International Symposium on Industrial* Electronics., vol. 3, pp. 1312-1315, July. 1999.
- [134] K. Funaki, Y. Miyanaga, and K. Tochinai, "A time varying ARMAX speech modeling with phase compensation using glottal source model," *IEEE International Conference on Acoustics, Speech, and Signal* Processing., vol. 2, pp. 1299-1302, Apr. 1997.
- [135] H.T. Yang, and C.M. Huang, "A new short-term load forecasting approach using self-organizing fuzzy ARMAX models," *IEEE Transactions on Power Systems.*, vol. 13, no. 1, pp. 217-225, Feb. 1998.
- [136] L. Guo, and D. Huang, "Least-squares identification for ARMAX models without the positive real condition," *IEEE Transactions on Automatic* Control., vol. 34, no. 10, pp. 1094-1098, Oct. 1989.
- [137] M. Haseyama, and H. Kitajima, "A realization method of an ARMAX lattice filter," *IEEE Transactions on Acoustics, Speech, and Signal Processing.*, vol. 45, no. 2, pp. 471-476, Feb. 1997.
- [138] B.S. Chen, B.K. Lee, and L.B. Guo, "Optimal tracking design for stochastic fuzzy systems," *IEEE Transactions on Fuzzy Systems.*, vol. 11, no. 6, pp. 796-813, Dec. 2003.
- [139] J.B. Michaud, R. Fontaine, and R. Lecomte, "ARMAX model and recursive least-squares identification for DOI measurement in PET," *IEEE on Nuclear Science Symposium Conference Record.*, vol. 4, pp. 2386-2390, Oct. 2003.
- [140] K. Inoue, K. Kumamaru, H. Inoue, and T. Araki, "Identification and adaptive control of super heater system based on quasi-ARMAX model," *Proceedings of the 41st SICE Annual Conference.*, vol. 4, pp. 2646-2651, Aug. 2002.
- [141] J.B. Waller, J. Hu, and K. Kirasawa, "Nonlinear model predictive control utilizing a neuro-fuzzy predictor," *IEEE International Conference on Systems, Man and Cybernetics.*, vol. 5, pp. 3459-3464, Oct. 2000.

- [142] J. Hu, K. Kumamaru, and K. Inoue, "A hybrid quasi-ARMAX modeling scheme for identification and control of nonlinear systems," *Proceedings of the 35th IEEE on Decision and Control.*, vol. 2, pp. 1413-1418, Dec. 1996.
- [143] J.C. Musto, and L.K. Lauderbaugh, "A heuristic search algorithm for on-line system identification," *IEEE International Symposium on Intelligent* Control., pp. 371-376, Aug. 1991.
- [144] W.D. Timmons, H.J. Chizeck, and P.G. Katona, "Adaptive control is enhanced by background estimation," *IEEE Transactions on Biomedical Engineering.*, vol. 38, no. 3, pp. 273-279, Mac. 1991.
- [145] M.J. Grimble, and S.A. Carr, "Observations-weighted optimal control of a class of nonlinear systems," *IEE Proceedings D Control Theory and Applications.*, vol. 138, no. 2, pp. 160-164, Mac. 1991.
- [146] K. N. Toussi, and W. Ren, "Indirect adaptive pole-placement control of MIMO stochastic systems: self-tuning results," *IEEE Transactions on Automatic Control.*, vol. 42, no. 1, pp. 38-52, Jan. 1997.
- [147] G. Irwin, M. Brown, B. Hogg, and E. Swidenbank, "Neural network modelling of a 200 MW boiler system," *IEE Proceedings Control Theory and Applications.*, vol. 142, no. 6, pp. 529-536, Nov. 1995.
- [148] H. Wang, M. Brown, and C.J. Harris, "Neural network modeling of unknown nonlinear systems subject to immeasurable disturbances," *IEE Proceedings -Control Theory and* Applications., vol. 141, no. 4, pp. 216-222, July. 1994.
- [149] A. Krolikowski, D. Horla, and T. Kubiak, "LQG control under input variance constraint," 18th International Conference on Systems Engineering., pp. 94-99, Aug. 2005.
- [150] D. Park, M.S. Park, and S.K. Hong, "Improvement of parameter estimation using prediction error dynamics for unstable system," *Proceedings of IEEE Conference on Control Applications.*, vol. 2, pp. 1064-1069, Jun. 2003.
- [151] C.L. Hwang, "Fuzzy linear-model-based robust control for a class of nonlinear stochastic systems," *The 12th IEEE International Conference on Fuzzy Systems.*, vol. 1, pp. 458-463, May. 2003.
- [152] M.A. Ghazy, and A.M.A. Amin, "Self-tuned dither control of buck converter," *The 27th Annual Conference of the IEEE Industrial Electronics Society.*, vol. 2, pp. 882-887, Nov. 2001-Dec. 2001.

- [153] R.B Mrad, E. Farag, J.A. Levitt, "A linear estimation algorithm for ARMAX models with time dependent coefficients," *Proceedings of the 1999 American Control* Conference., vol. 1, pp. 689-693, June. 1999.
- [154] B. Bercu, "Weighted estimation and tracking for ARMAX models," Proceedings of the 31st IEEE Conference on Decision and Control., pp. 2740-2741, Dec. 1992.
- [155] P. Kabaila, "On output-error methods for system identification," *IEEE Transactions on Automatic Control.*, vol. 28, no. 1, pp. 12-23, Jan. 1983.
- [156] E.W. Bai, and Y. Ye, "The least squares: output error sensitivity and the constrained logarithmic algorithm," *Proceedings of the 1998 American Control Conference.*, vol. 6, pp. 3570-3574, Jun. 1998.
- [157] J.B. Kenney, and C.E. Rohrs, "The composite regressor algorithm," *International Conference on Acoustics, Speech, and Signal Processing.*, vol. 3, pp. 1561-1563, Apr. 1988.
- [158] S.C.A. Thomopoulos, and I.N.M. Papadakis, "Model reference adaptive control and identification via the modified output error method," *International Conference on Acoustics, Speech, and Signal Processing.*, vol. 3, pp. 2173-2176, Apr. 1991.
- [159] M.V. Reyes, and J.R. Torres, "Comparison of parameter conditioning in output error and equation error approaches in speed and parameter estimation in induction machines," *IEEE International Electric Machines and Drives Conference.*, pp. 108-113, 2001.
- [160] H. Dai, and N.K. Sinha, "A robust off-line output error method for system identification," *IEEE Transactions on Industrial Electronics.*, vol. 39, no. 4, pp. 285-292, Aug. 1992.
- [161] S.G. Douma, and P.M.J. Van, "Probabilistic uncertainty bounding in output error models with unmodelled dynamics," *American Control Conference.*, pp.6, Jun. 2006.
- [162] F. Gustafsson, and J. Schoukens, "Utilizing periodic excitation in prediction error based system identification," *Proceedings of the 37th IEEE Conference* on Decision and Control., vol. 4, pp. 3926-3931, Dec. 1998.
- [163] C.A. Jacobson, C.R. Johnson, D.C. McCormick, and W.A. Sethares, "Stability of active noise control algorithms," *IEEE Signal Processing Letters.*, vol. 8, no. 3, pp. 74-76, Mac. 2001.

- [164] U.K. Bhargava, and R.L. Kashyap, "Robust parametric approach for impulse response estimation," *IEEE Transactions on Acoustics, Speech, and Signal* Processing., vol. 36, no. 10, pp. 1592-1601, Oct. 1988.
- [165] M.A. Vogt, L. Wozniak, and T.R. Whittemore, "Output error identification of hydrogenerator conduit dynamics," *IEEE Transaction on Energy Conversion.*, vol. 4, no. 3, pp. 329-336, Sept. 1989.
- [166] T. Wigren, and A.E. Nordsjo, "Compensation of the RLS algorithm for output nonlinearities," *IEEE Transactions on Automatic Control.*, vol. 44, no. 10, pp. 1913-1918, Oct. 1999.
- [167] A. Monin, "ARMAX identification via hereditary algorithm," *IEEE Transactions on Automatic* Control., vol. 49, no. 2, pp. 233-238, Feb. 2004.
- [168] K. Lee, and D.Y. Lee, "Multirate-Output-Estimator-Based Control for Virtual Environment with Computational Time Delay," *International Joint Conference SICE-ICASE.*, pp. 209-214, Oct. 2006.
- [169] A. Mbarek, H. Messaoud, and G. Favier, "Recursive updating of the exact non convex feasible parameter sets," *IEEE International Conference on Systems, Man and Cybernetics.*, vol. 5, pp. 6, Oct. 2002.
- [170] A.F. Sheta, and A.H.A. Wahab, "Identification and robust controller design for large-scale systems using state-space model," *The 6th IEEE International Conference on Electronics, Circuits and* Systems., vol. 2, pp. 993-996, Sept. 1999.
- [171] B. Huang, "Process and control loop performance monitoring through detection of abrupt parameter changes," *IEEE Canadian Conference on Electrical and Computer Engineering.*, vol. 3, pp. 1559-1564, May. 1999.
- [172] A.C.V.D. Klauw, G.E.V. Ingen, A.V. Rhijn, S. Olivier, P.P.J.V.D. Bosch, and R.A.D. Callafon, "Closed loop identification of a distillation column," *Proceedings of the Third IEEE Conference on Control Applications.*, vol. 1, pp. 275-280, Aug. 1994.
- [173] V. Knyazkin, C.A. Canizares, and L.H. Soder, "On the parameter estimation and modeling of aggregate power system loads," *IEEE Transactions on Power* Systems., vol. 19, no. 2, pp. 1023-1031, May. 2004.
- [174] B. Porat, and B. Friedlander, "An efficient algorithm for output error model reduction," *IEEE Conference on Decision and Control.*, vol. 21, no. 1, pp. 1113-1114, Dec. 1982.

- [175] D. Matko, R. Karba, and B. Zupancic, "Neuro-fuzzy identification models," *Proceedings of IEEE International Conference on Industrial Technology.*, vol. 1, pp. 650-655, Jan. 2000.
- [176] M.I. Doroslovacki, and H. Fan, "Wavelet-based linear system modeling and adaptive filtering," *IEEE Transactions on Signal Processing.*, vol. 44, no. 5, pp. 1156-1167, May. 1996.
- [177] H. Oku, G. Nijsse, M. Verhaegen, and V. Verdult, "Change detection in the dynamics with recursive subspace identification," *Proceedings of the 40th IEEE Conference on Decision and Control.*, vol. 3, pp. 2297-2302, Dec. 2001.
- [178] S. Bouchard, D. Rancourt, and E.A. Clancy, "EMG-to-torque dynamic relationship for elbow constant angle contractions," *Proceedings of the First Joint [Engineering in Medicine and Biology, 1999. 21st Annual Conf. and the 1999 Annual Fall Meeting of the Biomedical Engineering Soc].*, vol. 1, pp. 573, Oct. 1999.
- [179] S.Y. Park, and N.I. Cho, "Fixed-point error analysis of CORDIC processor based on the variance propagation formula," *IEEE Transactions on Circuits and Systems I: Regular Papers.*, vol. 51, no. 3, pp. 573-584, Mac. 2004.
- [180] G. Simon, and G. Peceli, "A new composite gradient algorithm to achieve global convergence," *IEEE Transactions on Circuits and Systems II: Analog and Digital Signal Processing.*, vol. 42, no. 10, pp. 681-684, Oct. 1995.
- [181] S.W. Piche, "The selection of weight accuracies for Madalines," *IEEE Transactions on Neural Networks.*, vol. 6, no. 2, pp. 432-445, Mac. 1995.
- [182] S.Roy, O.P. Malik, and G.S. Hope, "A least-squares based model-fitting identification technique for diesel prime-movers with unknown dead-time," *IEEE Transaction on Energy Conversion.*, vol. 6, no. 2, pp. 251-256, Jun. 1991.
- [183] P.W. Wong, "Quantization and roundoff noises in fixed-point FIR digital filters," *IEEE Transactions on Signal Processing.*, vol. 39, no. 7, pp. 1552-1563, July. 1991.
- [184] W. Ren, and P.R. Kumar, "Stochastic parallel model adaptation: theory and applications to active noise canceling, feedforward control, IIR filtering, and identification," *IEEE Transactions on Automatic Control.*, vol. 37, no. 5, pp. 566-578, May. 1992.

- [185] P.A. Regalia, "Stable and efficient lattice algorithms for adaptive IIR filtering," *IEEE Transactions on Signal Processing.*, vol. 40, no. 2, pp. 375-388, Feb. 1992.
- [186] H.K. Baik, and V.J. Mathews, "Adaptive lattice bilinear filters," *IEEE Transactions on Signal Processing.*, vol. 41, no. 6, pp. 2033-2046, Jun. 1993.
- [187] J. Garnett, S. Dasgupta, and C.R. Johnnson, "Convergence of the signed output error adaptive identifier," *IEEE Transactions on Automatic Control.*, vol. 39, no. 7, pp. 1387-1399, Jul. 1994.
- [188] H.N. Duong, and I.D. Landau, "On test horizon for model validation by output error," *IEEE Transactions on Automatic Control.*, vol. 39, no. 1, pp. 102-106, Jan. 1994.
- [189] C.C. Chiu, and C.T. Su, "A novel neural network model using Box-Jenkins technique and response surface methodology to predict unemployment rate," *Tenth IEEE International Conference on Tools with Artificial Intelligence.*, pp. 74-80, Nov. 1998.
- [190] N. Smaoui, S. BuHamra, and M. Gabr, "A combination of Box-Jenkins analysis and neural networks to model and predict water consumption in Kuwait," *Proceedings of the 2002 International Joint Conference on Neural* Networks., vol. 2, pp. 1678-1683, May. 2002.
- [191] W. Gersch, and T. Brotherton, "AR model prediction of time series with trends and seasonalities: A contrast with Box-Jenkins modeling," *19th IEEE Conference on Decision and Control including the Symposium on Adaptive* Processes., vol. 19, no. 1, pp. 988-990, Dec. 1980.
- [192] W.K. Tang, M.H. Wong, Y.K. Wong, and T.S. Chung, "Load forecasting by fuzzy neural network in Box-Jenkins models," *IEEE International Conference* on Systems, Man, and Cybernetics., vol. 2, pp. 1738-1743, Oct. 1998.
- [193] Z. Yu, "A temperature match based optimization method for daily load prediction considering DLC effect," *IEEE Transactions on Power Systems.*, vol. 11, no. 2, pp. 728-733, May. 1996.
- [194] H. Xinyao, M. Shicong, S. Cong, H. Dingyi, and Y. Yong, "Predicting Query Duplication with Box-Jenkins Models and Its Applications," *Seventh IEEE International Conference on Peer-to-Peer Computing.*, pp. 79-86, Sept. 2007.

- [195] R.J. Triolo, D.H. Nash, and G.D. Moskowitz, "The identification of time series models of lower extremity EMG for the control of prostheses using Box-Jenkins criteria," *IEEE Transactions on Biomedical Engineering.*, vol. 35, no. 8, pp. 584-594, Aug. 1988.
- [196] U. Forssell, and L. Ljung, "Identification of unstable systems using output error and Box-Jenkins model structures," *IEEE Transactions on Automatic Control.*, vol. 45, no. 1, pp. 137-141, Jan. 2000.
- [197] K.M. Vu, P. Tessier, and G.A. Dumont, "*Box-Jenkins model LQG controller: design and performance*," IEE Proceedings-Control Theory and Applications., vol. 148, no. 5, pp. 419-429, Sept. 2001.
- [198] X.Z. Gao, and S.J. Ovaska, "Linguistic information feed-forward-based dynamical fuzzy systems.II. Evaluation," *Proceedings of the IEEE International Workshop on Soft Computing in Industrial Applications.*, pp. 81-84, Jun. 2003.
- [199] B.R. Chang, and S.F. Tsai, "A grey-cumulative LMS hybrid predictor with neural network based weighting for forecasting non-periodic short-term time series," *IEEE International Conference on Systems, Man and Cybernetics.*, vol. 6, pp. 5, Oct. 2002.
- [200] E.S. Yu, and C.Y.R. Chen, "Traffic prediction using neural networks," Global Telecommunications Conference including a Communications Theory Mini-Conference. Technical Program Conference Record., vol. 2, pp. 991-995, Dec. 1993.
- [201] X. Bombois, M. Gevers, and G. Scorletti, "Open-loop versus closed-loop identification of Box-Jenkins models: a new variance analysis," *IEEE Conference on Decision and Control and European Control Conference.*, pp. 3117-3122, Dec. 2005.
- [202] N. Amjady, "Short-term hourly load forecasting using time-series modeling with peak load estimation capability," *IEEE Transactions on Power Systems.*, vol. 16, no.3, pp. 498-505, Aug. 2001.
- [203] M.H. Choueiki, C.A.M. Campbell, and S.C. Ahalt, "Building a `quasi optimal' neural network to solve the short-term load forecasting problem," *IEEE Transactions on Power Systems.*, vol. 12, no. 4, pp. 1432-1439, Nov. 1997.
- [204] K.L. Ho, Y.Y. Hsu, C.F. Chen, T.E. Lee, C.C. Liang, T.S. Lai, and K.K. Chen, "Short term load forecasting of Taiwan power system using a knowledge-based expert system," *IEEE Transactions on Power* Systems., vol. 5, no. 4, pp. 1214-1221, Nov. 1990.

- [205] A. Matthews, L. Russell, and C. Carpinella, "Weather-normalized intermediate term capacity forecasting: a procedural innovation," *IEEE Transactions on Power Systems.*, vol. 3, no. 3, pp. 1291-1297, Aug. 1988.
- [206] B.H. Chowdhury, and S. Rahman, "Is central station photovoltaic power dispatchable," *IEEE Transactions on Energy Conversion.*, vol. 3, no. 4, pp. 747-754, Dec. 1988.
- [207] J. Abonyi, R. Babuska, and F. Szeifert, "Fuzzy modeling with multivariate membership functions: gray-box identification and control design," *IEEE Transactions on Systems, Man and Cybernetics.*, vol. 31, no. 5, pp. 755-767, Oct. 2001.
- [208] J.M. Leski, "Generalized weighted conditional fuzzy clustering," *IEEE Transactions on Fuzzy Systems.*, vol. 11, no. 6, pp. 709-715, Dec. 2003.
- [209] B. Ninness, and H. Hjalmarsson, "Variance error quantifications that are exact for finite-model order," *IEEE Transactions on Automatic Control.*, vol. 49, no. 8, pp. 1275-1291, Aug. 2004.
- [210] D.J. Hughes, "Equivalence of the BoxýýJenkinsýýAstrýým control law to the Kalman linear regulator," *Electronics Letters.*, vol. 9, no. 10, pp. 220-221, May. 1973.
- [211] K.M. Vu, G.A. Dumont, and P. Tessier, "Recursive least determinant selftuning regulator," *IEE Proceedings-Control Theory and Applications.*, vol. 147, no. 3, pp. 285-292, May. 2000.
- [212] G.M. Dimirovski, and C.J. Andreeski, "How Good ANN Identification of Post-Stabilization Inflation Dynamics Can Be?" *International Joint Conference on Neural* Networks., pp. 2098-2105, 2006.
- [213] P.A. Dinda, and D.R. O'Hallaron, "An evaluation of linear models for host load prediction," *The Eighth International Symposium on High Performance Distributed Computing*, Aug 1999.
- [214] W. Wu, J. Hu, and J. Zhang, "Prognostics of Machine Health Condition using an Improved ARIMA-based Prediction method," *2nd IEEE Conference on Industrial Electronics and Applications.*, pp. 1062-1067, May. 2007.
- [215] D. Puangdownreong, "Model Identification of Cart-plus-Pendulum System Using Genetic Algorithm," *IEEE Region 10 Conference.*, pp. 1-4, Nov. 2006.

- [216] A. Bara, "Algorithm for Fuzzy Relation Identification," *IEEE International Conference on Automation, Quality and Testing, Robotics.*, vol. 1, pp. 96-101, May 2006.
- [217] L. Yang, L.R. Welch, J. Liu, and C.D. Cavanaugh, "A robust QoS forecasting technique for a dynamic, distributed real-time testbed," *IEEE International Workshop on Computer Architectures for Machine Perception.*, pp. 4, May. 2003.
- [218] M.A. Teixeira, and G. Zaverucha, "Fuzzy multi-hidden Markov predictor in electric load forecasting," *IEEE International Joint Conference on Neural Networks.*, vol. 3, pp. 1758-1763, July. 2005 - Aug. 2005.
- [219] T. Jiang, N.S. Bao, and Q.X. Chen, "Modeling and identification of wind energy conversion system," *IEEE International on Electric Machines and Drives Conference Record.*, pp. TC3/9.1-TC3/9.3, May. 1997.
- [220] X.Z. Gao, S.J. Ovaska, and X. Wang, "A simplified linguistic information feedback-based dynamical fuzzy system (S-LIFDFS) - Part I. Theory," *Proceedings of the IEEE Mid-Summer Workshop on Soft Computing in Industrial Applications.*, pp. 41-50, June 2005.
- [221] F. Jurado, J.R. Saenz, and L. Fernandez, "Modeling fuel cell plants on the distribution system using identification algorithms," *Proceedings of the 12th IEEE Mediterranean Electrotechnical Conference.*, vol. 3, pp. 1003-1006, May. 2004.
- [222] I. Goethals, K. Pelckmans, J.A.K. Suykens, and B.D. Moor, "Subspace identification of Hammerstein systems using least squares support vector machines," *IEEE Transactions on Automatic Control.*, vol. 50, no. 10, pp. 1509-1519, Oct. 2005.
- [223] C. Shiguo, Z. Ruanyu, W. Peng, and L. Taihua, "Enhance accuracy in pole identification of system by wavelet transform de-noising," *IEEE Transactions on Nuclear Science.*, vol. 51, no. 1, part 2, pp. 250-255, Feb. 2004.
- [224] U. Qidwai, and M. Bettayeb, "Deconvolution of ultrasonic NDT signals using N4SID algorithm for defect identification," *Proceedings of the 10th IEEE International Conference on Electronics, Circuits and Systems.*, vol. 1, pp. 60-63, Dec. 2003.
- [225] B.C. Juricek, D.E. Seborg, and W.E. Larimore, "Process control applications of subspace and regression-based identification and monitoring methods," *Proceedings of the American Control Conference.*, vol. 4, pp. 2341-2346, Jun. 2005.

- [226] C.D. Loreto, A. Germani, and C. Manes, "Polynomial extension of linear subspace algorithms for stochastic identification," *43rd IEEE Conference on Decision and Control.*, vol. 2, pp. 2213-2218, Dec. 2004.
- [227] N. Zhou, J.W. Pierre, and J.F. Hauer, "Initial results in power system identification from injected probing signals using a subspace method," *IEEE Transactions on Power Systems.*, vol. 21, no. 3, pp. 1296-1302, Aug. 2006.
- [228] X. Xie, J. Li, J. Xiao, and Y. Han, "Inter-area damping control of STATCOM using wide-area measurements," *Proceedings of the IEEE International Conference on Electric Utility Deregulation, Restructuring and Power Technologies.*, vol. 1, pp. 222-227, Apr. 2004.
- [229] R. Shi, and J.F. MacGregor, "A framework for subspace identification methods," *Proceedings of the American Control Conference.*, vol. 5, pp. 3678-3683, Jun. 2001.
- [230] V. Sima, and S.V. Huffel, "Efficient numerical algorithms and software for subspace-based system identification," *IEEE International Symposium on Computer-Aided Control System Design.*, pp. 1-6, Sept. 2000.
- [231] B.R. Fischer, and M. Medvedev, "Laguerre shift identification of a pressurized process," *Proceedings of the American Control Conference.*, vol. 3, pp. 1933-1973, Jun. 1998.
- [232] T.W. Flint, and R.J. Vaccaro, "Performance analysis of N4SID state-space system identification," *Proceedings of the American Control Conference.*, vol. 5, pp. 2766-2767, Jun. 1998.
- [233] J. Wang, J. Jiya, X. Liu, Y. Yao, G. Wang, and S. Xu; "Identifying noise model in closed-loop using subspace method," *Proceedings of the IEEE International on Vehicle Electronics Conference.*, vol. 1, pp. 349-351, Sept. 1999.
- [234] D. Lieftucht, U. Kruger, G.W. Irwin, and R.J. Treasure, "Fault reconstruction in linear dynamic systems using multivariate statistics," *IEE Proceedings-Control Theory and Applications.*, vol. 153, no. 4, pp. 437-446, July. 2006.
- [235] M. Nitta, "Design of compensation input based on LQ decomposition in N4SID method," *Annual Conference* SICE., pp. 2530-2534, Sept. 2007.
- [236] P.L.D. Santos, J.A. Ramos, and J.L.M.D. Carvalho, "Identification of Bilinear Systems Using an Iterative Deterministic-Stochastic Subspace Approach," 44th IEEE Conference on Decision and Control and European Control Conference., pp. 7120-7126, Dec. 2005.

- [237] T. Gustafsson, "On the state estimation problem for subspace identification," *Proceedings of the 37th IEEE Conference on Decision and Control.*, vol. 4, pp. 3914-3919, Dec. 1998.
- [238] A. Chiuso, and G. Picci, "Asymptotic variances of subspace estimates," *Proceedings of the 40th IEEE Conference on Decision and Control.*, vol. 4, pp. 3910-3915, Dec. 2001.
- [239] E. Munevar, J.A. Ramos, W. Gordon, M. Agnew, and W. Zhou, "Detection of abnormalities in the signal averaged electrocardiogram: a subspace system identification approach," *Proceedings of the 38th IEEE Conference on Decision and Control.*, vol. 5, pp. 5094-5099, Dec. 1999.
- [240] D.J. Trudnowski, J.W. Pierre, N. Zhou, J.F. Hauer, and M. Parashar, "Performance of Three Mode-Meter Block-Processing Algorithms for Automated Dynamic Stability Assessment," *IEEE Transactions on Power Systems.*, vol. 23, no. 2, pp. 680-690, May. 2008.
- [241] X. Zhou, Y. Fang, X. Dong, and Y. Zhang, "System modeling of an AFM System in Z-axis," *7th IEEE Conference on Nanotechnology.*, pp. 96-99, Aug. 2007.
- [242] Pseudo inverse matrix URL: http://en.wikipedia.org/wiki/Pseudoinverse (July 29, 2008)
- [243] S.M. Shinners, Advanced Modern Control System Theory and Design, New York: John Wiley & Sons Inc, 1998.
- [244] C.L. Phillips, and H.T. Nagle, *Digital Control System Analysis and Design*, New Jersey: Prentice Hall, 1984.
- [245] M.S. Santina., A.R. Stubberud, and G.H. Hostetter, *Digital Control System Design*, Harcourt Brace College Publisher, 1994.
- [246] K. Ogata, *Modern Control Engineering-4<sup>th</sup>Edition*, New Jersey: Prentice Hall, 2002.
- [247] N.S Nise, *Control Systems Engineering-3<sup>rd</sup>Edition*, New York: John Wiley & Sons Inc, 2000.
- [248] W.J. Grantham, and T.L. Vincent, *Modern Control Systems Analysis and Design*, New York: John Wiley & Sons Inc, 1993.

- [249] National Instruments Homepage URL: http://www.ni.com (Dec 20, 2005)
- [250] LabVIEW Simulation Module User Manual, 2004
- [251] LabVIEW Control Design Toolkit User Manual, 2004,
- [252] LabVIEW Control Design Toolkit Algorithm References, 2004
- [253] Certification and accreditation of load cell URL:http://us.mt.com/us/en/home/supportive\_content/specials.maw\_quality\_ 01042006\_1.oneColEd.html
   (Dec 29, 2008)